



SpanSet Australia Ltd

150 Old Bathurst Road
Emu Plains
NSW 2750
Australia

Telephone

+61 2 4735 3955

Fax

+61 2 4735 3630

Email

sales@spanset.com.au

Internet

www.spanset.com.au

D Series Endless Web Slings

Single Ply Web Slings

SpanSet endless flat slings are manufactured with hi-tech webbing for greater durability

- Wide load (up to 300mm) bearing surface to minimize damage to fragile loads
- Lightweight for enhanced manual handling safety
- Excellent strength to weight ratio
- Light and flexible for good access in awkward situations
- Conform to AS1353.


D Series 2 Endless Webbing Slings Technical Data

Colour / Code	Rated WLL (kg)	1 Width (mm)	2 Thickness (mm)	3 Min Sling Length (mm)	Min Pin Diameter (mm)	Min Load Edge Diameter (mm)
D250	250	25	2	300	2	6
D500	500	35	2	300	2	6
D1000	1,000	50	3	300	3	9
D2000	2,000	75	4	400	4	12
D3000	3,000	100	4	400	4	12
D4000	4,000	140	4	500	4	12
D5000	5,000	150	4	600	4	12
D6000	6,000	180	4	600	4	12
D8000	8,000	240	5	600	5	15
D10000	10,000	300	5	700	5	15

D Series Ordering Codes


Colour / Code	Rated WLL (kg)	1 metre	2 metre	3 metre	4 metre	5 metre	6 metre
D250	250	D250-0x1.0	D250-0x2.0	D250-0x3.0	D250-0x4.0	D250-0x5.0	D250-0x6.0
D500	500	D500-0x1.0	D500-0x2.0	D500-0x3.0	D500-0x4.0	D500-0x5.0	D500-0x6.0
D1000	1000	D1000-0x1.0	D1000-0x2.0	D1000-0x3.0	D1000-0x4.0	D1000-0x5.0	D1000-0x6.0
D2000	2,000	D2000-0x1.0	D2000-0x2.0	D2000-0x3.0	D2000-0x4.0	D2000-0x5.0	D2000-0x6.0
D3000	3,000	D3000-0x1.0	D3000-0x2.0	D3000-0x3.0	D3000-0x4.0	D3000-0x5.0	D3000-0x6.0
D4000	4,000	D4000-0x1.0	D4000-0x2.0	D4000-0x3.0	D4000-0x4.0	D4000-0x5.0	D4000-0x6.0
D5000	5,000	D5000-0x1.0	D5000-0x2.0	D5000-0x3.0	D5000-0x4.0	D5000-0x5.0	D5000-0x6.0
D6000	6,000	D6000-0x1.0	D6000-0x2.0	D6000-0x3.0	D6000-0x4.0	D6000-0x5.0	D6000-0x6.0
D8000	8,000	D8000-0x1.0	D8000-0x2.0	D8000-0x3.0	D8000-0x4.0	D8000-0x5.0	D8000-0x6.0
D10000	10,000	D10000-0x1.0	D10000-0x2.0	D10000-0x3.0	D10000-0x4.0	D10000-0x5.0	D10000-0x6.0

Other sizes available on request




secutex® Cut Resistant Sleeves for D Slings


Colour / Code	Secutex Code Single Sided	Interior Width (mm)	Exterior Width (mm)	Exterior Height	Weight Per Run Metre	Secutex Code Double Sided	Interior Width	Exterior Width	Exterior height	Weight Per Run Metre	Secutex Code Clip-On	Interior Width	Exterior Width	Exterior Height	Weight Per Run Metre
D1000	SF1-50	50	70	22	0.9	SF2-50	50	70	70	1.2	SC-50	50	70	70	1.1
D2000	SF1-75	75	95	22	1.1	SF2-75	75	95	95	1.5	SC-75	75	95	95	1.3
D3000	SF1-100	100	120	22	1.3	SF2-100	100	120	120	1.8	SC-100	100	120	120	1.6
D4000	SF1-140	140	160	22	1.5	SF2-140	140	160	160	2.1	SC-140	140	160	160	1.8
D5000	SF1-150	150	170	22	1.9	SF2-150	150	170	170	2.6	SC-150	150	170	170	2.3
D6000	SF1-180	180	200	35	2.7	SF2-180	180	200	35	2.7	SC-180	180	200	35	2.4
D8000	SF1-240	240	260	35	3.2	SF2-240	240	260	35	3.0	SC-240	240	260	35	2.6
D10000	SF1-300	300	325	35	4.0	SF2-300	300	325	35		SC-300	300	325	35	3.3



secutex® SF-1



secutex® SF-2



secutex® Clip-SC

Training Courses

Height Safety

Working Safely at Height
Working Safely at Heights Refresher
Height Safety Supervisor*
Height Safety Manager*

Rescue

Rescue Systems Operator*
Vertical Rescue*
Tower and Pole Rescue*
Wind Access Rescue Technician*
EWP Emergency Escape
Gotcha Rescue

Confined Space

Confined Space*
Confined Space - Refresher*
Breathing Apparatus*
Confined Space Non-Entry Rescue*

Inspection

Competent Person Practical
Inspection and Record Keeping*



SpanSet Accreditations

ISO 9001:2015 Certified Quality
Management System

ISO 14001:2015 Certified Environment
Management System

OHSAS 18001:2007 Certified Occupational
Health and Safety Management Systems

Australian/New Zealand Standard
4801:2001 certified Occupational Health
and Safety Management Systems

Accredited for compliance with ISO/IEC
17025 - Testing

ASQA Registered Training Organisation
certified to ISO 9001:2008

Certified manufacturer to AS/NZS 1891.1
"Industrial Fall Arrest Systems and Devices"

Certified manufacturer to AS/NZS 1353.1
"Flat Synthetic Webbing Slings"

Certified manufacturer to AS/NZS 4497
"Round Slings—Synthetic Fibre"

www.spanset.com.au

