

T-PAK Adjustable Length Fall Arrest Lanyard

Height Safety
Lifting
Load Control
Safety Management



PRODUCT NAME

T-PAK Adjustable Length Fall Arrest Lanyard

ORDER CODE:

TPA027

WHAT IS IT?

(Product Description):

The T-PAK Adjustable Length Fall Arrest Lanyard is CE Marked to EN355 and includes twist-lock karabiners at both ends. The lanyard body is adjustable in length from 2m to 1.3m. A Fall Arrest Lanyard connects your harness to the anchor point and protects you in the event of a fall.

WHAT CAN IT BE USED FOR?

(Intended Function):

The T-PAK adjustable length lanyard has been designed and tested to absorb the forces of a fall; this means that it is intended to be used as part of a Fall Arrest System. The lanyard can be adjusted to the correct length to limit the user's movement and reduce any free fall distance. T-PAK lanyards can also be used as part of a work restraint system when adjusted to the correct length to prevent the user falling.

WHAT CAN I USE WITH IT?

(Compatibility):

The T-PAK adjustable length lanyard is compatible with the following equipment and their associated systems;

- The X harness range
- The EXCEL harness range
- SAFELINE horizontal life lines
- Horizontal safety lines

If you are unsure of any equipment and its compatibility with the T-PAK adjustable length lanyard please contact SpanSet Ltd.

WHO CAN USE IT?

(Competence, Size and Adjustment):

Work at height can be a high risk activity. It is therefore essential that all users are competent in the pre use inspection, fitting / adjustment and use of this item.

The T-PAK adjustable length lanyard has a maximum working length of 2m and can be reduced in length using a sliding buckle to 1.3m.

T-Pak lanyards are designed for optimum performance when used by 100kg workers. SpanSet recommend that workers weighing more than 115kg should use an ATLAS lanyard and harness combination.

HEIGHT SAFETY

T-PAK Adjustable Length Fall Arrest Lanyard



HOW LONG WILL IT LAST?

(Maintenance, Inspection and Lifespan):

The lifespan of the T-PAK adjustable length lanyard is limited by the following;

- The product has a maximum shelf-life of 10 years from the date of manufacture.
- The product has a maximum service-life of 5 years from the date of first use.
- The lifespan may also be reduced by the effects of damage or wear and tear.

The lifespan will cease at the point when any one of these conditions is met.

The condition of the product must be controlled in accordance with BS8437:2005, this requires regular inspections to be carried out by a competent person.

HOW HAS IT BEEN TESTED?

(Relevant Standard And Quality Assurance)

The T-PAK adjustable length lanyard is CE marked under the Personal Protective Equipment Directive.

The CE marking process includes independent testing to EN355:2002 – Personal protective equipment against falls from a height. Energy absorbers.

The SpanSet manufacturing process is quality controlled and audited by the British Standards Institute to the international standard for quality management ISO9001:2008.

WHAT IS IT MADE FROM AND WHY?

(Specification and Materials):

25mm duplex web construction

- Duplex construction for resistance to loading over an edge
- Robust construction for durability

Alloy sliding adjustment buckle

- Easy and smooth to adjust
- Locks in place with no risk of slippage

Steel karabiner

- Twist-lock automatic locking gate for fast and safe connection to anchor points
- Captivated pin onto lanyard to ensure correct loading and prevent loss

Additional SpanSet Features:

Individual Serial Numbering – All SpanSet Height safety products are individually serial numbered for traceability.

WHAT PAPERWORK IS SUPPLIED?

(Product Records and Information)

Multilingual Instructions with pictorial fitting guide

Individual Product History Card – This record card contains all the documentation required to maintain the product. The front forms the European Declaration of Conformity and the table on the reverse can be completed to form the inspection record.

Pocket Inspection Guide – This simple to follow pocket card identifies the key areas requiring inspection. .

WHAT TRAINING IS REQUIRED?

(Competency):

Although in itself this is a simple item to use, there are three stages that should be considered as part of the process as a whole. Training is available for all the stages outlined at the SpanSet training school in Middlewich or subject to suitability on a site of your choice:

Assessment and planning - Training Module 9 Management of Work At Height

Use - Training Module 1 Height Safety Equipment Appreciation and Inspection followed by an appropriate practical module.

Inspection and Maintenance - Training Module 1 and Module 7 Competent Person Practical Inspection & Record Keeping.

All training for work at height is conducted in accordance with BS8454:2006 and is audited as part of our ISO9001:2008 quality management system.

For additional information on training please got to www.spanset.co.uk or Email: training@spanset.co.uk

WHAT IF I NEED TO KNOW MORE?

(Further Information):

If you have any specific questions that have not been answered you should contact the SpanSet customer services department.

Tel: + 44 (0) 1606 737494

Email: customerservices@spanset.co.uk