

SpanSet Australia Ltd

150 Old Bathurst Road
Emu Plains
NSW 2750
Australia

Telephone

+61 2 4735 3955

Fax

+61 2 4735 3630

Email

sales@spanset.com.au

Internet

www.spanset.com.au

B Series Web Slings

SpanSet 2 ply flat slings are manufactured with reinforced eyes for greater durability

- Wide load bearing surface to minimize damage to fragile loads
- Lightweight for enhanced manual handling safety
- Excellent strength to weight ratio
- Light and flexible for good access in awkward situations
- Certified to AS1353


B Series 2 Ply Flat Webbing Slings Technical Data

Colour / Code	Rated WLL (kg)	1 Width (mm)	2 Thickness (mm)	3 Min Sling Length (mm)	4 Min Eye Length (mm)	Min Pin Diameter (mm)	Min Load Edge Diameter (mm)
B250	250	25	4	600	600	4	12
B500	500	35	4	700	400	4	12
B1000	1000	50	5	820	250	5	15
B2000	2000	75	7.5	1100	350	7.5	22.5
B3000	3000	100	8	1250	400	8	24
B4000	4000	140	8	1500	500	8	24
B5000	5000	150	8	1700	600	8	24
B6000	6000	180	8	2170	800	8	24
B8000	8000	240	9	2650	1000	9	27
B10,000	10,000	300	9	3000	1200	9	27

B Series Ordering Codes


Colour / Code	Rated WLL (kg)	1 metre	1.5 metre	2 metre	2.5 metre	3 metre	4 metre	5 metre	6 metre
B250	250	B250-0x1.0	B250-0x1.5	B250-0x2.0	B250-0x2.5	B250-0x3.0	B250-0x4.0	B250-0x5.0	B250-0x6.0
B500	500	B500-0x1.0	B500-0x1.5	B500-0x2.0	B500-0x2.5	B500-0x3.0	B500-0x4.0	B500-0x5.0	B500-0x6.0
B1000	1000	B1000-0x1.0	B1000-0x1.5	B1000-0x2.0	B1000-0x2.5	B1000-0x3.0	B1000-0x4.0	B1000-0x5.0	B1000-0x6.0
B2000	2000		B2000-0x1.5	B2000-0x2.0	B2000-0x2.5	B2000-0x3.0	B2000-0x4.0	B2000-0x5.0	B2000-0x6.0
B3000	3000		B3000-0x1.5	B3000-0x2.0	B3000-0x2.5	B3000-0x3.0	B3000-0x4.0	B3000-0x5.0	B3000-0x6.0
B4000	4000		B4000-0x1.5	B4000-0x2.0	B4000-0x2.5	B4000-0x3.0	B4000-0x4.0	B4000-0x5.0	B4000-0x6.0
B5000	5000			B5000-0x2.0	B5000-0x2.5	B5000-0x3.0	B5000-0x4.0	B5000-0x5.0	B5000-0x6.0
B6000	6000				B6000-0x2.5	B6000-0x3.0	B6000-0x4.0	B6000-0x5.0	B6000-0x6.0
B8000	8000					B8000-0x3.0	B8000-0x4.0	B8000-0x5.0	B8000-0x6.0
B10,000	10,000					B10000-0x3.0	B10000-0x4.0	B10000-0x5.0	B10000-0x6.0

Other sizes available on request




secutex® Cut Resistant Sleeves for B Slings


Colour / Code	Secutex Code Single Sided	Interior Width (mm)	Exterior Width (mm)	Exterior Height	Weight Per Run Metre	Secutex Code Double Sided	Interior Width	Exterior Width	Exterior height	Weight Per Run Metre	Secutex Code Clip-On	Interior Width	Exterior Width	Exterior Height	Weight Per Run Metre
B1000	SF1-50	50	70	22	0.9	SF2-50	50	70	70	1.2	SC-50	50	70	70	1.1
B2000	SF1-75	75	95	22	1.1	SF2-75	75	95	95	1.5	SC-75	75	95	95	1.3
B3000	SF1-100	100	120	22	1.3	SF2-100	100	120	120	1.8	SC-100	100	120	120	1.6
B4000	SF1-140	140	160	22	1.5	SF2-140	140	160	160	2.1	SC-140	140	160	160	1.8
B5000	SF1-150	150	170	22	1.9	SF2-150	150	170	170	2.6	SC-150	150	170	170	2.3
B6000	SF1-180	180	200	35	2.7	SF2-180	180	200	35	2.7	SC-180	180	200	35	2.4
B8000	SF1-240	240	260	35	3.2	SF2-240	240	260	35	3.0	SC-240	240	260	35	2.6
B10,000	SF1-300	300	325	35	4.0	SF2-300	300	325	35		SC-300	300	325	35	3.3



secutex® SF-1



secutex® SF-2



secutex® Clip-SC

Training Courses

Height Safety

Working Safely at Height
Working Safely at Heights Refresher
Height Safety Supervisor*
Height Safety Manager*

Rescue

Rescue Systems Operator*
Vertical Rescue*
Tower and Pole Rescue*
Wind Access Rescue Technician*
EWP Emergency Escape
Gotcha Rescue

Confined Space

Confined Space*
Confined Space - Refresher*
Breathing Apparatus*
Confined Space Non-Entry Rescue*

Inspection

Competent Person Practical
Inspection and Record Keeping*



SpanSet Accreditations

ISO 9001:2015 Certified Quality
Management System

ISO 14001:2015 Certified Environment
Management System

OHSAS 18001:2007 Certified Occupational
Health and Safety Management Systems

Australian/New Zealand Standard
4801:2001 certified Occupational Health
and Safety Management Systems

Accredited for compliance with ISO/IEC
17025 - Testing

ASQA Registered Training Organisation
certified to ISO 9001:2008

Certified manufacturer to AS/NZS 1891.1
"Industrial Fall Arrest Systems and Devices"

Certified manufacturer to AS/NZS 1353.1
"Flat Synthetic Webbing Slings"

Certified manufacturer to AS/NZS 4497
"Round Slings—Synthetic Fibre"

www.spanset.com.au

