

E1000—Violet



E2000—Green



E3000—Yellow



E4000—Grey



E5000—Red



E6000—Brown



E8000—Blue



SpanSet® Australia LTD

150 Old Buthurst
Emu Plains
NSW 2750
Australia

Telephone

+61 2 4735 3955

Fax

Sales: +61 2 4735 3630
Accounts: +61 2 4735 6349

E-mail

sales@spanset.com.au

Internet

www.spanset.com.au

SpanSets Round Sling Technical Data

Colour / Code	Rated WLL (kg)	Thickness Under Load (mm approx.)	Width Under Load (mm approx.)	Minimum Attachment Hardware Diameter (mm)	Minimum Load Edge Radius (mm)	Minimum Load Edge Diameter with secutex® Sleeve	Maximum Length (metres)	Minimum Length (metres)	Weight Per Metre (kg)
E1000	1000	6	45	12	18	N/A	60	1.0	0.40
E2000	2000	7	48	14	21	N/A	60	1.0	0.60
E3000	3000	8	60	16	24	N/A	60	1.0	0.80
E4000	4000	10	65	20	30	N/A	60	1.0	1.00
E5000	5000	10	75	20	30	N/A	60	1.0	1.20
E6000	6000	13	80	26	39	N/A	60	1.0	1.40
E8000	8000	15	80	30	45	N/A	60	1.0	1.80
E12000	12000	21	100	42	63	N/A	60	1.5	2.00
E20000	20000	23	138	46	69	N/A	60	1.5	4.20
E30000	30000	34	180	68	102	N/A	60	1.5	7.50
E40000	40000	37	190	74	111	N/A	60	1.5	10.00
E50000	50000	65	190	130	195	N/A	60	1.5	13.00
E60000	60000	75	190	150	225	N/A	60	1.5	14.80
E70000	70000	85	200	170	255	N/A	60	1.5	16.50

SpanSets Ordering Codes

Colour / Code	Rated WLL (kg)	1 metre	2 metre	3 metre	4 metre	5 metre	6 metre	8 metre
E1000	1000	E1000-0x1.0	E1000-0x2.0	E1000-0x3.0	E1000-0x4.0	E1000-0x5.0	E1000-0x6.0	E1000-0x8.0
E2000	2000	E2000-0x1.0	E2000-0x2.0	E2000-0x3.0	E2000-0x4.0	E2000-0x5.0	E2000-0x6.0	E2000-0x8.0
E3000	3000	E3000-0x1.0	E3000-0x2.0	E3000-0x3.0	E3000-0x4.0	E3000-0x5.0	E3000-0x6.0	E3000-0x8.0
E4000	4000	E4000-0x1.0	E4000-0x2.0	E4000-0x3.0	E4000-0x4.0	E4000-0x5.0	E4000-0x6.0	E4000-0x8.0
E5000	5000	E5000-0x1.0	E5000-0x2.0	E5000-0x3.0	E5000-0x4.0	E5000-0x5.0	E5000-0x6.0	E5000-0x8.0
E6000	6000	E6000-0x1.0	E6000-0x2.0	E6000-0x3.0	E6000-0x4.0	E6000-0x5.0	E6000-0x6.0	E6000-0x8.0
E8000	8000	E8000-0x1.0	E8000-0x2.0	E8000-0x3.0	E8000-0x4.0	E8000-0x5.0	E8000-0x6.0	E8000-0x8.0
E12000	12000	E12000-0x1.0	E12000-0x2.0	E12000-0x3.0	E12000-0x4.0	E12000-0x5.0	E12000-0x6.0	E12000-0x8.0
E20000	20000	E20000-0x1.0	E20000-0x2.0	E20000-0x3.0	E20000-0x4.0	E20000-0x5.0	E20000-0x6.0	E20000-0x8.0
E30000	30000	E30000-0x1.0	E30000-0x2.0	E30000-0x3.0	E30000-0x4.0	E30000-0x5.0	E30000-0x6.0	E30000-0x8.0
E40000	40000	E40000-0x1.0	E40000-0x2.0	E40000-0x3.0	E40000-0x4.0	E40000-0x5.0	E40000-0x6.0	E40000-0x8.0
E50000	50000	E50000-0x1.0	E50000-0x2.0	E50000-0x3.0	E50000-0x4.0	E50000-0x5.0	E50000-0x6.0	E50000-0x8.0
E60000	60000	E60000-0x1.0	E60000-0x2.0	E60000-0x3.0	E60000-0x4.0	E60000-0x5.0	E60000-0x6.0	E60000-0x8.0
E70000	70000	E70000-0x1.0	E70000-0x2.0	E70000-0x3.0	E70000-0x4.0	E70000-0x5.0	E70000-0x6.0	E70000-0x8.0

secutex® Cut Resistant Sleeves for SpanSets - Single Leg

Colour / Code	Secutex Code Single Sided	Interior Width (mm)	Exterior Width (mm)	Exterior Height	Weight Per Run Metre	Secutex Code Double Sided	Interior Width	Exterior Width	Exterior height	Weight Per Run Metre	Secutex Code Clip-On	Interior Width	Exterior Width	Exterior Height	Weight Per Run Metre
E1000	SF1-50	50	70	22	0.9	SF2-50	50	70	70	1.2	SC-50	50	70	70	1.1
E2000	SF1-75	75	95	22	1.1	SF2-75	75	95	95	1.5	SC-75	75	95	95	1.3
E3000	SF1-100	100	120	22	1.3	SF2-100	100	120	120	1.8	SC-100	100	120	120	1.6
E4000	SF1-140	140	160	22	1.5	SF2-140	140	160	160	2.1	SC-140	140	160	160	1.8
E5000	SF1-150	150	170	22	1.9	SF2-150	150	170	170	2.6	SC-150	150	170	170	2.3
E6000	SF1-180	180	200	35	2.7	SF2-180	180	200	35	2.7	SC-180	180	200	35	2.4
E8000	SF1-240	240	260	35	3.2	SF2-240	240	260	35	3.0	SC-240	240	260	35	2.6

Training Courses

Height Safety

Working Safely at Height
Working Safely at Heights Refresher
Height Safety Supervisor*
Height Safety Manager*

Rescue

Rescue Systems Operator*
Vertical Rescue*
Tower and Pole Rescue*
Wind Access Rescue Technician*
EWP Emergency Escape
Gotcha Rescue

Confined Space

Confined Space*
Confined Space - Refresher*
Breathing Apparatus*
Confined Space Non-Entry Rescue*

Inspection

Competent Person Practical
Inspection and Record Keeping*



SpanSet Accreditations

ISO 9001:2015 Certified Quality Management System

ISO 14001:2015 Certified Environment Management System

OHSAS 18001:2007 Certified Occupational Health and Safety Management Systems

Australian/New Zealand Standard 4801:2001 certified Occupational Health and Safety Management Systems

Accredited for compliance with ISO/IEC 17025 - Testing

Registered Training Organisation certified RTO ID 91173

Certified manufacturer to AS/NZS 1891.1
"Industrial Fall Arrest Systems and Devices"

Certified manufacturer to AS/NZS 1353.1
"Flat Synthetic Webbing Slings"

Certified manufacturer to AS/NZS 4497
"Round Slings—Synthetic Fibre"

www.spanset.com.au

