

RISK ASSESSMENT - CORONAVIRUS

SpanSet

Risk assessment - topic/area covered								
Location(s):	Goods Inwards / Warehouse / Stores Control							
Department/staff:	Warehouse / Despatch Operatives							
Tasks/activities:	Loading / Unloading pallets / packages. Storage and Manoeuvring Goods within the Warehouse area							
Other information:								

Risk assessment sig	Risk assessment sign off										
Prepared by:	D Flynn – QHSE Manager	Signature:	2.0.2	Date:	19.05.20						
Reviewed by:	P Ward – Managing Director	Signature:	Parta = mul	Date:	19.05.20						
Date for review:	This risk assessment should the that the control measures are		dditional risks not covered are identified or i sufficient.	f there is	any reason to suggest						

Document issue record											
Amendment number	Issue date	Date amended	Person amending	Remarks							

Distribution schedule											
Registered number	Issue number	Date	Name	Designation							
5	1	19.05.20	M Parker	Warehouse / Despatch Operatives							

		I	Key										
	5	5	10	15	20	25	High risk: 15-25	High-risk activities should cease immediately.					
	4	4	8	12	16	20	nightisk. 13-23	Further effective control me	easures to mitigate risks must be introduced.				
	3	3	6	9	12	15	Medium risk: 8-		be tolerated for the short term and only whilst				
L: Likelihood	2	2	4	6	8	10	12	further control measures to introduced.	o mitigate the risks are being planned and				
	1	1	2	3	4	5	Low risk: 1-6	Low risks are largely accept	otable. Where it is reasonable to do so, efforts				
							should be made to		duce risks further.				
			S : 5	Severity	1		DR: Degree of risk		RR: Residual risk				
Guidance. 1. Identify the persons at risk and the significant hazards. 2. Calculate an initial RR for the activity. 3. Identify risk control measures that reduce the risks to an acceptable level. 4. Calculate a revised RR - assuming the control measures are followed. (Consider changing both the likelihood (L) and the severity (S) ratings.)													

_ _

SpanSet

PPE assess	ment		Note. In many instances you will be able to reduce risks further by asking staff/others to wear/use PPE. You should identify which items are required for the task here:									
Type of	\bigcirc		8					Ť				
PPE:	Head	Foot	Eye	Hand	Hearing	Hi-visibility	RPE	Fall arrest				
							Advisory					
Additional re	quirements:	Gloves should b	e worn whenever it is practicable to do so.									
Note DDE n	ust only be consi	dered when other	control mocouros	ouch on quardin		vtraction proventir	a poico at couror	oliminating the				

Note. PPE must only be considered when other control measures, such as guarding, local exhaust extraction, preventing noise at source, eliminating the need to work at height etc. are not possible. PPE should always be considered as a last resort option. PPE should only be worn when there is reasonable justification for doing so.

Risk assessme	nt								
	Persons at	Significant		Initial			Residual		
Activity	risk	hazards	L	s	DR	Risk control measures	L	S	RR
COVID-19: Safe Cleaning Practice for the Fork Lift Truck	Warehouse / Despatch Operatives	Serious ill- health conditions	2	5	10	 Sanitise hands / wear vinyl gloves before commencing to clean down the Fork Lift Truck Ref: 01 Sanitise the Fork Lift Truck at the start of each working day, using the water based Anti-Bacterial spray / spray gun Ensure this task is performed outdoors. Before applying cleaning products always refer to the truck's operator's manual. Remember, information provided by the equipment manufacturer takes precedence over this document. Refer to cleaning guidance document Ref: 06 It is a sensible additional precaution to use disinfectant wipes or a combination of a disinfectant spray administered to a paper towel to assist with cleaning down the contact surfaces of trucks before and after work. Use of a direct spray may disperse germs from the surface into the air. Examples of surfaces that should be wiped clean include but not limited to: Steering Wheel, Control Switches and Levers, Touch Sensitive display screens, Grab handles, Seat belts, Dashboards & shared chassis areas, Floor mats, Access covers, e.g. battery change etc. Refer to cleaning guidance document Ref: 06 Unless a specific risk has been identified, special cleaning measures for surfaces which are not normally touched more frequently than every 72 hours are not required. Cleaning of specialist items, such as batteries and chans, should only be carried out in accordance with the 	1	5	5

Risk assessme	ent								
	Persons at	Significant		Initial	•		I	Residua	al
Activity	risk	hazards	L	S	DR	Risk control measures	L	S	RR
						 manufacturer's recommendations. Ensure cleaning materials to include blue roll , and used wipes are disposed of after use within the designated clinical waste bins provided <u>ALWAYS</u> Sanitise hands before using the Fork Lift Truck for general day to day operations Ref: 01 			
Cleaning of Pump Trucks	Warehouse / Despatch Operatives	Serious ill- health conditions	2	5	10	 Use of Pump trucks / Lift tables - Sanitise handles / controls before each use, using Anti-Bacterial wipes. A pack of wipes will be attached to each truck. Refer to cleaning guidance document Ref: 04 Ensure all used wipes are disposed of after use within the designated clinical waste bins provided 	1	5	5
Cleaning Aircraft step ladders	Warehouse Operatives	Serious ill- health conditions	2	5	10	 Ensure the handrails of all Aircraft step ladders are cleaned down at the start of each working day, using Anti-Bacterial Wipes. Refer to cleaning guidance document Ref: 04 Ensure cleaning materials / used wipes are disposed of after use within the designated clinical waste bins provided. 	1	5	5
Deliveries of Consignments and parcels	Warehouse Operatives	Serious ill- health conditions	2	5	10	 Consider measures to reduce frequency of deliveries – E.G Ordering larger quantities less often Warehouse Operatives to ensure hands are sanitised prior to using the Fork Lift Truck / Pump Trucks before unloading vehicles Ref: 01 Warehouse Operatives to ensure disposable vinyl gloves are <u>ALWAYS</u> worn when handling Consignments and parcels. These <u>MUST</u> be disposed of after unloading each consignment, within the Clinical waste bins provided Ref: 06 All Operatives / Delivery drivers to observe and maintain Social Distancing measures (2M) at all times Ref: 06 Where possible and safe, ensure one Operative unloads the Vehicle at any one time Ref: 06 Encourage drivers to stay in their vehicles where this does not compromise their safety and existing safe working practice Ref: 06 Warehouse Operatives <u>MUST NOT</u> sign for parcels using hand-held devices / other methods to include paper documents Ref: 06 Access to the factory areas is prohibited for all drivers, unless they require access to use the welfare facilities as and when required, consistent with other Government guidance. Goods Inwards side door <u>MUST ALWAYS</u> remain locked, and drivers to ring the doorbell for assistance. All Pallets / Parcels to be placed into a designated holding area, prior to entering the stores area Ref: 06 Ensure after unloading a consignment, the Forks of the Fork Lift Truck are cleaned using Anti-Bacterial Spray / Spray gun. Ensure this task is 	1	5	5

_

1

SpanSet

Risk assessme	ent								
	Persons at	Significant		Initial	1		I	Residua	ıl
Activity	risk	hazards	L	s	DR	Risk control measures	L	s	RR
						 performed outdoors. Refer to cleaning guidance document Ref: 06 Consignments arriving in separate cardboard packages should be placed into quarantine for 24 hours Ref: 06 Consignments arriving in plastic packages should be placed into quarantine for 3 days Ref: 06 If a parcel is required urgently, the package should be cleaned down prior to opening using either Anti-Bacterial spray / Anti- Bacterial Wipes. This process should be performed outside. Refer to cleaning guidance document Ref: 06 			
Despatch – Loading Vehicles	Warehouse / Despatch Operatives	Serious ill- health conditions	2	5	10	 Despatch / Warehouse Operatives to ensure hands are sanitised prior to using the Fork Lift Truck / Pump Trucks before loading vehicles Ref: 01 All Operatives / Delivery drivers to observe and maintain Social Distancing measures (2M) at all times Ref: 06 Where possible and safe, one operative shall load the Vehicle at any one time Ref: 06 Encourage drivers to stay in their vehicles where this does not compromise their safety and existing safe working practice Ref: 06 Warehouse Operatives <u>MUST_NOT</u> sign for despatch of parcels using hand-held devices / other methods to include paper documents Ref: 06 Access to the factory areas is prohibited for all drivers, unless they require access to use the welfare facilities as and when required, consistent with other Government guidance Ref: 06 Goods Inwards side door <u>MUST_ALWAYS</u> remain locked, and drivers to ring the doorbell for assistance. 	1	5	5
Scanning out Raw Materials	Warehouse / Production Operatives	Serious ill- health conditions	2	5	10	 One Warehouse Scanner to be issued per Operative for booking materials out of stock, and tagged with the Operatives name accordingly. If multiple users are required to use a particular scanner, Sanitise hands before use Ref: 01 Ensure Hand held scanners are wiped down using Anti-Bacterial wipes at the start / end of each day. Refer to cleaning guidance document Ref: 03 Ensure cleaning materials / used wipes are disposed of after use within the designated clinical waste bins provided. 	1	5	5
Stores Controls / Picking of product	Warehouse / Production Operatives	Serious ill- health conditions	2	5	10	 Sanitise hands / wear vinyl gloves before commencing to pick goods from the warehouse. If vinyl gloves are being worn, these <u>MUST</u> be disposed of after completion of one order, within the designated marked clinical waste bin provided Ref: 05 Ensure the Forks of the Fork Lift Truck are cleaned using Anti-Bacterial Spray / Spray gun, before removing pallets from the Stores area through to production. Ensure this task is performed outdoors. Refer to cleaning guidance document Ref: 06 	1	5	5

SpanSet

_

Risk assessme	Risk assessment												
	Persons at	Significant		Initial			Residual						
Activity	risk	hazards	L	S	DR	Risk control measures	L	S	RR				
						 Use of Pump trucks - Sanitise handles / controls before each use, using Anti-Bacterial wipes. A pack of wipes will be attached to each truck. Refer to cleaning guidance document Ref: 04 Ensure cleaning materials to include blue roll, and used wipes are disposed of after use within the designated clinical waste bins provided. One Tape gun shall be allocated to one Operative, and their name indelibly marked Ref: 02 One Ceramic Stanley knife to be issued to each Operative, and their name indelibly marked Ref: 02 One tape measure to be issued to each operative, and their name indelibly marked Ref: 02 Ensure all Operatives are equipped with their own stationary items, and these items are not shared – E.G Pens, etc. Ensure communal holders to store pens etc. are removed Ref: 02 All Operatives to maintain Social Distancing at all times Ref: 02 							

SpanSet

	Action plan			
Subject	Further action required	Action by whom	Action by when	Date completed
Tool box talks and guidance documents	Tool box talk and cleaning guidance documents to be issued, in line with this Risk Assessment	DF / RH	19.05.20	22.05.20
Hand Sanitiser	Ensure there is an adequate supply of Hand Sanitiser with a 60% alcohol content.	GW / DF	14.05.20	14.05.20
Anti-Bacterial Wipes	Anti-Bacterial Wipes to be provided for pump trucks / Aircraft safety steps / Packages	GW	14.05.20	14.05.20
Anti-Bacterial Spray / Spray gun	Anti-Bacterial Spray / Spray gun to be provided for the Stores	DF	15.05.20	15.05.20
Vinyl Gloves	Ensure we have an adequate supply of vinyl disposable gloves	GW	18.05.20	18.05.20
Blue Roll	Ensure we have an adequate supply of Blue roll	GW	14.05.20	14.05.20
Anti-Bacterial Sprays	Ensure we have an adequate supply of Anti-Bacterial Spray. The Anti-Bacterial spray needs to be of an adequate strength to kill the virus	GW / DF	14.05.20	14.05.20
Floor Markings	If deemed necessary 2M floor markings shall be adopted	DF	15.05.20	15.05.20
COVID-19 Signage	Purchase appropriate wall / floor signage.	DF	15.05.20	15.05.20
Reduce number of deliveries	Look at reducing the number of deliveries where at all possible – E.G. Order larger quantities less often.	GW	Ongoing	Ongoing

Ongoing Monitoring / Management required

 - 5	5panS	5e Ľ	—	—	—	—		—
 			—	—	—	—	Height Safety	
 			—				Lifting Load Control Safety Management	

• Ongoing Monitoring to ensure the Risk Assessment and Guidance documents are being followed, through weekly Safety Tours