



SpanSet®

02

Height Safety
Lifting
Load Control
Safety Management

NoCut®



NoCut[®] sleeve high-tech cut resistant sleeve made from high performance fibres for added safety

Do you recognise this?

Handling sharp edged metal sheets, for instance, is often improvised and an inadequate solution is found: A pile of gloves or cardboard is used quite often as edge protection. This is contrary to statutory regulations and can cause fatal accidents. Therefore protect your lifting gear with edge protection, which has been especially developed for sharp edges. Increase the service life of your lifting gear and improve your employees' safety.

Act now!

SpanSet offers a solution with high performance edge protection from its selection of NoCut[®] products. NoCut[®] sleeve is a woven, protective, high performance sleeve for roundslings and webslings, which is characterised by particularly high cut and abrasion resistance. It goes without saying that NoCut[®] is available in the various widths of SpanSet webslings and roundslings. Therefore NoCut[®] is best suited for the protection of textile lifting slings such as PowerStar webslings and

SupraPlus roundslings, especially preventing damage caused by sharp edges when lifting heavy loads.

For more safety.

A special test procedure was designed and built for the development of NoCut[®], which established the cut resistance of a protective sleeve in realistic situations whereby the damaged area is loaded with a nominal load. This has determined the protective effect of NoCut[®] sleeve on edges with differing sharpness. Definite findings, which answer all application questions!

Illustration: NoCut[®] sleeve offers the best protection against cuts. Almost no traces of use are shown, even after frequent application.



Illustration: NoCut[®] sleeve guarantees easy handling thanks to its minimal net weight and flexibility – even in tight and irregular spaces.

LIFTING

Protective sleeve

- NoCut[®]sleeve
- Range



It's easy to achieve maximum safety: NoCut[®]sleeve

Its suppleness and minimal weight, compared to conventional products for cut protection, makes it easy to handle in applications and ensures that time is saved when attaching slings.

NoCut[®]sleeve is woven from HMPE¹ high performance fibres and offers the best protection for your textile lifting gear against cuts made by sharp edged loads. Rotating and turning loads is also no problem for NoCut[®]sleeve, and the special rib structure **1** of the sleeve design makes it easier for the lifting gear to slide inside the sleeve. NoCut[®]sleeve protects the lifting sling even when a relative cutting motion takes place, which can occur when a load is raised. Such relative

movements between load and edge protection are permissible in the case of edge radii of greater than 1 mm, as long as they do not exceed the usual settling characteristics by more than 2 to 3 centimetres when raising a load. If SpanSet prepares the lifting process in collaboration with technical engineers in such a way that the edge protection and the load do not shift when raised, then cut protection is even ensured for radii of under 1 mm.

The NoCut[®]sleeve is supplied ready-to-use with trimmed cut edges. Protective sleeves are offered with lengths of 250 mm increments and widths of 30 mm to 300 mm as standard.

¹ High-modulus polyethylene


Range



Versions as per illustrations 1 and 3 are available. Illustration 5 is a special design – available on request!

Product Code	approx. sleeve inner width (mm)	approx. sleeve width (mm)	approx. sleeve height (mm)	For use with* webslings (acc. to illustr.1)	For use with* roundslings (acc. to illustr.3)
NC45	45	55	13	PowerStar 1000 Duplex 1000	
NC75	75	85	13	PowerStar 2000 Duplex 2000	SupraPlus 1000, 2000 Econolift 1000, 2000
NC105	105	115	13	PowerStar 3000 Duplex 3000	SupraPlus 3000, 4000 Econolift 3000 MagnumX 10,000
NC165	165	175	13	PowerStar 4000, 5000 Duplex 4000, 5000	SupraPlus 5000, 6000, 8000 Econolift 5000, 6000, 8000
NC195	195	205	13	PowerStar 6000 Duplex 6000	MagnumPlus 10,000 MagnumX 20,000; 30,000 Econolift 10,000
NC255	255	265	13	PowerStar 8000 Duplex 8000	MagnumPlus 15,000 MagnumX 40,000; 50,000 Econolift 15,000
NC315	315	325	13	PowerStar 10,000 Duplex 10,000	MagnumPlus 20,000; 25,000 MagnumX 60,000 Econolift 20,000; 25,000

*Further combination options are available.




LIFTING


Protective sleeve

- Overview of Benefits
 - Online Information
-

Overview of Benefits



Textile protection against cuts with minimal net weight.




Supple and flexible design.



Usable on both sides. Slides along its entire length.



Tested protection against cuts.



1 Unique rib structure.


Illustration: NoCut[®] sleeve is not tensioned when loaded – you can recognise this by the way it gathers **2** – this avoids premature wear and tear.

SpanSet Ltd.
Telford Way, Middlewich
Cheshire CW10 0HX, UK
Tel: +44 (0) 1606 737494
Fax +44 (0) 1606 737502
www.spanset.co.uk

More from SpanSet



Height Safety



Safeline Systems



Lifting Systems



Load Control



Training



www.spanset.co.uk

We reserve the right to make technical changes. All rights are reserved. No part of the catalogue may be reproduced, duplicated or publicised in any form (print, photocopy, microfilm, or any other process) or processed using electronic systems without written permission from SpanSet UK. The current catalogue has been produced with due care; SpanSet UK does not accept any liability for errors or omissions.