



SpanSet Australia Ltd

150 Old Bathurst Road
Emu Plains
NSW 2750
Australia

Telephone

+61 2 4735 3955

Fax

+61 2 4735 3630

Email

sales@spanset.com.au

Internet

www.spanset.com.au

SPXT6 Xtirpa Tow Bar Hitch Davit System



SPXTIN2210 Davit Arm

Working Load Mass with Mast SPXTIN2003	164kg
Maximum Capacity with Lifeline Winch and Mast SPXTIN2003 Position 1 and 2	16kN
Maximum Capacity with Material Handling and Mast SPXTIN2003 Position 3	8kN
Maximum Capacity at Anchor Point	22kN
Weight	15kg
Length When Opened	203cm
Length When Closed	132cm
Extension and Guide Tubes	Aluminium
Davit Arm Link	Aluminium
Anchorage Hooks	Stainless Steel
Hardware	Zinc Plated Steel
Guide Tube Sliders	Ultra High Molecular-weight Polyethylene
Pulley	Black Acetal
Finish	Security Yellow


SPXTIN2003 Mast

Working Load Mass with Davit Arm SPXTIN2210	164kg
Maximum Capacity with Davit Arm SPXTIN2210	16kN
Weight	10kg
Mast Material	Aluminium
Anchorage Plates	Aluminium
Finish	Security Yellow

SPXTIN2126 Trailer Hitch Mount

Working Load Mass with Mast SPXTIN2003 and Davit Arm SPXTIN2210	164kg
Maximum Capacity with Mast and Davit Arm SPXTIN2210	16kN
Hitch Vehicle Minimum Weight	2727kg
Weight	14kg
Extensions	Aluminium
Mast Sleeve	Aluminium
Extension Sliders	Black Delrin
Positioning Levels and Hardware	Zinc Plated Steel
Positioning Pads	Aluminium
Finish	Security Yellow

SPXT6 Xtirpa Tow Bar Hitch Davit System Trailer Hitch Mount Accessories



SPXTA2126-21 Anchor Bolt Adaptor

Maximum Capacity	164kg
Maximum Working Moment	0.95kN/m
Maximum Moment	0.95kN/m
Weight	15kg
Principal Body and Guide	Zinc Plated Stainless Steel
Hardware	Steel
Plate Support	Steel




SPXTA2126-10 90° Extension

Weight	29kg
Length	132cm
Working Height	35.6cm
Width	5.1cm ²
Material	Steel
Finish	Security Yellow



SPXTA2126-09 Straight Extension

Weight	14kg
Length	193.7cm
Width	5.1cm ²
Material	Steel



SPXTA2126-07 Universal Joint

Weight	3.6kg
Length	28.5cm
Width	5.08cm ²
Material	Steel

Training Courses

Height Safety

Working Safely at Height
Working Safely at Heights Refresher
Height Safety Supervisor*
Height Safety Manager*

Rescue

Rescue Systems Operator*
Vertical Rescue*
Tower and Pole Rescue*
Wind Access Rescue Technician*
EWP Emergency Escape
Gotcha Rescue

Confined Space

Confined Space*
Confined Space - Refresher*
Breathing Apparatus*
Confined Space Non-Entry Rescue*

Inspection

Competent Person Practical
Inspection and Record Keeping*



SpanSet Accreditations

ISO 9001:2015 Certified Quality
Management System

ISO 14001:2015 Certified Environment
Management System

OHSAS 18001:2007 Certified Occupational
Health and Safety Management Systems

Australian/New Zealand Standard
4801:2001 certified Occupational Health
and Safety Management Systems

Accredited for compliance with ISO/IEC
17025 - Testing

ASQA Registered Training Organisation
certified to ISO 9001:2008

Certified manufacturer to AS/NZS 1891.1
"Industrial Fall Arrest Systems and Devices"

Certified manufacturer to AS/NZS 1353.1
"Flat Synthetic Webbing Slings"

Certified manufacturer to AS/NZS 4497
"Round Slings—Synthetic Fibre"

www.spanset.com.au

