

2-Strang-GrabiQ-Kettengehänge, mit Ovalring und Multikupplung

GrabiQ Chain assembly



Artikel Name kurz	Ketten- Durchmesser	Öse	L min. [m]	Verkürzer	Kette Komponente	Haken- Komponente	WLL t Winkel 0°- 45° [t]
2leg Chain Assembly GrabiQ MF CG EGKN 8 3500	8 mm	GrabiQ ML w Flat Access 4t	-	GrabiQ ConnLink- Shortener 2.5t 8mm	KLA-8-10 G10 2.5t	GrabiQ Clevis Sling Hook 2.5t 8mm	3.5
2leg Chain Assembly GrabiQ MF CG EGKN 10 5600	10 mm	GrabiQ ML w Flat Access 7.5t	-	GrabiQ ConnLink- Shortener 4t 10mm	KLA-10-10 G10 4t	GrabiQ Clevis Sling Hook 4t 10mm	5.6
2leg CA GrabiQ MF CG GBK 6 1900	6 mm	GrabiQ ML w Flat Access 2.5t	0.5	GrabiQ ConnLink- Shortener 1.5t 6mm	KLA-6-10 G10 1.5t	GrabiQ Clevis Safety Hook 1.4t 6mm	1.9
2leg CA GrabiQ MF CG EGKN 6 1900	6 mm	GrabiQ ML w Flat Access 2.5t	0.5	GrabiQ ConnLink- Shortener 1.5t 6mm	KLA-6-10 G10 1.5t	GrabiQ Clevis Sling Hook 1.5t 6mm	1.9
2leg Chain Assembly GrabiQ MF CG GBK 8 3500	8 mm	GrabiQ ML w Flat Access 4t	0.5	GrabiQ ConnLink- Shortener 2.5t 8mm	KLA-8-10 G10 2.5t	GrabiQ Clevis Safety Hook 2.5t 8mm	3.5
2leg Chain Assembly GrabiQ MF CG GBK 10 5600	10 mm	GrabiQ ML w Flat Access 7.5t	0.6	GrabiQ ConnLink- Shortener 4t 10mm	KLA-10-10 G10 4t	GrabiQ Clevis Safety Hook 4t 10mm	5.6
2leg CA GrabiQ MF CG EGKN 13 9300	13 mm	GrabiQ ML w Flat Access 10t	0.6	GrabiQ ConnLink- Shortener 6.7t 13mm	KLA-13-10 G10 6.7t	GrabiQ Clevis Sling Hook 6.7t 13mm	9.3
2leg CA GrabiQ MF CG GBK 13 9300	13 mm	GrabiQ ML w Flat Access 10t	0.6	GrabiQ ConnLink- Shortener 6.7t 13mm	KLA-13-10 G10 6.7t	GrabiQ Clevis Safety Hook 6.7t 13mm	9.3

Artikel Name kurz	WLL t Winkel 45°- 60° [t]	WLL kg Winkel 0°- 45° [kg]	WLL kg Winkel 45°- 60° [kg]	Gewicht für 1m [kg]	Gewicht pro Meter [kg/m]
2leg Chain Assembly GrabiQ MF CG EGKN 8 3500	2.5	3500	2500	3.7	2.8
2leg Chain Assembly GrabiQ MF CG EGKN 10 5600	4	5600	4000	6.3	4.6





Artikel Name kurz	WLL t Winkel 45°- 60° [t]	WLL kg Winkel 0°- 45° [kg]	WLL kg Winkel 45°- 60° [kg]	Gewicht für 1m [kg]	Gewicht pro Meter [kg/m]
2leg CA GrabiQ MF CG GBK 6 1900	1.4	1900	1400	3.4	0.160
2leg CA GrabiQ MF CG EGKN 6 1900	1.4	1900	1400	3.4	0.160
2leg Chain Assembly GrabiQ MF CG GBK 8 3500	2.5	3500	2500	4.2	2.8
2leg Chain Assembly GrabiQ MF CG GBK 10 5600	4	5600	4000	7.1	4.6
2leg CA GrabiQ MF CG EGKN 13 9300	6.7	9300	6700	22.2	0.760
2leg CA GrabiQ MF CG GBK 13 9300	6.7	9300	6700	22.8	0.760



BESTELLNUMMERN[Global Item Number/Local ERP Number SSCH]

WLL t Winkel 0°- 45°	Haken-Komponente	6 mm	8 mm	10 mm	13 mm
1.9 t	 GrabiQ Clevis Safety Hook 1.4t 6mm	2032240 2-MF-CG-GBK-6	-	-	-
1.9 t	 GrabiQ Clevis Sling Hook 1.5t 6mm	2032239 2-MF-CG-EGKN-6	-	-	-
3.5 t	 GrabiQ Clevis Safety Hook 2.5t 8mm	-	2017334 2-MF-CG-GBK-8	-	-
3.5 t	 GrabiQ Clevis Sling Hook 2.5t 8mm	-	2017336 2-MF-CG-EGKN-8	-	-
5.6 t	 GrabiQ Clevis Safety Hook 4t 10mm	-	-	2017335 2-MF-CG-GBK-10	-
5.6 t	 GrabiQ Clevis Sling Hook 4t 10mm	-	-	2017337 2-MF-CG-EGKN-10	-
9.3 t	 GrabiQ Clevis Safety Hook 6.7t 13mm	-	-	-	2032241 2-MF-CG-GBK-13
9.3 t	 GrabiQ Clevis Sling Hook 6.7t 13mm	-	-	-	2032238 2-MF-CG-EGKN-13

- Klasse 100
- Hauptmaterial Stahl
- Temperaturbereich -40° C to + 200° C
- Verpackungseinheit (VPE) Inhalt 1

