



## Adjustable Length Rope Lanyard


Adjustable Length Rope Lanyards suitable for work restraint applications.

Item Name short	Anchor Connector	Harness Connector	L [m]	Weight Net [kg]
WRI 1.5m 10M1 1RH2	1RH2	10M1	1.5	-
WRI 1.5m 1CK2	1CK2	1CK2	1.5	-
WRI 1.5m 1CK2 1RH2	1RH2	1CK2	1.5	-
WRI 1.5m 10M1 1CK2	1CK2	10M1	1.5	0.6
Foot Loop Lanyard	Loop Termination Only	Loop Termination Only	1.75	-
WRI 2m 10M1 1CK2	1CK2	10M1	2	-
WRI 2m 10M1 1RH2	1RH2	10M1	2	-
WRI 2m 1CK2	1CK2	1CK2	2	-
WRI 2m 1CK2 1RH2	1RH2	1CK2	2	-
WRI 2m 10K1	10K1	10K1	2	-



















ORDER NUMBERS[Global Item Number/Local ERP Number SSUK]

Harness Connector	Dimension L				
		Loop Termination Only	10K1	1CK2	1RH2
 Loop Termination Only	1.75 m	2018429 2018429	-	-	-
 10M1	1.5 m	-	-	2002255 2002255	2004176 2004176
 10M1	2 m	-	-	2003198 2003198	2003692 2003692
 10K1	2 m	-	2012902 2012902	-	-
 1CK2	1.5 m	-	-	2004177 2004177	2004178 2004178
 1CK2	2 m	-	-	2003693 2003693	2004174 2004174

- Norms EN 358: 2018
- Main Material Polyamide
- Colour Black
- Fall Equipment Type Work Restraint
- Energy Absorbing No
- Label Protection Yes
- Packaging Unit (PU) Content 1

**SpanSet (UK) Limited**  
 Telford Way  
 Middlewich Cheshire  
 CW10 0HX United  
 Kingdom  
 +44 (0) 1606 737494  
 info@spanset.co.uk  
 www.spanset.co.uk



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

**SpanSet  
 Certified  
 Safety**