SpanSet®

DSL3

Fall Arrest Lanyard with Shortest Fall distances

Height Safety
Lifting
Load Control
Safety Management

SpanSet
Certified
Safety



Hybrid Fall Arrest Lanyard

First equipment to combine an auto shortening lanyard with a fully certified energy absorber.



Reduce the risk of injury from colliding into nearby hazards

The shorter the fall distance, the lower the acceleration and kinetic energy of the fall.

Can be anchored at or below floor level

The DSL3 provides a maximum lanyard working length of 2m.

No trailing lifelines, no trip hazards, no tangles

Retractor unit ensures the lifeline is neatly stowed away, avoiding trip hazards and potential accidents.

Safe for workers weighing up to 150kg

What does a worker in full kit and carrying tools weigh?? Take the guess work out with the DSL3

Auto Shortening

DSL3 Lanyard retractor engages instantly, retracting the lifeline, significantly shortening the distance the worker falls compared to a



Swivel at the anchor hook

Ensure it is not possible for the webbing to twist as it retracts into the device.

Load Indicator

Identify if an accidental loading has been applied to the reactors while in use.

Dyneema webbing

Highly abrasion and cut resistant
The webbing has been edge tested to demonstrate this to the Norm.

Neat and Compact

Comfortable and unobtrusive to wear all day long

Workers can move freely and in comfort without the retractors flapping about on their back or getting in the way.

Configurable product

Available in 1 and 2 legs, with different hooks.

Configure it online
www.spanset.com

Certified Energy absorber

Fully certified to EN355 and CE marked as a 2m fall arrest lanyard.



Ideal for traversing, climbing

DSL3 Fall Arrest Lanyard is the first equipment to combine an auto shortening lanyard with a fully certifies energy absorber

Robust, durable construction

Trialled on offshore oil platforms and coal fired power stations, so we are confident in the DSL3's performance in the harshest of conditions.

SpanSet
Telford Way, Middlewich,
Cheshire, CW10 0HX
United Kingdom
Tel. 01606 737494
Fax 01606 737502
E-Mail info@spanset.co.uk
Web www.spanset.com