

Cordino di trattenuta

Cordino di trattenuta in fune tessile a lunghezza fissa

Nome articolo breve	Connettore di ancoraggio	Connettore imbracatura	L [m]
WRC 0.45m	Loop Termination Only	Loop Termination Only	0.45
WRC 0.5m 1RH2	1RH2	1CK2	0.5
WRC 0.5m 1CK2	1CK2	1CK2	0.5
WRC 1m 1OM1 1CK2	1CK2	1OM1	1
WRC 1m 1RH2	1RH2	1CK2	1
WRC 1m 1CK2	1CK2	1CK2	1
WRC 1.5m 1OM1 1CK2	1CK2	1OM1	1.5
WRC 1.5m 1RH2	1RH2	1CK2	1.5
WRC 1.5m 1CK2	1CK2	1CK2	1.5
WRC 2m 1OM1 1CK2	1CK2	1OM1	2
WRC 2m 1RH2	1RH2	1CK2	2
WRC 2m 1CK2	1CK2	1CK2	2



ARTICOLO[Global Item Number/Local ERP Number SSIT]

Connettore di ancoraggio

Dimensione Lunghezza



Loop Termination Only

10M1

1CK2



Loop Termination Only

0.45 m

2010103
ER-2010103

-

-



1RH2

0.5 m

-

-

2004504
ER-2004504



1CK2

0.5 m

-

-

2004505
ER-2004505



1CK2

1 m

-

2004172
ER-2004172

-



1RH2

1 m

-

-

2004173
ER-2004173



1CK2

1 m

-

-

2004503
ER-2004503



1CK2

1.5 m

-

2004169
ER-2004169

-



1RH2

1.5 m

-

-

2004170
ER-2004170



1CK2

1.5 m

-

-

2004171
ER-2004171



1CK2

2 m

-

2003197
ER-2003197

-



1RH2

2 m

-

-

2003690
ER-2003690



Connettore di ancoraggio	Dimensione Lungh.			
		Loop Termination Only	10M1	1CK2
 1CK2	2 m	-	-	2003691 ER-2003691

■ Norme	EN 354: 2010
■ Materiale principale	Poliammide
■ Colore	Nero
■ Assorbitore di energia	No
■ Protezione dell'etichetta [y/n]	Sì
■ Packaging Unit (PU) Contenuto	1

