

Endless Websling 2-ply

Without hooks and eyes

Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	Weight for 1m [kg]	Weight Net [kg]	Weight per Meter [kg/m]	Colour
C2000	2000	2	-	0.5	-	0.4	Green
C2000-2M-07	2000	2	2	0.5	1.7	0.4	Green
C2000-3M-07	2000	2	3	0.5	1.8	0.4	Green
C2000-4M-07	2000	2	4	0.5	1.9	0.4	Green
C2000-5M-07	2000	2	5	0.5	2	0.4	Green
C2000-6M-07	2000	2	6	0.5	2.1	0.4	Green
C2000-8M-07	2000	2	8	0.5	2.3	0.4	Green
C2000-10M-07	2000	2	10	0.5	2.5	0.4	Green
C4000	4000	4	-	1	-	0.8	Grey
C4000-2M-07	4000	4	2	1	2.3	0.8	Grey
C4000-3M-07	4000	4	3	1	3.1	0.8	Grey
C4000-4M-07	4000	4	4	1	3.9	0.8	Grey
C4000-5M-07	4000	4	5	1	4.7	0.8	Grey
C4000-6M-07	4000	4	6	1	5.5	0.8	Grey
C4000-8M-07	4000	4	8	1	7.1	0.8	Grey
C4000-10M-07	4000	4	10	1	8.7	0.8	Grey
C6000	6000	6	-	1.6	-	1.3	Brown
C6000-2M-07	6000	6	2	1.6	3.4	1.3	Brown
C6000-3M-07	6000	6	3	1.6	4.7	1.3	Brown
C6000-4M-07	6000	6	4	1.6	6	1.3	Brown
C6000-5M-07	6000	6	5	1.6	7.3	1.3	Brown
C6000-6M-07	6000	6	6	1.6	8.6	1.3	Brown
C6000-8M-07	6000	6	8	1.6	11.2	1.3	Brown
C6000-10M-07	6000	6	10	1.6	13.8	1.3	Brown
C8000	8000	8	-	2	-	1.7	Blue
C8000-10M-07	8000	8	-	2	17.9	1.7	Blue



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	Weight for 1m [kg]	Weight Net [kg]	Weight per Meter [kg/m]	Colour
C8000-2M-07	8000	8	2	2	4.3	1.7	Blue
C8000-3M-07	8000	8	3	2	6	1.7	Blue
C8000-4M-07	8000	8	4	2	7.7	1.7	Blue
C8000-5M-07	8000	8	5	2	9.4	1.7	Blue
C8000-6M-07	8000	8	6	2	11.1	1.7	Blue
C8000-8M-07	8000	8	8	2	14.5	1.7	Blue
C10000	10000	10	-	2.8	-	2.3	Orange
C10000-2M-07	10000	10	2	2.8	2.8	2.3	Orange
C10000-3M-07	10000	10	3	2.8	3.8	2.3	Orange
C10000-4M-07	10000	10	4	2.8	4.8	2.3	Orange
C10000-5M-07	10000	10	5	2.8	5.8	2.3	Orange
C10000-6M-07	10000	10	6	2.8	6.8	2.3	Orange
C10000-8M-07	10000	10	8	2.8	8.8	2.3	Orange
C10000-10M-07	10000	10	10	2.8	10.8	2.3	Orange
C12000	12000	12	-	3.5	-	2.9	Orange
C12000-2M-07	12000	12	2	3.5	6.5	2.9	Orange
C12000-3M-07	12000	12	3	3.5	8.9	2.9	Orange
C12000-4M-07	12000	12	4	3.5	11.3	2.9	Orange
C12000-5M-07	12000	12	5	3.5	13.7	2.9	Orange
C12000-6M-07	12000	12	6	3.5	16.1	2.9	Orange
C12000-8M-07	12000	12	8	3.5	20.9	2.9	Orange
C12000-10M-07	12000	12	10	3.5	25.7	2.9	Orange
C16000	16000	16	-	4.7	-	3.9	Orange
C16000-2M-07	16000	16	2	4.7	7.7	3.9	Orange
C16000-3M-07	16000	16	3	4.7	10.9	3.9	Orange
C16000-4M-07	16000	16	4	4.7	14.1	3.9	Orange
C16000-5M-07	16000	16	5	4.7	17.3	3.9	Orange



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	Weight for 1m [kg]	Weight Net [kg]	Weight per Meter [kg/m]	Colour
C16000-6M-07	16000	16	6	4.7	20.5	3.9	Orange
C16000-8M-07	16000	16	8	4.7	26.9	3.9	Orange
C16000-10M-07	16000	16	10	4.7	33.3	3.9	Orange
C20000	20000	20	-	5.7	-	4.2	Orange
C20000-2M-07	20000	20	2	5.7	11.9	4.2	Orange
C20000-3M-07	20000	20	3	5.7	16.3	4.2	Orange
C20000-4M-07	20000	20	4	5.7	20.7	4.2	Orange
C20000-5M-07	20000	20	5	5.7	25.1	4.2	Orange
C20000-6M-07	20000	20	6	5.7	29.5	4.2	Orange
C20000-8M-07	20000	20	8	5.7	38.3	4.2	Orange
C20000-10M-07	20000	20	10	5.7	47.1	4.2	Orange
C30000	30000	30	-	7.6	-	6.5	Orange
C30000-2M-07	30000	30	2	7.6	15.2	6.5	Orange
C30000-3M-07	30000	30	3	7.6	21.9	6.5	Orange
C30000-4M-07	30000	30	4	7.6	28.6	6.5	Orange
C30000-5M-07	30000	30	5	7.6	35.3	6.5	Orange
C30000-6M-07	30000	30	6	7.6	42	6.5	Orange
C30000-8M-07	30000	30	8	7.6	55.4	6.5	Orange
C30000-10M-07	30000	30	10	7.6	68.8	6.5	Orange



ORDER NUMBERS[Global Item Number/Local ERP Number SSID]

WLL t	2 m	3 m	4 m	5 m	6 m	8 m	10 m
2 t	2017576 C2000-2M-07	2017577 C2000-3M-07	2017578 C2000-4M-07	2017579 C2000-5M-07	2017580 C2000-6M-07	2017581 C2000-8M-07	2021872 C2000-10M-07
4 t	2017582 C4000-2M-07	2017583 C4000-3M-07	2017584 C4000-4M-07	2017585 C4000-5M-07	2017586 C4000-6M-07	2017587 C4000-8M-07	2017588 C4000-10M-07
6 t	2017589 C6000-2M-07	2017590 C6000-3M-07	2017591 C6000-4M-07	2017592 C6000-5M-07	2017593 C6000-6M-07	2017594 C6000-8M-07	2021884 C6000-10M-07
8 t	2017595 C8000-2M-07	2017596 C8000-3M-07	2017597 C8000-4M-07	2017598 C8000-5M-07	2017599 C8000-6M-07	2017600 C8000-8M-07	-
10 t	2017601 C10000-2M-07	2017602 C10000-3M-07	2017603 C10000-4M-07	2017604 C10000-5M-07	2017605 C10000-6M-07	2017606 C10000-8M-07	2021492 C10000-10M-07
12 t	2021485 C12000-2M-07	2021486 C12000-3M-07	2021487 C12000-4M-07	2021488 C12000-5M-07	2021489 C12000-6M-07	2021490 C12000-8M-07	2021491 C12000-10M-07
16 t	2021493 C16000-2M-07	2021494 C16000-3M-07	2021495 C16000-4M-07	2021496 C16000-5M-07	2021497 C16000-6M-07	2021498 C16000-8M-07	2021499 C16000-10M-07
20 t	2021500 C20000-2M-07	2021501 C20000-3M-07	2021502 C20000-4M-07	2021503 C20000-5M-07	2021504 C20000-6M-07	2021505 C20000-8M-07	2021506 C20000-10M-07
30 t	2021507 C30000-2M-07	2021508 C30000-3M-07	2021509 C30000-4M-07	2021510 C30000-5M-07	2021511 C30000-6M-07	2021512 C30000-8M-07	2021513 C30000-10M-07

■ Norms	EN 1492-1: 2000
■ Main Material	High-Tenacity Polyester
■ Temperature Range	-40°C / +100°C
■ Label Protection	Yes
■ Packaging Unit (PU) Content	1

SpanSet Indonesia
 Marunda Center Blok
 F No.20 Segara
 Makmur, Tarumajaya.
 Bekasi, Indonesia.
 17211
 +62 21 285 100 77
 sales@spanset.co.id
 www.spanset.co.id



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Indonesia - Indonesia

SpanSet
Certified
Safety