

### Endless Websling 2ply Flat Webbing Sling Endless Double

| Item Name short | WLL kg [kg] | WLL t [t] | L1 [m] | Weight for 1m [kg] | Weight Net [kg] | Weight per Meter [kg/m] | Colour |
|-----------------|-------------|-----------|--------|--------------------|-----------------|-------------------------|--------|
| C2000           | 2000        | 2         | -      | 0.5                | -               | 0.4                     | Green  |
| C2000-2M-07     | 2000        | 2         | 2      | 0.5                | 1.7             | 0.4                     | Green  |
| C2000-3M-07     | 2000        | 2         | 3      | 0.5                | 1.8             | 0.4                     | Green  |
| C2000-4M-07     | 2000        | 2         | 4      | 0.5                | 1.9             | 0.4                     | Green  |
| C2000-5M-07     | 2000        | 2         | 5      | 0.5                | 2               | 0.4                     | Green  |
| C2000-6M-07     | 2000        | 2         | 6      | 0.5                | 2.1             | 0.4                     | Green  |
| C2000-8M-07     | 2000        | 2         | 8      | 0.5                | 2.3             | 0.4                     | Green  |
| C2000-10M-07    | 2000        | 2         | 10     | 0.5                | 2.5             | 0.4                     | Green  |
| C4000           | 4000        | 4         | -      | 1                  | -               | 0.8                     | Grey   |
| C4000-2M-07     | 4000        | 4         | 2      | 1                  | 2.3             | 0.8                     | Grey   |
| C4000-3M-07     | 4000        | 4         | 3      | 1                  | 3.1             | 0.8                     | Grey   |
| C4000-4M-07     | 4000        | 4         | 4      | 1                  | 3.9             | 0.8                     | Grey   |
| C4000-5M-07     | 4000        | 4         | 5      | 1                  | 4.7             | 0.8                     | Grey   |
| C4000-6M-07     | 4000        | 4         | 6      | 1                  | 5.5             | 0.8                     | Grey   |
| C4000-8M-07     | 4000        | 4         | 8      | 1                  | 7.1             | 0.8                     | Grey   |
| C4000-10M-07    | 4000        | 4         | 10     | 1                  | 8.7             | 0.8                     | Grey   |
| C6000           | 6000        | 6         | -      | 1.6                | -               | 1.3                     | Brown  |
| C6000-2M-07     | 6000        | 6         | 2      | 1.6                | 3.4             | 1.3                     | Brown  |
| C6000-3M-07     | 6000        | 6         | 3      | 1.6                | 4.7             | 1.3                     | Brown  |
| C6000-4M-07     | 6000        | 6         | 4      | 1.6                | 6               | 1.3                     | Brown  |
| C6000-5M-07     | 6000        | 6         | 5      | 1.6                | 7.3             | 1.3                     | Brown  |
| C6000-6M-07     | 6000        | 6         | 6      | 1.6                | 8.6             | 1.3                     | Brown  |
| C6000-8M-07     | 6000        | 6         | 8      | 1.6                | 11.2            | 1.3                     | Brown  |
| C6000-10M-07    | 6000        | 6         | 10     | 1.6                | 13.8            | 1.3                     | Brown  |
| C8000           | 8000        | 8         | -      | 2                  | -               | 1.7                     | Biru   |
| C8000-10M-07    | 8000        | 8         | -      | 2                  | 17.9            | 1.7                     | Biru   |



| Item Name short | WLL kg [kg] | WLL t [t] | L1 [m] | Weight for 1m [kg] | Weight Net [kg] | Weight per Meter [kg/m] | Colour |
|-----------------|-------------|-----------|--------|--------------------|-----------------|-------------------------|--------|
| C8000-2M-07     | 8000        | 8         | 2      | 2                  | 4.3             | 1.7                     | Biru   |
| C8000-3M-07     | 8000        | 8         | 3      | 2                  | 6               | 1.7                     | Biru   |
| C8000-4M-07     | 8000        | 8         | 4      | 2                  | 7.7             | 1.7                     | Biru   |
| C8000-5M-07     | 8000        | 8         | 5      | 2                  | 9.4             | 1.7                     | Biru   |
| C8000-6M-07     | 8000        | 8         | 6      | 2                  | 11.1            | 1.7                     | Biru   |
| C8000-8M-07     | 8000        | 8         | 8      | 2                  | 14.5            | 1.7                     | Biru   |
| C10000          | 10000       | 10        | -      | 2.8                | -               | 2.3                     | Orange |
| C10000-2M-07    | 10000       | 10        | 2      | 2.8                | 2.8             | 2.3                     | Orange |
| C10000-3M-07    | 10000       | 10        | 3      | 2.8                | 3.8             | 2.3                     | Orange |
| C10000-4M-07    | 10000       | 10        | 4      | 2.8                | 4.8             | 2.3                     | Orange |
| C10000-5M-07    | 10000       | 10        | 5      | 2.8                | 5.8             | 2.3                     | Orange |
| C10000-6M-07    | 10000       | 10        | 6      | 2.8                | 6.8             | 2.3                     | Orange |
| C10000-8M-07    | 10000       | 10        | 8      | 2.8                | 8.8             | 2.3                     | Orange |
| C10000-10M-07   | 10000       | 10        | 10     | 2.8                | 10.8            | 2.3                     | Orange |
| C12000          | 12000       | 12        | -      | 3.5                | -               | 2.9                     | Orange |
| C12000-2M-07    | 12000       | 12        | 2      | 3.5                | 6.5             | 2.9                     | Orange |
| C12000-3M-07    | 12000       | 12        | 3      | 3.5                | 8.9             | 2.9                     | Orange |
| C12000-4M-07    | 12000       | 12        | 4      | 3.5                | 11.3            | 2.9                     | Orange |
| C12000-5M-07    | 12000       | 12        | 5      | 3.5                | 13.7            | 2.9                     | Orange |
| C12000-6M-07    | 12000       | 12        | 6      | 3.5                | 16.1            | 2.9                     | Orange |
| C12000-8M-07    | 12000       | 12        | 8      | 3.5                | 20.9            | 2.9                     | Orange |
| C12000-10M-07   | 12000       | 12        | 10     | 3.5                | 25.7            | 2.9                     | Orange |
| C16000          | 16000       | 16        | -      | 4.7                | -               | 3.9                     | Orange |
| C16000-2M-07    | 16000       | 16        | 2      | 4.7                | 7.7             | 3.9                     | Orange |
| C16000-3M-07    | 16000       | 16        | 3      | 4.7                | 10.9            | 3.9                     | Orange |
| C16000-4M-07    | 16000       | 16        | 4      | 4.7                | 14.1            | 3.9                     | Orange |
| C16000-5M-07    | 16000       | 16        | 5      | 4.7                | 17.3            | 3.9                     | Orange |



| Item Name short | WLL kg [kg] | WLL t [t] | L1 [m] | Weight for 1m [kg] | Weight Net [kg] | Weight per Meter [kg/m] | Colour |
|-----------------|-------------|-----------|--------|--------------------|-----------------|-------------------------|--------|
| C16000-6M-07    | 16000       | 16        | 6      | 4.7                | 20.5            | 3.9                     | Orange |
| C16000-8M-07    | 16000       | 16        | 8      | 4.7                | 26.9            | 3.9                     | Orange |
| C16000-10M-07   | 16000       | 16        | 10     | 4.7                | 33.3            | 3.9                     | Orange |
| C20000          | 20000       | 20        | -      | 5.7                | -               | 4.2                     | Orange |
| C20000-2M-07    | 20000       | 20        | 2      | 5.7                | 11.9            | 4.2                     | Orange |
| C20000-3M-07    | 20000       | 20        | 3      | 5.7                | 16.3            | 4.2                     | Orange |
| C20000-4M-07    | 20000       | 20        | 4      | 5.7                | 20.7            | 4.2                     | Orange |
| C20000-5M-07    | 20000       | 20        | 5      | 5.7                | 25.1            | 4.2                     | Orange |
| C20000-6M-07    | 20000       | 20        | 6      | 5.7                | 29.5            | 4.2                     | Orange |
| C20000-8M-07    | 20000       | 20        | 8      | 5.7                | 38.3            | 4.2                     | Orange |
| C20000-10M-07   | 20000       | 20        | 10     | 5.7                | 47.1            | 4.2                     | Orange |
| C30000          | 30000       | 30        | -      | 7.6                | -               | 6.5                     | Orange |
| C30000-2M-07    | 30000       | 30        | 2      | 7.6                | 15.2            | 6.5                     | Orange |
| C30000-3M-07    | 30000       | 30        | 3      | 7.6                | 21.9            | 6.5                     | Orange |
| C30000-4M-07    | 30000       | 30        | 4      | 7.6                | 28.6            | 6.5                     | Orange |
| C30000-5M-07    | 30000       | 30        | 5      | 7.6                | 35.3            | 6.5                     | Orange |
| C30000-6M-07    | 30000       | 30        | 6      | 7.6                | 42              | 6.5                     | Orange |
| C30000-8M-07    | 30000       | 30        | 8      | 7.6                | 55.4            | 6.5                     | Orange |
| C30000-10M-07   | 30000       | 30        | 10     | 7.6                | 68.8            | 6.5                     | Orange |



### NOMOR PESANAN[Global Item Number/Local ERP Number SSID]

| WLL t | 2 m                     | 3 m                     | 4 m                     | 5 m                     | 6 m                     | 8 m                     | 10 m                     |
|-------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------------|
| 2 t   | 2017576<br>C2000-2M-07  | 2017577<br>C2000-3M-07  | 2017578<br>C2000-4M-07  | 2017579<br>C2000-5M-07  | 2017580<br>C2000-6M-07  | 2017581<br>C2000-8M-07  | 2021872<br>C2000-10M-07  |
| 4 t   | 2017582<br>C4000-2M-07  | 2017583<br>C4000-3M-07  | 2017584<br>C4000-4M-07  | 2017585<br>C4000-5M-07  | 2017586<br>C4000-6M-07  | 2017587<br>C4000-8M-07  | 2017588<br>C4000-10M-07  |
| 6 t   | 2017589<br>C6000-2M-07  | 2017590<br>C6000-3M-07  | 2017591<br>C6000-4M-07  | 2017592<br>C6000-5M-07  | 2017593<br>C6000-6M-07  | 2017594<br>C6000-8M-07  | 2021884<br>C6000-10M-07  |
| 8 t   | 2017595<br>C8000-2M-07  | 2017596<br>C8000-3M-07  | 2017597<br>C8000-4M-07  | 2017598<br>C8000-5M-07  | 2017599<br>C8000-6M-07  | 2017600<br>C8000-8M-07  | -                        |
| 10 t  | 2017601<br>C10000-2M-07 | 2017602<br>C10000-3M-07 | 2017603<br>C10000-4M-07 | 2017604<br>C10000-5M-07 | 2017605<br>C10000-6M-07 | 2017606<br>C10000-8M-07 | 2021492<br>C10000-10M-07 |
| 12 t  | 2021485<br>C12000-2M-07 | 2021486<br>C12000-3M-07 | 2021487<br>C12000-4M-07 | 2021488<br>C12000-5M-07 | 2021489<br>C12000-6M-07 | 2021490<br>C12000-8M-07 | 2021491<br>C12000-10M-07 |
| 16 t  | 2021493<br>C16000-2M-07 | 2021494<br>C16000-3M-07 | 2021495<br>C16000-4M-07 | 2021496<br>C16000-5M-07 | 2021497<br>C16000-6M-07 | 2021498<br>C16000-8M-07 | 2021499<br>C16000-10M-07 |
| 20 t  | 2021500<br>C20000-2M-07 | 2021501<br>C20000-3M-07 | 2021502<br>C20000-4M-07 | 2021503<br>C20000-5M-07 | 2021504<br>C20000-6M-07 | 2021505<br>C20000-8M-07 | 2021506<br>C20000-10M-07 |
| 30 t  | 2021507<br>C30000-2M-07 | 2021508<br>C30000-3M-07 | 2021509<br>C30000-4M-07 | 2021510<br>C30000-5M-07 | 2021511<br>C30000-6M-07 | 2021512<br>C30000-8M-07 | 2021513<br>C30000-10M-07 |

|                               |                         |
|-------------------------------|-------------------------|
| ■ Norms                       | EN 1492-1: 2000         |
| ■ Main Material               | High-Tenacity Polyester |
| ■ Temperature Range           | -40°C / +100°C          |
| ■ Label Protection            | Yes                     |
| ■ Packaging Unit (PU) Content | 1                       |

