



Fixed Length Rope Lanyard









Rope Lanyards of fixed length suitable for work restraint or as a connecting element.





Item Name short	Anchor Connector	Harness Connector	L [m]
WRC 0.45m	Loop Termination Only	Loop Termination Only	0.45
WRC 0.5m 1RH2	1RH2	1CK2	0.5
WRC 0.5m 1CK2	1CK2	1CK2	0.5
WRC 1m 1OM1 1CK2	1CK2	1OM1	1
WRC 1m 1RH2	1RH2	1CK2	1
WRC 1m 1CK2	1CK2	1CK2	1
WRC 1.5m 1OM1 1CK2	1CK2	1OM1	1.5
WRC 1.5m 1RH2	1RH2	1CK2	1.5
WRC 1.5m 1CK2	1CK2	1CK2	1.5
WRC 2m 1OM1 1CK2	1CK2	1OM1	2
WRC 2m 1RH2	1RH2	1CK2	2
WRC 2m 1CK2	1CK2	1CK2	2



ORDER NUMBERS[Global Item Number/Local ERP Number SSNL]

Anchor Connector	Dimension L			
		Loop Termination Only	10M1	1CK2
 Loop Termination Only	0.45 m	2010103	-	-
 1RH2	0.5 m	-	-	2004504
 1CK2	0.5 m	-	-	2004505
 1CK2	1 m	-	2004172	-
 1RH2	1 m	-	-	2004173
 1CK2	1 m	-	-	2004503
 1CK2	1.5 m	-	2004169	-
 1RH2	1.5 m	-	-	2004170
 1CK2	1.5 m	-	-	2004171
 1CK2	2 m	-	2003197	-
 1RH2	2 m	-	-	2003690



Anchor Connector	Dimension L			
		Loop Termination Only	10M1	1CK2
 1CK2	2 m	-	-	2003691

- Norms EN 354: 2010
- Main Material Polyamide
- Colour Black
- Energy Absorbing No
- Label Protection Yes
- Packaging Unit (PU) Content 1

Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed via electronic systems without the written permission of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Nederland B.V.

