

Fixed Length Rope Lanyard







Rope Lanyards of fixed length suitable for work restraint or as a connecting element.







Item Name short	Anchor Connector	Harness Connector	L [m]
WRC 0.45m	Loop Termination Only	Loop Termination Only	0.45
WRC 0.5m 1RH2	1RH2	1CK2	0.5
WRC 0.5m 1CK2	1CK2	1CK2	0.5
WRC 1m 1OM1 1CK2	1CK2	1OM1	1
WRC 1m 1RH2	1RH2	1CK2	1
WRC 1m 1CK2	1CK2	1CK2	1
WRC 1.5m 1OM1 1CK2	1CK2	1OM1	1.5
WRC 1.5m 1RH2	1RH2	1CK2	1.5
WRC 1.5m 1CK2	1CK2	1CK2	1.5
WRC 2m 1OM1 1CK2	1CK2	1OM1	2
WRC 2m 1RH2	1RH2	1CK2	2
WRC 2m 1CK2	1CK2	1CK2	2



ORDER NUMBERS[Global Item Number/Local ERP Number SSUK]

Anchor Connector	Dimension L			
		Loop Termination Only	10M1	1CK2
 Loop Termination Only	0.45 m	2010103 2010103	-	-
 1RH2	0.5 m	-	-	2004504 2004504
 1CK2	0.5 m	-	-	2004505 2004505
 1CK2	1 m	-	2004172 2004172	-
 1RH2	1 m	-	-	2004173 2004173
 1CK2	1 m	-	-	2004503 2004503
 1CK2	1.5 m	-	2004169 2004169	-
 1RH2	1.5 m	-	-	2004170 2004170
 1CK2	1.5 m	-	-	2004171 2004171
 1CK2	2 m	-	2003197 2003197	-
 1RH2	2 m	-	-	2003690 2003690



Anchor Connector	Dimension L			
		Loop Termination Only	10M1	1CK2
 1CK2	2 m	-	-	2003691 2003691

- Norms EN 354: 2010
- Main Material Polyamide
- Colour Black
- Fall Equipment Type Work Restraint
- Energy Absorbing No
- Label Protection Yes
- Packaging Unit (PU) Content 1

