

Flat Sling 2ply Eco

Standard Flat sling for rough working conditions

Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
WS Eco 2ply 500 2m	500.00	0.5	2	1	36	3.0	0.2
WS Eco 2ply 500 3m	500.00	0.5	3	1	36	3.0	0.2
WS Eco 2ply 500 4m	500.00	0.5	4	1	36	3.0	0.2
WS Eco 2ply 500 5m	500.00	0.5	5	1	36	3.0	0.2
WS Eco 2ply 500 6m	500.00	0.5	6	1	36	3.0	0.2
WS Eco 2ply 500 8m	500	0.5	8	1	36	3.0	0.2
WS Eco 2ply 1000 2m	1000	1	2	0.2	30	5.2	-
WS Eco 2ply 1000 3m	1000	1	3	0.2	30	5.2	-
WS Eco 2ply 1000 4m	1000.00	1	4	0.2	30	5.2	-
WS Eco 2ply 1000 5m	1000	1	5	0.2	30	5.2	-
WS Eco 2ply 1000 6m	1000	1	6	0.2	30	5.2	-
WS Eco 2ply 1000 8m	1000	1	8	0.2	30	5.2	-
WS Eco 2ply 1500 2m	1500.00	1.5	2	1	50	6.8	0.4
WS Eco 2ply 1500 3m	1500.00	1.5	3	1	50	6.8	0.4
WS Eco 2ply 1500 4m	1500.00	1.5	4	1	50	6.8	0.4
WS Eco 2ply 1500 5m	1500.00	1.5	5	1	50	6.8	0.4
WS Eco 2ply 1500 6m	1500.00	1.5	6	1	50	6.8	0.4
WS Eco 2ply 1500 8m	1500.00	1.5	8	1	50	6.8	0.4
WS Eco 2ply 2000 2m	2000	2	2	0	60	5.0	0.6



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
WS Eco 2ply 2000 3m	2000	2	3	0	60	5.0	0.6
WS Eco 2ply 2000 4m	2000	2	4	0	60	5.0	0.6
WS Eco 2ply 2000 5m	2000	2	5	0	60	5.0	0.6
WS Eco 2ply 2000 6m	2000	2	6	0	60	5.0	0.6
WS Eco 2ply 2000 8m	2000	2	8	0	60	5.0	0.6
WS Eco 2ply 3000 2m	3000	3	2	1.5	90	5.0	0.6
WS Eco 2ply 3000 3m	3000	3	3	1.5	90	5.0	0.6
WS Eco 2ply 3000 4m	3000	3	4	1.5	90	5.0	0.6
WS Eco 2ply 3000 5m	3000	3	5	1.5	90	5.0	0.6
WS Eco 2ply 3000 6m	3000	3	6	1.5	90	5.0	0.6
WS Eco 2ply 3000 8m	3000	3	8	1.5	90	5.0	0.6
WS Eco 2ply 4000 2m	4000	4	2	1.5	120	6.8	0.9
WS Eco 2ply 4000 3m	4000	4	3	1.5	120	6.8	0.9
WS Eco 2ply 4000 4m	4000	4	4	1.5	120	6.8	0.9
WS Eco 2ply 4000 5m	4000	4	5	1.5	120	6.8	0.9
WS Eco 2ply 4000 6m	4000	4	6	1.5	120	6.8	0.9
WS Eco 2ply 4000 8m	4000	4	8	1.5	120	6.8	0.9
WS Eco 2ply 5000 2m	5000	5	2	1.7	150	6.6	1.2
WS Eco 2ply 5000 3m	5000	5	3	1.7	150	6.6	1.2
WS Eco 2ply 5000 4m	5000	5	4	1.7	150	6.6	1.2



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
WS Eco 2ply 5000 5m	5000.00	5	5	1.7	150	6.6	1.2
WS Eco 2ply 5000 6m	5000	5	6	1.7	150	6.6	1.2
WS Eco 2ply 5000 8m	5000	5	8	1.7	150	6.6	1.2
WS Eco 2ply 6000 2m	6000	6	2	2.1	180	7.2	1.4
WS Eco 2ply 6000 3m	6000	6	3	2.1	180	7.2	1.4
WS Eco 2ply 6000 4m	6000	6	4	2.1	180	7.2	1.4
WS Eco 2ply 6000 5m	6000	6	5	2.1	180	7.2	1.4
WS Eco 2ply 6000 6m	6000	6	6	2.1	180	7.2	1.4
WS Eco 2ply 6000 8m	6000	6	8	2.1	180	7.2	1.4
WS Eco 2ply 8000 2m	8000.00	8	2	2.3	240	7.2	1.8
WS Eco 2ply 8000 3m	8000.00	8	3	2.3	240	7.2	1.8
WS Eco 2ply 8000 4m	8000.00	8	4	2.3	240	7.2	1.8
WS Eco 2ply 8000 5m	8000.00	8	5	2.3	240	7.2	1.8
WS Eco 2ply 8000 6m	8000.00	8	6	2.3	240	7.2	1.8
WS Eco 2ply 8000 8m	8000.00	8	8	2.3	240	7.2	1.8
WS Eco 2ply 10000 3m	10000.00	10	3	2.6	300	7.4	2.4
WS Eco 2ply 10000 4m	10000.00	10	4	2.6	300	7.4	2.4
WS Eco 2ply 10000 5m	10000.00	10	5	2.6	300	7.4	2.4
WS Eco 2ply 10000 6m	10000.00	10	6	2.6	300	7.4	2.4
WS Eco 2ply 10000 8m	10000.00	10	8	2.6	300	7.4	2.4



Item Name short	Colour
WS Eco 2ply 500 2m	-
WS Eco 2ply 500 3m	-
WS Eco 2ply 500 4m	-
WS Eco 2ply 500 5m	-
WS Eco 2ply 500 6m	-
WS Eco 2ply 500 8m	-
WS Eco 2ply 1000 2m	Purple
WS Eco 2ply 1000 3m	Purple
WS Eco 2ply 1000 4m	Purple
WS Eco 2ply 1000 5m	Purple
WS Eco 2ply 1000 6m	Purple
WS Eco 2ply 1000 8m	Purple
WS Eco 2ply 1500 2m	Olive
WS Eco 2ply 1500 3m	Olive
WS Eco 2ply 1500 4m	Olive
WS Eco 2ply 1500 5m	Olive
WS Eco 2ply 1500 6m	Olive
WS Eco 2ply 1500 8m	Olive
WS Eco 2ply 2000 2m	Green
WS Eco 2ply 2000 3m	Green
WS Eco 2ply 2000 4m	Green
WS Eco 2ply 2000 5m	Green
WS Eco 2ply 2000 6m	Green
WS Eco 2ply 2000 8m	Green
WS Eco 2ply 3000 2m	Yellow
WS Eco 2ply 3000 3m	Yellow
WS Eco 2ply 3000 4m	Yellow
WS Eco 2ply 3000 5m	Yellow



Item Name short	Colour
WS Eco 2ply 3000 6m	Yellow
WS Eco 2ply 3000 8m	Yellow
WS Eco 2ply 4000 2m	Grey
WS Eco 2ply 4000 3m	Grey
WS Eco 2ply 4000 4m	Grey
WS Eco 2ply 4000 5m	Grey
WS Eco 2ply 4000 6m	Grey
WS Eco 2ply 4000 8m	Grey
WS Eco 2ply 5000 2m	Red
WS Eco 2ply 5000 3m	Red
WS Eco 2ply 5000 4m	Red
WS Eco 2ply 5000 5m	Red
WS Eco 2ply 5000 6m	Red
WS Eco 2ply 5000 8m	Red
WS Eco 2ply 6000 2m	Grey
WS Eco 2ply 6000 3m	Grey
WS Eco 2ply 6000 4m	Grey
WS Eco 2ply 6000 5m	Grey
WS Eco 2ply 6000 6m	Grey
WS Eco 2ply 6000 8m	Grey
WS Eco 2ply 8000 2m	Blue
WS Eco 2ply 8000 3m	Blue
WS Eco 2ply 8000 4m	Blue
WS Eco 2ply 8000 5m	Blue
WS Eco 2ply 8000 6m	Blue
WS Eco 2ply 8000 8m	Blue
WS Eco 2ply 10000 3m	Orange



Item Name short

Colour

WS Eco 2ply 10000 4m

Orange

WS Eco 2ply 10000 5m

Orange

WS Eco 2ply 10000 6m

Orange

WS Eco 2ply 10000 8m

Orange

ORDER NUMBERS[Global Item Number/Local ERP Number SSDE]

WLL kg	2 m	3 m	4 m	5 m	6 m	8 m
500.00 kg	2002924 D002558	-	-	-	-	-
500 kg	-	-	-	-	-	2003842 D002563
500.00 kg	-	2002925 D002559	2003385 D002560	2003840 D002561	2003841 D002562	-
1000 kg	2002926 D002564	2002927 D002565	-	-	-	2003845 D002569
1000.00 kg	-	-	2003386 D002566	-	-	-
1000 kg	-	-	-	2003843 D002567	2003844 D002568	-
1500.00 kg	2002928 D002570	2002929 D002571	2003387 D002572	2003846 D002573	2003847 D002574	2003848 D002575
2000 kg	2002930 D002576	2002931 D002577	2003388 D002578	2003849 D002579	2003850 D002580	2003851 D002581
3000 kg	2002932 D002630	2002933 D002631	2003389 D002632	2003852 D002633	2003853 D002634	2003854 D002635
4000 kg	2002934 D002582	2002935 D002583	2003390 D002584	2003855 D002585	2003856 D002586	2003857 D002587
5000 kg	-	-	2003391 D002590	-	-	-
5000.00 kg	-	-	-	2003858 D002591	-	-
5000 kg	2002936 D002588	2002937 D002589	-	-	2003859 D002592	2003860 D002593
6000 kg	2002938 D002594	2002939 D002595	2003392 D002596	2003861 D002597	2003862 D002598	2003863 D002599
8000.00 kg	2002940 D002600	2002941 D002601	2003393 D002602	2003864 D002603	2003865 D002604	2003866 D002605
10000.00 kg	-	2002943 D002606	2003394 D002607	2003867 D002608	2003868 D002609	2003869 D002610



■ Main Material	Polyester
■ Temperature Range	-40°C to +100°C
■ Packaging Unit (PU) Content	1

