

Flat Sling 2ply Eco

Standard Flat sling for rough working conditions



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
WS 2ply 1000 1m	1000	1	1	0.2	30	5.2	-
WS Eco 2ply 1000 2m	1000	1	2	0.2	30	5.2	-
WS Eco 2ply 1000 3m	1000	1	3	0.2	30	5.2	-
WS Eco 2ply 1000 4m	1000.00	1	4	0.2	30	5.2	-
WS Eco 2ply 1000 5m	1000	1	5	0.2	30	5.2	-
WS Eco 2ply 1000 6m	1000	1	6	0.2	30	5.2	-
WS 2ply 1000 7m	1000	1	7	0.2	30	5.2	-
WS Eco 2ply 1000 8m	1000	1	8	0.2	30	5.2	-
WS 2ply 2000 1m	2000	2	1	0	60	5.0	0.6
WS Eco 2ply 2000 2m	2000	2	2	0	60	5.0	0.6
WS Eco 2ply 2000 3m	2000	2	3	0	60	5.0	0.6
WS Eco 2ply 2000 4m	2000	2	4	0	60	5.0	0.6
WS Eco 2ply 2000 5m	2000	2	5	0	60	5.0	0.6
WS Eco 2ply 2000 6m	2000	2	6	0	60	5.0	0.6
WS 2ply 2000 7m	2000	2	7	0	60	5.0	0.6
WS Eco 2ply 2000 8m	2000	2	8	0	60	5.0	0.6
WS 2ply 3000 1m	3000	3	1	1.5	90	5.0	0.6
WS Eco 2ply 3000 2m	3000	3	2	1.5	90	5.0	0.6
WS Eco 2ply 3000 3m	3000	3	3	1.5	90	5.0	0.6



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
WS Eco 2ply 3000 4m	3000	3	4	1.5	90	5.0	0.6
WS Eco 2ply 3000 5m	3000	3	5	1.5	90	5.0	0.6
WS Eco 2ply 3000 6m	3000	3	6	1.5	90	5.0	0.6
WS 2ply 3000 7m	3000	3	7	1.5	90	5.0	0.6
WS Eco 2ply 3000 8m	3000	3	8	1.5	90	5.0	0.6
WS Eco 2ply 4000 2m	4000	4	2	1.5	120	6.8	0.9
WS Eco 2ply 4000 3m	4000	4	3	1.5	120	6.8	0.9
WS Eco 2ply 4000 4m	4000	4	4	1.5	120	6.8	0.9
WS Eco 2ply 4000 5m	4000	4	5	1.5	120	6.8	0.9
WS Eco 2ply 4000 6m	4000	4	6	1.5	120	6.8	0.9
WS 2ply 4000 7m	4000	4	7	1.5	120	6.8	0.9
WS Eco 2ply 4000 8m	4000	4	8	1.5	120	6.8	0.9
WS Eco 2ply 5000 2m	5000	5	2	1.7	150	6.6	1.2
WS Eco 2ply 5000 3m	5000	5	3	1.7	150	6.6	1.2
WS Eco 2ply 5000 4m	5000	5	4	1.7	150	6.6	1.2
WS Eco 2ply 5000 5m	5000.00	5	5	1.7	150	6.6	1.2
WS Eco 2ply 5000 6m	5000	5	6	1.7	150	6.6	1.2
WS 2ply 5000 7m	5000	5	7	1.7	150	6.6	1.2
WS Eco 2ply 5000 8m	5000	5	8	1.7	150	6.6	1.2
WS Eco 2ply 6000 2m	6000	6	2	2.1	180	7.2	1.4



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
WS Eco 2ply 6000 3m	6000	6	3	2.1	180	7.2	1.4
WS Eco 2ply 6000 4m	6000	6	4	2.1	180	7.2	1.4
WS Eco 2ply 6000 5m	6000	6	5	2.1	180	7.2	1.4
WS Eco 2ply 6000 6m	6000	6	6	2.1	180	7.2	1.4
WS 2ply 6000 7m	6000	6	7	2.1	180	7.2	1.4
WS Eco 2ply 6000 8m	6000	6	8	2.1	180	7.2	1.4
WS Eco 2ply 8000 2m	8000.00	8	2	2.3	240	7.2	1.8
WS Eco 2ply 8000 3m	8000.00	8	3	2.3	240	7.2	1.8
WS Eco 2ply 8000 4m	8000.00	8	4	2.3	240	7.2	1.8
WS Eco 2ply 8000 5m	8000.00	8	5	2.3	240	7.2	1.8
WS Eco 2ply 8000 6m	8000.00	8	6	2.3	240	7.2	1.8
WS 2ply 8000 7m	8000	8	7	2.3	240	7.2	1.8
WS 2ply 10000 1m	10000	10	1	2.6	300	7.4	2.4
WS Eco 2ply 10000 2m	10000	10	2	2.6	300	7.4	2.4
WS Eco 2ply 10000 3m	10000.00	10	3	2.6	300	7.4	2.4
WS Eco 2ply 10000 4m	10000.00	10	4	2.6	300	7.4	2.4
WS Eco 2ply 10000 5m	10000.00	10	5	2.6	300	7.4	2.4
WS Eco 2ply 10000 6m	10000.00	10	6	2.6	300	7.4	2.4
WS 2ply 10000 7m	10000	10	7	2.6	300	7.4	2.4
WS Eco 2ply 10000 8m	10000.00	10	8	2.6	300	7.4	2.4



Item Name short	Colour
WS 2ply 1000 1m	Purple
WS Eco 2ply 1000 2m	Purple
WS Eco 2ply 1000 3m	Purple
WS Eco 2ply 1000 4m	Purple
WS Eco 2ply 1000 5m	Purple
WS Eco 2ply 1000 6m	Purple
WS 2ply 1000 7m	Purple
WS Eco 2ply 1000 8m	Purple
WS 2ply 2000 1m	Green
WS Eco 2ply 2000 2m	Green
WS Eco 2ply 2000 3m	Green
WS Eco 2ply 2000 4m	Green
WS Eco 2ply 2000 5m	Green
WS Eco 2ply 2000 6m	Green
WS 2ply 2000 7m	Green
WS Eco 2ply 2000 8m	Green
WS 2ply 3000 1m	Yellow
WS Eco 2ply 3000 2m	Yellow
WS Eco 2ply 3000 3m	Yellow
WS Eco 2ply 3000 4m	Yellow
WS Eco 2ply 3000 5m	Yellow
WS Eco 2ply 3000 6m	Yellow
WS 2ply 3000 7m	Yellow
WS Eco 2ply 3000 8m	Yellow
WS Eco 2ply 4000 2m	Grey
WS Eco 2ply 4000 3m	Grey
WS Eco 2ply 4000 4m	Grey



Item Name short	Colour
WS Eco 2ply 4000 5m	Grey
WS Eco 2ply 4000 6m	Grey
WS 2ply 4000 7m	Grey
WS Eco 2ply 4000 8m	Grey
WS Eco 2ply 5000 2m	Red
WS Eco 2ply 5000 3m	Red
WS Eco 2ply 5000 4m	Red
WS Eco 2ply 5000 5m	Red
WS Eco 2ply 5000 6m	Red
WS 2ply 5000 7m	Red
WS Eco 2ply 5000 8m	Red
WS Eco 2ply 6000 2m	Grey
WS Eco 2ply 6000 3m	Grey
WS Eco 2ply 6000 4m	Grey
WS Eco 2ply 6000 5m	Grey
WS Eco 2ply 6000 6m	Grey
WS 2ply 6000 7m	Grey
WS Eco 2ply 6000 8m	Grey
WS Eco 2ply 8000 2m	Blue
WS Eco 2ply 8000 3m	Blue
WS Eco 2ply 8000 4m	Blue
WS Eco 2ply 8000 5m	Blue
WS Eco 2ply 8000 6m	Blue
WS 2ply 8000 7m	Blue
WS 2ply 10000 1m	Orange
WS Eco 2ply 10000 2m	Orange
WS Eco 2ply 10000 3m	Orange



Item Name short	Colour
WS Eco 2ply 10000 4m	Orange
WS Eco 2ply 10000 5m	Orange
WS Eco 2ply 10000 6m	Orange
WS 2ply 10000 7m	Orange
WS Eco 2ply 10000 8m	Orange



ORDER NUMBERS[Global Item Number/Local ERP Number SSUK]

WLL kg	1 m	2 m	3 m	4 m	5 m	6 m	7 m	8 m
1000 kg	2021053 B1000/01	2002926 B1000/02	2002927 B1000/03	-	-	-	-	-
1000.00 kg	-	-	-	2003386 B1000/04	-	-	-	-
1000 kg	-	-	-	-	2003843 B1000/05	2003844 B1000/06	2021054 B1000/07	2003845 B1000/08
2000 kg	2021057 B2000/01	2002930 B2000/02	2002931 B2000/03	2003388 B2000/04	2003849 B2000/05	2003850 B2000/06	2021058 B2000/07	2003851 B2000/08
3000 kg	2027404	2002932 B3000/02	2002933 B3000/03	2003389 B3000/04	2003852 B3000/05	2003853 B3000/06	2021062 B3000/07	2003854 B3000/08
4000 kg	-	2002934 B4000/02	2002935 B4000/03	2003390 B4000/04	2003855 B4000/05	2003856 B4000/06	2021064 B4000/07	2003857 B4000/08
5000 kg	-	2002936 B5000/02	2002937 B5000/03	2003391 B5000/04	-	-	2021066 B5000/07	-
5000.00 kg	-	-	-	-	2003858 B5000/05	-	-	-
5000 kg	-	-	-	-	-	2003859 B5000/06	-	2003860 B5000/08
6000 kg	-	2002938 B6000/02	2002939 B6000/03	2003392 B6000/04	2003861 B6000/05	2003862 B6000/06	2021068 B6000/07	2003863 B6000/08
8000.00 kg	-	2002940 B8000/02	2002941 B8000/03	2003393 B8000/04	2003864 B8000/05	2003865 B8000/06	-	-
8000 kg	-	-	-	-	-	-	2021070 B8000/07	-
10000 kg	2021071 B10000/01	2002942 B10000/02	-	-	-	-	-	-
10000.00 kg	-	-	2002943 B10000/03	2003394 B10000/04	2003867 B10000/05	2003868 B10000/06	-	-
10000 kg	-	-	-	-	-	-	2021072 B10000/07	-
10000.00 kg	-	-	-	-	-	-	-	2003869 B10000/08

- Main Material Polyester
- Temperature Range -40°C to +100°C
- Packaging Unit (PU) Content 1

SpanSet (UK) Limited
 Telford Way
 Middlewich Cheshire
 CW10 0HX United
 Kingdom
 +44 (0) 1606 737494
 info@spanset.co.uk
 www.spanset.co.uk



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

**SpanSet
 Certified
 Safety**