




### Hyflex 6x19 LHOL

Tali Serbaguna 6 & 8 Strand Produk Konvensional

| Item Name short       | Rope Diameter [mm] | Minimum Breaking Force [Kn] [kN] | Minimum Breaking Force [Tn] [t] |
|-----------------------|--------------------|----------------------------------|---------------------------------|
| HYFLEX 6X19 6MM LHOL  | 6                  | 25.1                             | 2.6                             |
| HYFLEX 6X19 7MM LHOL  | 7                  | 34.2                             | 3.5                             |
| HYFLEX 6X19 8MM LHOL  | 8                  | 44.7                             | 4.6                             |
| HYFLEX 6X19 9MM LHOL  | 9                  | 56.5                             | 5.8                             |
| HYFLEX 6X19 10MM LHOL | 10                 | 69.8                             | 7.1                             |
| HYFLEX 6X19 11MM LHOL | 11                 | 84.4                             | 8.6                             |
| HYFLEX 6X19 12MM LHOL | 12                 | 101                              | 10.3                            |
| HYFLEX 6X19 13MM LHOL | 13                 | 118                              | 12                              |
| HYFLEX 6X19 14MM LHOL | 14                 | 137                              | 14                              |
| HYFLEX 6X19 16MM LHOL | 16                 | 179                              | 18.3                            |
| HYFLEX 6X19 18MM LHOL | 18                 | 226                              | 23                              |
| HYFLEX 6X19 20MM LHOL | 20                 | 279                              | 28.4                            |
| HYFLEX 6X19 22MM LHOL | 22                 | 338                              | 34.5                            |
| HYFLEX 6X19 24MM LHOL | 24                 | 402                              | 41                              |
| HYFLEX 6X19 26MM LHOL | 26                 | 472                              | 48.1                            |
| HYFLEX 6X19 28MM LHOL | 28                 | 547                              | 55.8                            |
| HYFLEX 6X19 32MM LHOL | 32                 | 715                              | 72.9                            |
| HYFLEX 6X19 36MM LHOL | 36                 | 904                              | 92.2                            |
| HYFLEX 6X19 40MM LHOL | 40                 | 1120                             | 114                             |
| HYFLEX 6X19 44MM LHOL | 44                 | 1350                             | 138                             |



| Item Name short       | Rope Diameter [mm] | Minimum Breaking Force [Kn] [kN] | Minimum Breaking Force [Tn] [t] |
|-----------------------|--------------------|----------------------------------|---------------------------------|
| HYFLEX 6X19 48MM LHOL | 48                 | 1610                             | 164                             |
| HYFLEX 6X19 52MM LHOL | 52                 | 1890                             | 193                             |
| HYFLEX 6X19 56MM LHOL | 56                 | 2190                             | 223                             |
| HYFLEX 6X19 60MM LHOL | 60                 | 2510                             | 256                             |



### NOMOR PESANAN[Global Item Number/Local ERP Number SSID]

| Rope Diameter | HYFLEX 6X19 6MM LHOL                   | HYFLEX 6X19 7MM LHOL                   | HYFLEX 6X19 8MM LHOL                   | HYFLEX 6X19 9MM LHOL                   | HYFLEX 6X19 10MM LHOL                  | HYFLEX 6X19 11MM LHOL                  | HYFLEX 6X19 12MM LHOL                  | HYFLEX 6X19 13MM LHOL                  | HYFLEX 6X19 14MM LHOL                  | HYFLEX 6X19 16MM LHOL                  |
|---------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| 6 mm          | 2023854<br>UM6X1900-<br>WSd06.0ZS1960G | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 7 mm          | -                                      | 2023855<br>UM6X1900-<br>IWd07.0ZS1960G | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 8 mm          | -                                      | -                                      | 2023856<br>UM6X1900-<br>IWd08.0ZS1960G | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 9 mm          | -                                      | -                                      | -                                      | 2023857<br>UM6X1900-<br>IWd09.0ZS1960G | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 10 mm         | -                                      | -                                      | -                                      | -                                      | 2023858<br>UM6X1900-<br>IWd10.0ZS1960G | -                                      | -                                      | -                                      | -                                      | -                                      |
| 11 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | 2023859<br>UM6X1900-<br>IWd11.0ZS1960G | -                                      | -                                      | -                                      | -                                      |
| 12 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | 2023860<br>UM6X1900-<br>IWd12.0ZS1960G | -                                      | -                                      | -                                      |
| 13 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | 2023861<br>UM6X1900-<br>IWd13.0ZS1960G | -                                      | -                                      |
| 14 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | 2023862<br>UM6X1900-<br>IWd14.0ZS1960G | -                                      |
| 16 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | 2023863<br>UM6X1900-<br>IWd16.0ZS1960G |
| 18 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 20 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 22 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 24 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 26 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 28 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 32 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 36 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |
| 40 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      |



| Rope Diameter | HYFLEX 6X19 6MM LHOL | HYFLEX 6X19 7MM LHOL | HYFLEX 6X19 8MM LHOL | HYFLEX 6X19 9MM LHOL | HYFLEX 6X19 10MM LHOL | HYFLEX 6X19 11MM LHOL | HYFLEX 6X19 12MM LHOL | HYFLEX 6X19 13MM LHOL | HYFLEX 6X19 14MM LHOL | HYFLEX 6X19 15MM LHOL |
|---------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 44 mm         | -                    | -                    | -                    | -                    | -                     | -                     | -                     | -                     | -                     | -                     |
| 48 mm         | -                    | -                    | -                    | -                    | -                     | -                     | -                     | -                     | -                     | -                     |
| 52 mm         | -                    | -                    | -                    | -                    | -                     | -                     | -                     | -                     | -                     | -                     |
| 56 mm         | -                    | -                    | -                    | -                    | -                     | -                     | -                     | -                     | -                     | -                     |
| 60 mm         | -                    | -                    | -                    | -                    | -                     | -                     | -                     | -                     | -                     | -                     |

| Rope Diameter | HYFLEX 6X19 20MM LHOL                  | HYFLEX 6X19 22MM LHOL                  | HYFLEX 6X19 24MM LHOL                  | HYFLEX 6X19 26MM LHOL                  | HYFLEX 6X19 28MM LHOL                  | HYFLEX 6X19 32MM LHOL                  | HYFLEX 6X19 36MM LHOL | HYFLEX 6X19 40MM LHOL | HYFLEX 6X19 44MM LHOL | HYFLEX 6X19 48MM LHOL |
|---------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 6 mm          | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 7 mm          | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 8 mm          | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 9 mm          | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 10 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 11 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 12 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 13 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 14 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 16 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 18 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 20 mm         | 2023865<br>UM6X1900-<br>IWd20.OZS1960G | -                                      | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 22 mm         | -                                      | 2023866<br>UM6X1900-<br>IWd22.OZS1960G | -                                      | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 24 mm         | -                                      | -                                      | 2023867<br>UM6X1900-<br>IWd24.OZS1960G | -                                      | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 26 mm         | -                                      | -                                      | -                                      | 2023868<br>UM6X1900-<br>IWd26.OZS1960G | -                                      | -                                      | -                     | -                     | -                     | -                     |
| 28 mm         | -                                      | -                                      | -                                      | -                                      | 2023869<br>UM6X1900-<br>IWd28.OZS1960G | -                                      | -                     | -                     | -                     | -                     |
| 32 mm         | -                                      | -                                      | -                                      | -                                      | -                                      | 2023870<br>UM6X1900-<br>IWd32.OZS1960G | -                     | -                     | -                     | -                     |



| Rope Diameter | HYFLEX 6X19 20MM LHOL | HYFLEX 6X19 22MM LHOL | HYFLEX 6X19 24MM LHOL | HYFLEX 6X19 26MM LHOL | HYFLEX 6X19 28MM LHOL | HYFLEX 6X19 32MM LHOL | HYFLEX 6X19 36MM LHOL                  | HYFLEX 6X19 40MM LHOL                  | HYFLEX 6X19 44MM LHOL                  | HYFLEX 6X19 48MM LHOL                  |
|---------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| 36 mm         | -                     | -                     | -                     | -                     | -                     | -                     | 2023871<br>UM6X1900-<br>IWd36.OZS1960G | -                                      | -                                      | -                                      |
| 40 mm         | -                     | -                     | -                     | -                     | -                     | -                     | -                                      | 2023872<br>UM6X1900-<br>IWd40.OZS1960G | -                                      | -                                      |
| 44 mm         | -                     | -                     | -                     | -                     | -                     | -                     | -                                      | -                                      | 2023873<br>UM6X1900-<br>IWd44.OZS1960G | -                                      |
| 48 mm         | -                     | -                     | -                     | -                     | -                     | -                     | -                                      | -                                      | -                                      | 2023874<br>UM6X1900-<br>IWd48.OZS1960G |
| 52 mm         | -                     | -                     | -                     | -                     | -                     | -                     | -                                      | -                                      | -                                      | -                                      |
| 56 mm         | -                     | -                     | -                     | -                     | -                     | -                     | -                                      | -                                      | -                                      | -                                      |
| 60 mm         | -                     | -                     | -                     | -                     | -                     | -                     | -                                      | -                                      | -                                      | -                                      |

| Rope Diameter | HYFLEX 6X19 56MM LHOL | HYFLEX 6X19 60MM LHOL |
|---------------|-----------------------|-----------------------|
| 6 mm          | -                     | -                     |
| 7 mm          | -                     | -                     |
| 8 mm          | -                     | -                     |
| 9 mm          | -                     | -                     |
| 10 mm         | -                     | -                     |
| 11 mm         | -                     | -                     |
| 12 mm         | -                     | -                     |
| 13 mm         | -                     | -                     |
| 14 mm         | -                     | -                     |
| 16 mm         | -                     | -                     |
| 18 mm         | -                     | -                     |
| 20 mm         | -                     | -                     |
| 22 mm         | -                     | -                     |
| 24 mm         | -                     | -                     |
| 26 mm         | -                     | -                     |
| 28 mm         | -                     | -                     |
| 32 mm         | -                     | -                     |
| 36 mm         | -                     | -                     |



| Rope Diameter | HYFLEX 6X19 56MM LHOL              | HYFLEX 6X19 60MM LHOL              |
|---------------|------------------------------------|------------------------------------|
| 40 mm         | -                                  | -                                  |
| 44 mm         | -                                  | -                                  |
| 48 mm         | -                                  | -                                  |
| 52 mm         | -                                  | -                                  |
| 56 mm         | 2023876<br>UM6X1900-IWd56.0ZS1960G | -                                  |
| 60 mm         | -                                  | 2023877<br>UM6X1900-IWd60.0ZS1960G |

- Main Material Steel
- Temperature Range -40° C to + 100° C
- Packaging Unit (PU) Content 1

