




Hyflex 6X36 RHOL

Tali Serbaguna 6 & 8 Strand Produk Konvensional

Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
HYFLEX 6X36 10MM RHOL	10	69.8	7.1
HYFLEX 6X36 11MM RHOL	11	84.4	8.6
HYFLEX 6X36 12MM RHOL	12	101	10.3
HYFLEX 6X36 13MM RHOL	13	118	11.5
HYFLEX 6X36 14MM RHOL	14	137	12
HYFLEX 6X36 15MM RHOL	15	179	14
HYFLEX 6X36 16MM RHOL	16	226	18.3
HYFLEX 6X36 17MM RHOL	17	279	34.5
HYFLEX 6X36 18MM RHOL	18	338	35.2
HYFLEX 6X36 20MM RHOL	20	279	23
HYFLEX 6X36 22MM RHOL	22	338	35.2
HYFLEX 6X36 24MM RHOL	24	402	41
HYFLEX 6X36 26MM RHOL	26	472	45.9
HYFLEX 6X36 28MM RHOL	28	547	55.8
HYFLEX 6X36 32MM RHOL	32	715	72.9
HYFLEX 6X36 36MM RHOL	36	904	92.2
HYFLEX 6X36 40MM RHOL	40	1120	114
HYFLEX 6X36 44MM RHOL	44	1350	138
HYFLEX 6X36 48MM RHOL	48	1610	164
HYFLEX 6X36 52MM RHOL	52	1890	193



Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
HYFLEX 6X36 56MM RHOL	56	2190	22
HYFLEX 6X36 60MM RHOL	60	2510	256



NOMOR PESANAN[Global Item Number/Local ERP Number SSID]

Rope Diameter	HYFLEX 6X36 10MM RHOL	HYFLEX 6X36 11MM RHOL	HYFLEX 6X36 12MM RHOL	HYFLEX 6X36 13MM RHOL	HYFLEX 6X36 14MM RHOL	HYFLEX 6X36 15MM RHOL	HYFLEX 6X36 16MM RHOL	HYFLEX 6X36 17MM RHOL	HYFLEX 6X36 18MM RHOL	HYFLEX 6X36 20MM RHOL
10 mm	2023473 UM6X3600- IWd10.0SZ1960G	-	-	-	-	-	-	-	-	-
11 mm	-	2023474 UM6X3600- IWd11.0SZ1960G	-	-	-	-	-	-	-	-
12 mm	-	-	2023475 UM6X3600- IWd12.0SZ1960G	-	-	-	-	-	-	-
13 mm	-	-	-	2023476 UM6X3600- IWd13.0SZ1960G	-	-	-	-	-	-
14 mm	-	-	-	-	2023477 UM6X3600- IWd14.0SZ1960G	-	-	-	-	-
15 mm	-	-	-	-	-	2023478 UM6X3600- IWd15.0SZ1960G	-	-	-	-
16 mm	-	-	-	-	-	-	2023479 UM6X3600- IWd16.0SZ1960G	-	-	-
17 mm	-	-	-	-	-	-	-	2023480 UM6X3600- IWd17.0SZ1960G	-	-
18 mm	-	-	-	-	-	-	-	-	2023481 UM6X3600- IWd18.0SZ1960G	-
20 mm	-	-	-	-	-	-	-	-	-	2023482 UM6X3600- IWd20.0SZ1960G
22 mm	-	-	-	-	-	-	-	-	-	-
24 mm	-	-	-	-	-	-	-	-	-	-
26 mm	-	-	-	-	-	-	-	-	-	-
28 mm	-	-	-	-	-	-	-	-	-	-
32 mm	-	-	-	-	-	-	-	-	-	-
36 mm	-	-	-	-	-	-	-	-	-	-
40 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-



Rope Diameter	HYFLEX 6X36 10MM RHOL	HYFLEX 6X36 11MM RHOL	HYFLEX 6X36 12MM RHOL	HYFLEX 6X36 13MM RHOL	HYFLEX 6X36 14MM RHOL	HYFLEX 6X36 15MM RHOL	HYFLEX 6X36 16MM RHOL	HYFLEX 6X36 17MM RHOL	HYFLEX 6X36 18MM RHOL	HYFLEX 6X36 20MM RHOL
52 mm	-	-	-	-	-	-	-	-	-	-
56 mm	-	-	-	-	-	-	-	-	-	-
60 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	HYFLEX 6X36 24MM RHOL	HYFLEX 6X36 26MM RHOL	HYFLEX 6X36 28MM RHOL	HYFLEX 6X36 32MM RHOL	HYFLEX 6X36 36MM RHOL	HYFLEX 6X36 40MM RHOL	HYFLEX 6X36 44MM RHOL	HYFLEX 6X36 48MM RHOL	HYFLEX 6X36 52MM RHOL	HYFLEX 6X36 56MM RHOL
10 mm	-	-	-	-	-	-	-	-	-	-
11 mm	-	-	-	-	-	-	-	-	-	-
12 mm	-	-	-	-	-	-	-	-	-	-
13 mm	-	-	-	-	-	-	-	-	-	-
14 mm	-	-	-	-	-	-	-	-	-	-
15 mm	-	-	-	-	-	-	-	-	-	-
16 mm	-	-	-	-	-	-	-	-	-	-
17 mm	-	-	-	-	-	-	-	-	-	-
18 mm	-	-	-	-	-	-	-	-	-	-
20 mm	-	-	-	-	-	-	-	-	-	-
22 mm	-	-	-	-	-	-	-	-	-	-
24 mm	2023489 UM6X3600- IWd24.OSZ1960G	-	-	-	-	-	-	-	-	-
26 mm	-	2023490 UM6X3600- IWd26.OSZ1960G	-	-	-	-	-	-	-	-
28 mm	-	-	2023491 UM6X3600- IWd28.OSZ1960G	-	-	-	-	-	-	-
32 mm	-	-	-	2023493 UM6X3600- IWd32.OSZ1960G	-	-	-	-	-	-
36 mm	-	-	-	-	2023495 UM6X3600- IWd36.OSZ1960G	-	-	-	-	-
40 mm	-	-	-	-	-	2023497 UM6X3600- IWd40.OSZ1960G	-	-	-	-
44 mm	-	-	-	-	-	-	2023499 UM6X3600- IWd44.OSZ1960G	-	-	-



Rope Diameter	HYFLEX 6X36 24MM RHOL	HYFLEX 6X36 26MM RHOL	HYFLEX 6X36 28MM RHOL	HYFLEX 6X36 32MM RHOL	HYFLEX 6X36 36MM RHOL	HYFLEX 6X36 40MM RHOL	HYFLEX 6X36 44MM RHOL	HYFLEX 6X36 48MM RHOL	HYFLEX 6X36 52MM RHOL	HYFLEX 6X36 56MM RHOL
48 mm	-	-	-	-	-	-	-	2023501 UM6X3600- IWd48.0SZ1960G	-	-
52 mm	-	-	-	-	-	-	-	-	2023503 UM6X3600- IWd52.0SZ1960G	-
56 mm	-	-	-	-	-	-	-	-	-	2023505 UM6X3600- IWd56.0SZ1960G
60 mm	-	-	-	-	-	-	-	-	-	-

- Main Material Steel
- Temperature Range -40° C to + 100° C
- Packaging Unit (PU) Content 1

