


SuperSet[®]
II II
II II



Grabba Lifting Bags
User Instructions

GB

Grabba Lifting bags are a lifting accessory designed to provide a convenient method of lifting tools and equipment in a water resistant containment bag safely and compliance with lifting regulations and LOLER.

The Grabba bag comes in 3 sizes

Small - 75Kg SWL; Medium – 125Kg SWL; Large 250Kg SWL

Lifting appliances should only be attached to the oval metal masterlink.

Using the Grabba Bag

1. Prior to use check the condition of the sling on the bag.
2. Open the bag and place equipment or material inside.
3. Roll the top of the bag and clip the two ends together to close the bag.
4. Secure the lifting appliance to the metal master link.
5. Conduct a trial lift, raising the Grabba Bag so that it is just clear of the floor.
6. Ensure that it is secure and orientated appropriately.
7. Stand clear from underneath the load as it is lifted, lowered or suspended at height.

The Grabba Bag is a lifting accessory and should be examined at least once every six months by a competent person or in accordance with statutory requirements.

Prior to each use the sling should be:

- Checked for defects and damage.
- Check the label, and that the information is legible.

Use of this equipment is inherently dangerous, and prior to use you must:

- Read the User Instruction Manual
- Be trained in the correct use of the product
- Familiarise yourself with the products operation & limitations
- Fully understand the risk involved in using the product
- Be physically and medically capable of operating the product safely and fully understanding its function

All lifting activities are inherently dangerous; your personal safety is your responsibility.



- Rescue provision should always be in place to deal with any emergencies and must be able to be carried out with maximum efficiency and speed.

- No alterations, additions or repairs should be made to this product without the written consent of SpanSet UK Ltd.
- The equipment shall not be used outside its limitations, or for any purpose other than that for which it is intended
- It is essential for safety that equipment is withdrawn from use immediately should:
- Any doubt arise about its condition for safe use or;
- It has been overloaded and not used again until confirmed in writing by a competent person that it is acceptable to do so.



WARNING

- The misuse of this equipment could lead to injury or death.
- All lifting operations must be properly planned and risk assessed.
- Lifting operations should only be performed by a competent person.
- This equipment is not designed for lifting or suspension of persons.
- Do not exceed the working load limit of this equipment.





+ 50°C (122°F)
- 30°C (22°F)



25

