

Liftfix Roundsling

Tried-and-tested standard for daily use

Item Name short	WLL kg [kg]	Length [m]	WLL t [t]	L1 [m]	L1 min. [m]	L1 max. [m]	Weight Net [kg]
RS-L1000	1000	-	1	-	0.5	20	-
RS-L1000-1M	1000	-	1	1	0.5	20	0.9
RS-L1000-2M	1000	-	1	2	0.5	20	1.3
RS-L1000-3M	1000	-	1	3	0.5	20	1.7
RS-L1000-4M	1000	-	1	4	0.5	20	2.1
RS-L1000-5M	1000	-	1	5	0.5	20	2.5
RS-L1000-6M	1000	-	1	6	0.5	20	2.9
RS-L1000-8M	1000	-	1	8	0.5	20	3.7
RS-L1000-10M	1000	-	1	10	0.5	20	4.5
RS-L2000	2000	-	2	-	0.5	20	-
RS-L2000-1M	2000	-	2	1	0.5	20	1.1
RS-L2000-2M	2000	-	2	2	0.5	20	1.7
RS-L2000-3M	2000	-	2	3	0.5	20	2.3
RS-L2000-4M	2000	-	2	4	0.5	20	2.9
RS-L2000-5M	2000	-	2	5	0.5	20	3.5
RS-L2000-6M	2000	-	2	6	0.5	20	4.1
RS-L2000-8M	2000	-	2	8	0.5	20	5.3
RS-L2000-10M	2000	-	2	10	0.5	20	6.5
RS-L3000	3000	-	3	-	0.5	20	-
RS-L3000-1M	3000	-	3	1	0.5	20	1.1
RS-L3000-2M	3000	-	3	2	0.5	20	1.7
RS-L3000-3M	3000	-	3	3	0.5	20	2.3
RS-L3000-4M	3000	-	3	4	0.5	20	2.9
RS-L3000-5M	3000	-	3	5	0.5	20	3.5
RS-L3000-6M	3000	-	3	6	0.5	20	4.1
RS-L3000-8M	3000	-	3	8	0.5	20	5.3
RS-L3000-10M	3000	-	3	10	0.5	20	6.5
RS-L4000	4000	-	4	-	0.5	20	-
RS-L4000-1M	4000	-	4	1	0.5	20	1.5
RS-L4000-2M	4000	-	4	2	0.5	20	2.5
RS-L4000-3M	4000	-	4	3	0.5	20	4.5



Item Name short	WLL kg [kg]	Length [m]	WLL t [t]	L1 [m]	L1 min. [m]	L1 max. [m]	Weight Net [kg]
RS-L4000-4M	4000	-	4	4	0.5	20	4.5
RS-L4000-5M	4000	-	4	5	0.5	20	5.5
RS-L4000-6M	4000	-	4	6	0.5	20	6.5
RS-L4000-8M	4000	-	4	8	0.5	20	8.5
RS-L4000-10M	4000	-	4	10	0.5	20	10.5
RS-L5000	5000	-	5	-	1	20	-
RS-L5000-1M	5000	-	5	1	1	20	1.5
RS-L5000-2M	5000	-	5	2	1	20	2.5
RS-L5000-3M	5000	-	5	3	1	20	3.5
RS-L5000-4M	5000	-	5	4	1	20	4.5
RS-L5000-5M	5000	-	5	5	1	20	5.5
RS-L5000-6M	5000	-	5	6	1	20	6.5
RS-L5000-8M	5000	-	5	8	1	20	8.5
RS-L5000-10M	5000	-	5	10	1	20	10.5
RS-L6000	6000	-	6	-	1	20	-
RS-L6000-1M	6000	-	6	1	1	20	1.9
RS-L6000-2M	6000	-	6	2	1	20	3.3
RS-L6000-3M	6000	-	6	3	1	20	4.7
RS-L6000-4M	6000	-	6	4	1	20	6.1
RS-L6000-5M	6000	-	6	5	1	20	8.9
RS-L6000-6M	6000	-	6	6	1	20	8.9
RS-L6000-8M	6000	-	6	8	1	20	11.7
RS-L6000-10M	6000	-	6	10	1	20	14.5
RS-L8000	8000	-	8	-	1	20	-
RS-L8000-1M	8000	-	8	1	1	20	2.3
RS-L8000-2M	8000	-	8	2	1	20	4.1
RS-L8000-3M	8000	-	8	3	1	20	5.9
RS-L8000-4M	8000	-	8	4	1	20	7.7
RS-L8000-5M	8000	-	8	5	1	20	9.5
RS-L8000-6M	8000	-	8	6	1	20	11.3
RS-L8000-8M	8000	-	8	8	1	20	14.9
RS-L8000-10M	8000	-	8	10	1	20	18.5
RS-L10000	10000	-	10	-	1	20	-



Item Name short	WLL kg [kg]	Length [m]	WLL t [t]	L1 [m]	L1 min. [m]	L1 max. [m]	Weight Net [kg]
RS-L10000-2M	10000	-	10	2	1	20	4.9
RS-L10000-3M	10000	-	10	3	1	20	7.1
RS-L10000-4M	10000	-	10	4	1	20	9.3
RS-L10000-5M	10000	-	10	5	1	20	11.5
RS-L10000-6M	10000	-	10	6	1	20	13.7
RS-L10000-8M	10000	-	10	8	1	20	18.1
RS-L10000-10M	10000	-	10	10	1	20	22.5
RS-L12000-6M	12000	6	12	-	1	20	-
RS-L15000	15000	-	15	-	1	20	-
RS-L15000-2M	15000	-	15	2	1	20	7.3
RS-L15000-3M	15000	-	15	3	1	20	10.7
RS-L15000-4M	15000	-	15	4	1	20	14.1
RS-L15000-5M	15000	-	15	5	1	20	17.5
Roundsling	15000	-	15	6	1	20	20.9
RS-L15000-8M	15000	-	15	8	1	20	27.7
RS-L15000-10M	15000	-	15	10	1	20	34.5
RS-L20000	20000	-	20	-	1	20	-
RS-L20000-2M	20000	-	20	2	1	20	8.9
RS-L20000-3M	20000	-	20	3	1	20	13.1
RS-L20000-4M	20000	-	20	4	1	20	17.3
RS-L20000-5M	20000	-	20	5	1	20	21.5
RS-L20000-6M	20000	-	20	6	1	20	25.7
RS-L20000-8M	20000	-	20	8	1	20	34.1
RS-L20000-10M	20000	-	20	10	1	20	42.5
RS-L25000	25000	-	25	-	1	20	-
RS-L25000-2M	25000	-	25	2	1	20	11.1
RS-L25000-3M	25000	-	25	3	1	20	16.4
RS-L25000-4M	25000	-	25	4	1	20	21.7
RS-L25000-5M	25000	-	25	5	1	20	27
RS-L25000-6M	25000	-	25	6	1	20	32.3
RS-L25000-8M	25000	-	25	8	1	20	42.9
RS-L25000-10M	25000	-	25	10	1	20	53.5
RS-L30000	30000	-	30	-	1	20	-



Item Name short	WLL kg [kg]	Length [m]	WLL t [t]	L1 [m]	L1 min. [m]	L1 max. [m]	Weight Net [kg]
RS-L30000-2M	30000	-	30	2	1	20	14.5
RS-L30000-3M	30000	-	30	3	1	20	21.5
RS-L30000-4M	30000	-	30	4	1	20	28.5
RS-L30000-5M	30000	-	30	5	1	20	35.5
RS-L30000-6M	30000	-	30	6	1	20	42.5
RS-L30000-8M	30000	-	30	8	1	20	56.5
RS-L30000-10M	30000	-	30	10	1	20	70.5
RS-L40000	40000	-	40	-	-	-	-
RS-L50000	50000	-	50	-	-	-	-
RS-L60000	60000	-	60	-	-	-	-

Item Name short	Colour
RS-L1000	Purple
RS-L1000-1M	Purple
RS-L1000-2M	Purple
RS-L1000-3M	Purple
RS-L1000-4M	Purple
RS-L1000-5M	Purple
RS-L1000-6M	Purple
RS-L1000-8M	Purple
RS-L1000-10M	Purple
RS-L2000	Green
RS-L2000-1M	Green
RS-L2000-2M	Green
RS-L2000-3M	Green
RS-L2000-4M	Green
RS-L2000-5M	Green
RS-L2000-6M	Green



Item Name short	Colour
RS-L2000-8M	Green
RS-L2000-10M	Green
RS-L3000	Yellow
RS-L3000-1M	Yellow
RS-L3000-2M	Yellow
RS-L3000-3M	Yellow
RS-L3000-4M	Yellow
RS-L3000-5M	Yellow
RS-L3000-6M	Yellow
RS-L3000-8M	Yellow
RS-L3000-10M	Yellow
RS-L4000	Grey
RS-L4000-1M	Grey
RS-L4000-2M	Grey
RS-L4000-3M	Grey
RS-L4000-4M	Grey
RS-L4000-5M	Grey
RS-L4000-6M	Grey
RS-L4000-8M	Grey
RS-L4000-10M	Grey
RS-L5000	Red
RS-L5000-1M	Red
RS-L5000-2M	Red
RS-L5000-3M	Red
RS-L5000-4M	Red
RS-L5000-5M	Red
RS-L5000-6M	Red



Item Name short	Colour
RS-L5000-8M	Red
RS-L5000-10M	Red
RS-L6000	Brown
RS-L6000-1M	Brown
RS-L6000-2M	Brown
RS-L6000-3M	Brown
RS-L6000-4M	Brown
RS-L6000-5M	Brown
RS-L6000-6M	Brown
RS-L6000-8M	Brown
RS-L6000-10M	Brown
RS-L8000	Blue
RS-L8000-1M	Blue
RS-L8000-2M	Blue
RS-L8000-3M	Blue
RS-L8000-4M	Blue
RS-L8000-5M	Blue
RS-L8000-6M	Blue
RS-L8000-8M	Blue
RS-L8000-10M	Blue
RS-L10000	Orange
RS-L10000-2M	Orange
RS-L10000-3M	Orange
RS-L10000-4M	Orange
RS-L10000-5M	Orange
RS-L10000-6M	Orange
RS-L10000-8M	Orange



Item Name short	Colour
RS-L10000-10M	Orange
RS-L12000-6M	-
RS-L15000	Orange
RS-L15000-2M	Orange
RS-L15000-3M	Orange
RS-L15000-4M	Orange
RS-L15000-5M	Orange
Roundsling	Orange
RS-L15000-8M	Orange
RS-L15000-10M	Orange
RS-L20000	Orange
RS-L20000-2M	Orange
RS-L20000-3M	Orange
RS-L20000-4M	Orange
RS-L20000-5M	Orange
RS-L20000-6M	Orange
RS-L20000-8M	Orange
RS-L20000-10M	Orange
RS-L25000	Orange
RS-L25000-2M	Orange
RS-L25000-3M	Orange
RS-L25000-4M	Orange
RS-L25000-5M	Orange
RS-L25000-6M	Orange
RS-L25000-8M	Orange
RS-L25000-10M	Orange
RS-L30000	Orange



Item Name short	Colour
RS-L30000-2M	Orange
RS-L30000-3M	Orange
RS-L30000-4M	Orange
RS-L30000-5M	Orange
RS-L30000-6M	Orange
RS-L30000-8M	Orange
RS-L30000-10M	Orange
RS-L40000	-
RS-L50000	-
RS-L60000	-



ORDER NUMBERS[Global Item Number/Local ERP Number SSID]

WLL kg	1 m	2 m	3 m	4 m	5 m	6 m	8 m	10 m
1000 kg	2017131 RS-L1000-1M	2017132 RS-L1000-2M	2017635 RS-L1000-3M	2017636 RS-L1000-4M	2017637 RS-L1000-5M	2017638 RS-L1000-6M	2017639 RS-L1000-8M	2017640 RS-L1000-10M
2000 kg	2017641 RS-L2000-1M	2017642 RS-L2000-2M	2017643 RS-L2000-3M	2017644 RS-L2000-4M	2017645 RS-L2000-5M	2017646 RS-L2000-6M	2017647 RS-L2000-8M	2017648 RS-L2000-10M
3000 kg	2017649 RS-L3000-1M	2017650 RS-L3000-2M	2017651 RS-L3000-3M	2017652 RS-L3000-4M	2017653 RS-L3000-5M	2017654 RS-L3000-6M	2017655 RS-L3000-8M	2017656 RS-L3000-10M
4000 kg	2017657 RS-L4000-1M	2017658 RS-L4000-2M	2017659 RS-L4000-3M	2017660 RS-L4000-4M	2017661 RS-L4000-5M	2017662 RS-L4000-6M	2017663 RS-L4000-8M	2017664 RS-L4000-10M
5000 kg	2017689 RS-L5000-1M	2017665 RS-L5000-2M	2017666 RS-L5000-3M	2017667 RS-L5000-4M	2017668 RS-L5000-5M	2017669 RS-L5000-6M	2017670 RS-L5000-8M	2017671 RS-L5000-10M
6000 kg	2017690 RS-L6000-1M	2017691 RS-L6000-2M	2017692 RS-L6000-3M	2017693 RS-L6000-4M	2017694 RS-L6000-5M	2017695 RS-L6000-6M	2017696 RS-L6000-8M	2017697 RS-L6000-10M
8000 kg	2017698 RS-L8000-1M	2017699 RS-L8000-2M	2017700 RS-L8000-3M	2017701 RS-L8000-4M	2017702 RS-L8000-5M	2017703 RS-L8000-6M	2017704 RS-L8000-8M	2017705 RS-L8000-10M
10000 kg	-	2017706 RS-L10000-2M	2017707 RS-L10000-3M	2017708 RS-L10000-4M	2017709 RS-L10000-5M	2017710 RS-L10000-6M	2017711 RS-L10000-8M	2017712 RS-L10000-10M
15000 kg	-	-	-	-	-	-	-	-
20000 kg	-	-	-	-	-	-	-	-
25000 kg	-	-	-	-	-	-	-	-
30000 kg	-	-	-	-	-	-	-	-
40000 kg	-	-	-	-	-	-	-	-
50000 kg	-	-	-	-	-	-	-	-
60000 kg	-	-	-	-	-	-	-	-
12000 kg	-	-	-	-	-	-	-	-
15000 kg	-	2017713 RS-L15000-2M	2017714 RS-L15000-3M	2017715 RS-L15000-4M	2017716 RS-L15000-5M	2017717 RS-L15000-6M	2017718 RS-L15000-8M	2017719 RS-L15000-10M
20000 kg	-	2017720 RS-L20000-2M	2017721 RS-L20000-3M	2017722 RS-L20000-4M	2017723 RS-L20000-5M	2017724 RS-L20000-6M	2017725 RS-L20000-8M	2017726 RS-L20000-10M
25000 kg	-	2017727 RS-L25000-2M	2017728 RS-L25000-3M	2017729 RS-L25000-4M	2017730 RS-L25000-5M	2017731 RS-L25000-6M	2017732 RS-L25000-8M	2017733 RS-L25000-10M
30000 kg	-	2017734 RS-L30000-2M	2017735 RS-L30000-3M	2017736 RS-L30000-4M	2017737 RS-L30000-5M	2017738 RS-L30000-6M	2017739 RS-L30000-8M	2017740 RS-L30000-10M

- Norms EN 1492-2: 2000
- Main Material Polyester
- Label Protection Yes
- Packaging Unit (PU) Content 1

SpanSet Indonesia
Marunda Center Blok
F No.20 Segara
Makmur, Tarumajaya.
Bekasi, Indonesia.
17211
+62 21 285 100 77
sales@spanset.co.id
www.spanset.co.id



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Indonesia - Indonesia

**SpanSet
Certified
Safety**