

Magnum-X

Funi di sollevamento per carichi pesanti estremamente sottili e facile da maneggiare, ideali per i ganci di piccole gru



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
Magnum-X 5t 4m	5000	5	4	1.0	36	6	1.88
Magnum-X 5t 5m	5000	5	5	1.0	36	6	2.35
Magnum-X 5t 6m	5000	5	6	1.0	36	6	2.82
Magnum-X 5t 7m	5000	5	7	1.0	36	6	3.29
Magnum-X 5t 8m	5000	5	8	1.0	36	6	3.76
Magnum-X 5t 10m	5000	5	10	1.0	36	6	4.7
Magnum-X 5t 12m	5000	5	12	1.0	36	6	5.64
Magnum-X 10t 4m	10000	10	4	2	67	11	4.1
Magnum-X 10t 5m	10000	10	5	2	67	11	5
Magnum-X 10t 6m	10000	10	6	2	67	11	5.9
Magnum-X 10t 7m	10000	10	7	2	67	11	6.8
Magnum-X 10t 8m	10000	10	8	2	67	11	7.7
Magnum-X 10t 10m	10000	10	10	2	67	11	9.5
Magnum-X 10t 12m	10000	10	12	2	67	11	10.8
Magnum-X 20t 4m	20000	20	4	2	88	13	7.7
Magnum-X 20t 5m	20000	20	5	2	88	13	9.5
Magnum-X 20t 6m	20000	20	6	2	88	13	11.3
Magnum-X 20t 7m	20000	20	7	2	88	13	13.1
Magnum-X 20t 8m	20000	20	8	2	88	13	14.9



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
Magnum-X 20t 10m	20000	20	10	2	88	13	18.5
Magnum-X 20t 12m	20000	20	12	2	88	13	21.6
Magnum-X 25t 4m	25000	25	4	2	85	17	10.1
Magnum-X 25t 5m	25000	25	5	2	85	17	12.5
Magnum-X 25t 6m	25000	25	6	2	85	17	14.9
Magnum-X 25t 7m	25000	25	7	2	85	17	17.3
Magnum-X 25t 8m	25000	25	8	2	85	17	19.7
Magnum-X 30t 4m	30000	30	4	2	91	23	12.1
Magnum-X 30t 5m	30000	30	5	2	91	23	15
Magnum-X 30t 6m	30000	30	6	2	91	23	17.9
Magnum-X 30t 7m	30000	30	7	2	91	23	20.8
Magnum-X 30t 8m	30000	30	8	2	91	23	23.7
Magnum-X 30t 10m	30000	30	10	2	91	23	29.5
Magnum-X 30t 12m	30000	30	12	2	91	23	27.6
Magnum-X 40t 4m	40000	40	4	2	101	25	16.1
Magnum-X 40t 5m	40000	40	5	2	101	25	20
Magnum-X 40t 6m	40000	40	6	2	101	25	23.9
Magnum-X 40t 7m	40000	40	7	2	101	25	27.8
Magnum-X 40t 8m	40000	40	8	2	101	25	31.7
Magnum-X 40t 10m	40000	40	10	2	101	25	39.5



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
Magnum-X 40t 12m	40000	40	12	2	101	25	42
Magnum-X 50t 4m	50000	50	4	2	143	24	21.3
Magnum-X 50t 5m	50000	50	5	2	143	24	26.5
Magnum-X 50t 6m	50000	50	6	2	143	24	31.7
Magnum-X 50t 7m	50000	50	7	2	143	24	36.9
Magnum-X 50t 8m	50000	50	8	2	143	24	42.1
Magnum-X 50t 10m	50000	50	10	2	143	24	52.5
Magnum-X 50t 12m	50000	50	12	2	143	24	62.4
Magnum-X 60t 4m	60000	60	4	3	142	26	28.9
Magnum-X 60t 5m	60000	60	5	3	142	26	36
Magnum-X 60t 6m	60000	60	6	3	142	26	43.1
Magnum-X 60t 7m	60000	60	7	3	142	26	50.2
Magnum-X 60t 8m	60000	60	8	3	142	26	57.3
Magnum-X 60t 10m	60000	60	10	3	142	26	71.5
Magnum-X 60t 12m	60000	60	12	3	142	26	69.6
Magnum-X 80t 4m	80000	80	4	3	207	21	38.1
Magnum-X 80t 5m	80000	80	5	3	207	21	47.5
Magnum-X 80t 6m	80000	80	6	3	207	21	56.9
Magnum-X 80t 7m	80000	80	7	3	207	21	66.3
Magnum-X 80t 8m	80000	80	8	3	207	21	75.7



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
Magnum-X 80t 10m	80000	80	10	3	207	21	94.5
Magnum-X 80t 12m	80000	80	12	3	207	21	98.4
Magnum-X 100t 4m	100000	100	4	3	291	20	54.9
Magnum-X 100t 5m	100000	100	5	3	291	20	68.5
Magnum-X 100t 6m	100000	100	6	3	291	20	82.1
Magnum-X 100t 7m	100000	100	7	3	291	20	95.7
Magnum-X 100t 8m	100000	100	8	3	291	20	109.3
Magnum-X 100t 10m	100000	100	10	3	291	20	136.5
Magnum-X 100t 12m	100000	100	12	3	291	20	141.6
Magnum-X 125t 4m	125000	125	4	3	280	31	75.3
Magnum-X 125t 5m	125000	125	5	3	280	31	94
Magnum-X 125t 6m	125000	125	6	3	280	31	112.7
Magnum-X 125t 7m	125000	125	7	3	280	31	131.4
Magnum-X 125t 8m	125000	125	8	3	280	31	150.1
Magnum-X 125t 10m	125000	125	10	3	280	31	187.5
Magnum-X 125t 12m	125000	125	12	3	280	31	224.4
Magnum-X 150t 4m	150000	150	4	5	314	33	80.5
Magnum-X 150t 5m	150000	150	5	5	314	33	100.5
Magnum-X 150t 6m	150000	150	6	5	314	33	120.5
Magnum-X 150t 7m	150000	150	7	5	314	33	140.5



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
Magnum-X 150t 8m	150000	150	8	5	314	33	160.5
Magnum-X 150t 10m	150000	150	10	5	314	33	200.5
Magnum-X 150t 12m	150000	150	12	5	314	33	240

Nome articolo breve	Peso al metro [kg/m]	Colore
Magnum-X 5t 4m	0.47	Rosso
Magnum-X 5t 5m	0.47	Rosso
Magnum-X 5t 6m	0.47	Rosso
Magnum-X 5t 7m	0.47	Rosso
Magnum-X 5t 8m	0.47	Rosso
Magnum-X 5t 10m	0.47	Rosso
Magnum-X 5t 12m	0.47	Rosso
Magnum-X 10t 4m	0.93	Arancio
Magnum-X 10t 5m	0.93	Arancio
Magnum-X 10t 6m	0.93	Arancio
Magnum-X 10t 7m	0.93	Arancio
Magnum-X 10t 8m	0.93	Arancio
Magnum-X 10t 10m	0.93	Arancio
Magnum-X 10t 12m	0.93	Arancio
Magnum-X 20t 4m	2.05	Arancio
Magnum-X 20t 5m	2.05	Arancio
Magnum-X 20t 6m	2.05	Arancio
Magnum-X 20t 7m	2.05	Arancio
Magnum-X 20t 8m	2.05	Arancio
Magnum-X 20t 10m	2.05	Arancio



Nome articolo breve	Peso al metro [kg/m]	Colore
Magnum-X 20t 12m	2.05	Arancio
Magnum-X 25t 4m	2.72	Arancio
Magnum-X 25t 5m	2.72	Arancio
Magnum-X 25t 6m	2.72	Arancio
Magnum-X 25t 7m	2.72	Arancio
Magnum-X 25t 8m	2.72	Arancio
Magnum-X 30t 4m	3.27	Arancio
Magnum-X 30t 5m	3.27	Arancio
Magnum-X 30t 6m	3.27	Arancio
Magnum-X 30t 7m	3.27	Arancio
Magnum-X 30t 8m	3.27	Arancio
Magnum-X 30t 10m	3.27	Arancio
Magnum-X 30t 12m	3.27	Arancio
Magnum-X 40t 4m	3.5	Arancio
Magnum-X 40t 5m	3.5	Arancio
Magnum-X 40t 6m	3.5	Arancio
Magnum-X 40t 7m	3.5	Arancio
Magnum-X 40t 8m	3.5	Arancio
Magnum-X 40t 10m	3.5	Arancio
Magnum-X 40t 12m	3.5	Arancio
Magnum-X 50t 4m	4.83	Arancio
Magnum-X 50t 5m	4.83	Arancio
Magnum-X 50t 6m	4.83	Arancio
Magnum-X 50t 7m	4.83	Arancio
Magnum-X 50t 8m	4.83	Arancio
Magnum-X 50t 10m	4.83	Arancio



Nome articolo breve	Peso al metro [kg/m]	Colore
Magnum-X 50t 12m	4.83	Arancio
Magnum-X 60t 4m	5.83	Arancio
Magnum-X 60t 5m	5.83	Arancio
Magnum-X 60t 6m	5.83	Arancio
Magnum-X 60t 7m	5.83	Arancio
Magnum-X 60t 8m	5.83	Arancio
Magnum-X 60t 10m	5.83	Arancio
Magnum-X 60t 12m	5.83	Arancio
Magnum-X 80t 4m	8.17	Arancio
Magnum-X 80t 5m	8.17	Arancio
Magnum-X 80t 6m	8.17	Arancio
Magnum-X 80t 7m	8.17	Arancio
Magnum-X 80t 8m	8.17	Arancio
Magnum-X 80t 10m	8.17	Arancio
Magnum-X 80t 12m	8.17	Arancio
Magnum-X 100t 4m	11.8	Arancio
Magnum-X 100t 5m	11.8	Arancio
Magnum-X 100t 6m	11.8	Arancio
Magnum-X 100t 7m	11.8	Arancio
Magnum-X 100t 8m	11.8	Arancio
Magnum-X 100t 10m	11.8	Arancio
Magnum-X 100t 12m	11.8	Arancio
Magnum-X 125t 4m	16.25	Arancio
Magnum-X 125t 5m	16.25	Arancio
Magnum-X 125t 6m	16.25	Arancio
Magnum-X 125t 7m	16.25	Arancio



Nome articolo breve	Peso al metro [kg/m]	Colore
Magnum-X 125t 8m	16.25	Arancio
Magnum-X 125t 10m	16.25	Arancio
Magnum-X 125t 12m	16.25	Arancio
Magnum-X 150t 4m	19.75	Arancio
Magnum-X 150t 5m	19.75	Arancio
Magnum-X 150t 6m	19.75	Arancio
Magnum-X 150t 7m	19.75	Arancio
Magnum-X 150t 8m	19.75	Arancio
Magnum-X 150t 10m	19.75	Arancio
Magnum-X 150t 12m	19.75	Arancio



ARTICOLO[Global Item Number/Local ERP Number SSIT]

Dimensione L1	5000 kg	10000 kg	20000 kg	25000 kg	30000 kg	40000 kg	50000 kg	60000 kg
4 m	2010959 MAGNUMX-005-080	2002763 MAGNUMX-010-080	2002765 MAGNUMX-020-080	2002767 MAGNUMX-025-080	2002769 MAGNUMX-030-080	2002771 MAGNUMX-040-080	2002773 MAGNUMX-050-080	2002775 MAGNUMX-060-080
5 m	2010960 MAGNUMX-005-100	2002764 MAGNUMX-010-100	2002766 MAGNUMX-020-100	2002768 MAGNUMX-025-100	2002770 MAGNUMX-030-100	2002772 MAGNUMX-040-100	2002774 MAGNUMX-050-100	2002776 MAGNUMX-060-100
6 m	2010961 MAGNUMX-005-120	2003251 MAGNUMX-010-120	2003253 MAGNUMX-020-120	2003255 MAGNUMX-025-120	2003257 MAGNUMX-030-120	2003259 MAGNUMX-040-120	2003261 MAGNUMX-050-120	2003263 MAGNUMX-060-120
7 m	2010962 MAGNUMX-005-140	2003252 MAGNUMX-010-140	2003254 MAGNUMX-020-140	2003256 MAGNUMX-025-140	2003258 MAGNUMX-030-140	2003260 MAGNUMX-040-140	2003262 MAGNUMX-050-140	2003264 MAGNUMX-060-140
8 m	2010963 MAGNUMX-005-160	2003738 MAGNUMX-010-160	2003739 MAGNUMX-020-160	2003740 MAGNUMX-025-160	2003741 MAGNUMX-030-160	2003742 MAGNUMX-040-160	2003743 MAGNUMX-050-160	2003744 MAGNUMX-060-160
10 m	2014758 MAGNUMX-005-200	2014760 MAGNUMX-010-200	2014762 MAGNUMX-020-200	-	2014765 MAGNUMX-030-200	2014767 MAGNUMX-040-200	2014769 MAGNUMX-050-200	2014771 MAGNUMX-060-200
12 m	2014759 MAGNUMX-005-240	2014761 MAGNUMX-010-240	2014763 MAGNUMX-020-240	-	2014766 MAGNUMX-030-240	2014768 MAGNUMX-040-240	2014770 MAGNUMX-050-240	2014772 MAGNUMX-060-240

Dimensione L1	150000 kg
4 m	2002783 MAGNUMX-150-080
5 m	2002784 MAGNUMX-150-100
6 m	2003271 MAGNUMX-150-120
7 m	2003272 MAGNUMX-150-140
8 m	2003748 MAGNUMX-150-160
10 m	2014779 MAGNUMX-150-200
12 m	2014780 MAGNUMX-150-240

■ Norme	EN 1492-2: 2000
■ Materiale principale	Poliestere ad alte prestazioni
■ Intervallo di temperatura	- 40 tot + 100°C
■ Protezione dell'etichetta [y/n]	Si
■ Packaging Unit (PU) Contenuto	1

1. WLL - working load limit, nominal load capacity. Applies to direct attachment type.
2. L1 - working length
3. Deviating from DIN EN 1492-2, the material in this round sling is suitable up to an operating temperature of +70°C.
4. In DIN EN 1492-2, HMPE is not listed as a material and material mixtures are not provided for.

SpanSet Italia Srl
Via Pietro Nenni, 13A
10036 Settimo TO
Italia
Tel.: +39 011 816
9744
info@spanset.it
www.spanset.it



Con riserva di modifiche tecniche. Tutti i diritti riservati. Nessuna parte di questa scheda tecnica può essere riprodotta in qualsiasi forma (stampa, fotocopia, microfilm o qualsiasi altro processo) o elaborata, duplicata o distribuita con sistemi elettronici senza il permesso scritto di SpanSet. Questa scheda tecnica è stata preparata con la dovuta attenzione; SpanSet non si assume alcuna responsabilità per errori o omissioni. © SpanSet Italia Srl - Italia

**SpanSet
Certified
Safety**