



Magnum Plus

Thicker sleeve giving increased durability and up to 4 times longer service

Item Name short	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
MagnumPlus 10t 1.5m	10	1.5	1.5	90	19	57	3.3
MagnumPlus 10t 2m	10	2	1.5	90	19	57	4.4
MagnumPlus 10t 3m	10	3	1.5	90	19	57	6.6
MagnumPlus 10t 4m	10	4	1.5	90	19	57	8.8
MagnumPlus 10t 5m	10	5	1.5	90	19	57	11
MagnumPlus 10t 6m	10	6	1.5	90	19	57	13.2
MagnumPlus 10t 8m	10	8	1.5	90	19	57	17.6
MagnumPlus 15t 1.5m	15	1.5	1.5	115	21	63	4.8
MagnumPlus 15t 2m	15	2	1.5	115	21	63	6.4
MagnumPlus 15t 3m	15	3	1.5	115	21	63	9.6
MagnumPlus 15t 4m	15	4	1.5	115	21	63	12.8
MagnumPlus 15t 6m	15	6	1.5	115	21	63	19.2
MagnumPlus 15t 8m	15	8	1.5	115	21	63	25.6
MagnumPlus 15t 10m	15	10	1.5	115	21	63	32
MagnumPlus 15t 20m	15	20	1.5	115	21	63	64
MagnumPlus 15t 25m	15	25	1.5	115	21	63	80
MagnumPlus 20t 2m	20	2	1.8	135	23	69	8.8
MagnumPlus 20t 2.5m	20	2.5	1.8	135	23	69	11
MagnumPlus 20t 3m	20	3	1.8	135	23	69	13.2



Item Name short	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
MagnumPlus 20t 4m	20	4	1.8	135	23	69	17.6
MagnumPlus 20t 5m	20	5	1.8	135	23	69	22
MagnumPlus 20t 6m	20	6	1.8	135	23	69	26.4
MagnumPlus 20t 8m	20	8	1.8	135	23	69	35.2
MagnumPlus 20t 10m	20	10	1.8	135	23	69	44
MagnumPlus 25t 2m	25	2	1.8	150	24	72	11.2
MagnumPlus 25t 3m	25	3	1.8	150	24	72	16.8
MagnumPlus 25t 4m	25	4	1.8	150	24	72	22.4
MagnumPlus 25t 5m	25	5	1.8	150	24	72	28
MagnumPlus 25t 6m	25	6	1.8	150	24	72	33.6
MagnumPlus 25t 8m	25	8	1.8	150	24	72	44.8
MagnumPlus 25t 10m	25	10	1.8	150	24	72	56
MagnumPlus 25t 25m	25	25	1.8	150	24	72	140
MagnumPlus 30t 2m	30	2	2.0	170	27	81	14.8
MagnumPlus 30t 2.5m	30	2.5	2.0	170	27	81	18.5
MagnumPlus 30t 3m	30	3	2.0	170	27	81	22.2
MagnumPlus 30t 4m	30	4	2.0	170	27	81	29.6
MagnumPlus 30t 5m	30	5	2.0	170	27	81	37
MagnumPlus 30t 6m	30	6	2.0	170	27	81	44.4
MagnumPlus 30t 7m	30	7	2.0	170	27	81	51.8



Item Name short	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
MagnumPlus 30t 8m	30	8	2.0	170	27	81	59.2
MagnumPlus 30t 10m	30	10	2.0	170	27	81	74
MagnumPlus 30t 15m	30	15	2.0	170	27	81	111
MagnumPlus 30t 30m	30	30	2.0	170	27	81	222
MagnumPlus 40t 2m	40	2	2.0	190	37	111	20
MagnumPlus 40t 2.5m	40	2.5	2.0	190	37	111	25
MagnumPlus 40t 3m	40	3	2.0	190	37	111	30
MagnumPlus 40t 4m	40	4	2.0	190	37	111	40
MagnumPlus 40t 6m	40	6	2.0	190	37	111	60
MagnumPlus 40t 8m	40	8	2.0	190	37	111	80
MagnumPlus 40t 10m	40	10	2.0	190	37	111	100
MagnumPlus 40t 20m	40	20	2.0	190	37	111	200
MagnumPlus 40t 30m	40	30	2.0	190	37	111	300
MagnumPlus 50t 2m	50	2	2.0	190	65	195	26
MagnumPlus 50t 3m	50	3	2.0	190	65	195	39
MagnumPlus 50t 4m	50	4	2.0	190	65	195	52
MagnumPlus 50t 5m	50	5	2.0	190	65	195	65
MagnumPlus 50t 6m	50	6	2.0	190	65	195	78
MagnumPlus 50t 7m	50	7	2.0	190	65	195	91
MagnumPlus 50t 8m	50	8	2.0	190	65	195	104



Item Name short	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
MagnumPlus 50t 10m	50	10	2.0	190	65	195	130
MagnumPlus 50t 20m	50	20	2.0	190	65	195	260
MagnumPlus 60t 2m	60	2	2.0	220	75	225	29.6
MagnumPlus 60t 4m	60	4	2.0	220	75	225	59.2
MagnumPlus 60t 6m	60	6	2.0	220	75	225	88.8
MagnumPlus 60t 8m	60	8	2.0	220	75	225	118.4
MagnumPlus 60t 10m	60	10	2.0	220	75	225	148
MagnumPlus 80t 2m	80	2	2.0	230	86	258	40
MagnumPlus 80t 3m	80	3	2.0	230	86	258	60
MagnumPlus 80t 4m	80	4	2.0	230	86	258	80
MagnumPlus 80t 6m	80	6	2.0	230	86	258	120
MagnumPlus 80t 7m	80	7	2.0	230	86	258	140
MagnumPlus 80t 8m	80	8	2.0	230	86	258	160
MagnumPlus 80t 15m	80	15	2.0	230	86	258	300
MagnumPlus 100t 2m	100	2	2.0	260	96	288	52
MagnumPlus 100t 2.5m	100	2.5	2.0	260	96	288	65
MagnumPlus 100t 3m	100	3	2.0	260	96	288	78
MagnumPlus 100t 4m	100	4	2.0	260	96	288	104
MagnumPlus 100t 5m	100	5	2.0	260	96	288	130
MagnumPlus 100t 6m	100	6	2.0	260	96	288	156



Item Name short	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
MagnumPlus 100t 7m	100	7	2.0	260	96	288	182
MagnumPlus 100t 8m	100	8	2.0	260	96	288	208
MagnumPlus 125t 2m	125	2	2.0	325	120	360	67.6
MagnumPlus 125t 8m	125	8	2.0	325	120	360	270.4
MagnumPlus 125t 11m	125	11	2.0	325	120	360	371.8
MagnumPlus 150t 2m	150	2	2.0	390	144	432	83.2
MagnumPlus 150t 3m	150	3	2.0	390	144	432	124.8
MagnumPlus 150t 4m	150	4	2.0	390	144	432	166.4
MagnumPlus 150t 6m	150	6	2.0	390	144	432	249.6
MagnumPlus 150t 8m	150	8	2.0	390	144	432	332.8

Item Name short	Weight per Meter [kg/m]
MagnumPlus 10t 1.5m	2.2
MagnumPlus 10t 2m	2.2
MagnumPlus 10t 3m	2.2
MagnumPlus 10t 4m	2.2
MagnumPlus 10t 5m	2.2
MagnumPlus 10t 6m	2.2
MagnumPlus 10t 8m	2.2
MagnumPlus 15t 1.5m	3.2
MagnumPlus 15t 2m	3.2
MagnumPlus 15t 3m	3.2
MagnumPlus 15t 4m	3.2
MagnumPlus 15t 6m	3.2
MagnumPlus 15t 8m	3.2



Item Name short	Weight per Meter [kg/m]
MagnumPlus 15t 10m	3.2
MagnumPlus 15t 20m	3.2
MagnumPlus 15t 25m	3.2
MagnumPlus 20t 2m	4.4
MagnumPlus 20t 2.5m	4.4
MagnumPlus 20t 3m	4.4
MagnumPlus 20t 4m	4.4
MagnumPlus 20t 5m	4.4
MagnumPlus 20t 6m	4.4
MagnumPlus 20t 8m	4.4
MagnumPlus 20t 10m	4.4
MagnumPlus 25t 2m	5.6
MagnumPlus 25t 3m	5.6
MagnumPlus 25t 4m	5.6
MagnumPlus 25t 5m	5.6
MagnumPlus 25t 6m	5.6
MagnumPlus 25t 8m	5.6
MagnumPlus 25t 10m	5.6
MagnumPlus 25t 25m	5.6
MagnumPlus 30t 2m	7.4
MagnumPlus 30t 2.5m	7.4
MagnumPlus 30t 3m	7.4
MagnumPlus 30t 4m	7.4
MagnumPlus 30t 5m	7.4
MagnumPlus 30t 6m	7.4
MagnumPlus 30t 7m	7.4
MagnumPlus 30t 8m	7.4
MagnumPlus 30t 10m	7.4
MagnumPlus 30t 15m	7.4
MagnumPlus 30t 30m	7.4
MagnumPlus 40t 2m	10.0
MagnumPlus 40t 2.5m	10.0
MagnumPlus 40t 3m	10.0



Item Name short	Weight per Meter [kg/m]
MagnumPlus 40t 4m	10.0
MagnumPlus 40t 6m	10.0
MagnumPlus 40t 8m	10.0
MagnumPlus 40t 10m	10.0
MagnumPlus 40t 20m	10.0
MagnumPlus 40t 30m	10.0
MagnumPlus 50t 2m	13
MagnumPlus 50t 3m	13
MagnumPlus 50t 4m	13
MagnumPlus 50t 5m	13
MagnumPlus 50t 6m	13
MagnumPlus 50t 7m	13
MagnumPlus 50t 8m	13
MagnumPlus 50t 10m	13
MagnumPlus 50t 20m	13
MagnumPlus 60t 2m	14.8
MagnumPlus 60t 4m	14.8
MagnumPlus 60t 6m	14.8
MagnumPlus 60t 8m	14.8
MagnumPlus 60t 10m	14.8
MagnumPlus 80t 2m	20.0
MagnumPlus 80t 3m	20.0
MagnumPlus 80t 4m	20.0
MagnumPlus 80t 6m	20.0
MagnumPlus 80t 7m	20.0
MagnumPlus 80t 8m	20.0
MagnumPlus 80t 15m	20.0
MagnumPlus 100t 2m	26.0
MagnumPlus 100t 2.5m	26.0
MagnumPlus 100t 3m	26.0
MagnumPlus 100t 4m	26.0
MagnumPlus 100t 5m	26.0
MagnumPlus 100t 6m	26.0



Item Name short	Weight per Meter [kg/m]
MagnumPlus 100t 7m	26.0
MagnumPlus 100t 8m	26.0
MagnumPlus 125t 2m	33.8
MagnumPlus 125t 8m	33.8
MagnumPlus 125t 11m	33.8
MagnumPlus 150t 2m	41.6
MagnumPlus 150t 3m	41.6
MagnumPlus 150t 4m	41.6
MagnumPlus 150t 6m	41.6
MagnumPlus 150t 8m	41.6



ORDER NUMBERS[Global Item Number/Local ERP Number SSAU]

WLL t	1.5 m	2 m	2.5 m	3 m	4 m	5 m	6 m	7 m	8 m	10 m
10 t	2028506 MP10000-0x1.5	2028507 MP10000-0x2.0	-	2028518 MP10000-0x3.0	2028519 MP10000-0x4.0	2028520 MP10000-0x5.0	2028521 MP10000-0x6.0	-	2028522 MP10000-0x8.0	-
15 t	2028523 MP15000-0x1.5	2028524 MP15000-0x2.0	-	2028525 MP15000-0x3.0	2028526 MP15000-0x4.0	-	2028527 MP15000-0x6.0	-	2028636 MP15000-0x8.0	2028637 MP15000-0x10
20 t	-	2028640 MP20000-0x2.0	2028641 MP20000-0x2.5	2028642 MP20000-0x3.0	2028643 MP20000-0x4.0	2028644 MP20000-0x5.0	2028645 MP20000-0x6.0	-	2028646 MP20000-0x8.0	2028647 MP20000-0x10
25 t	-	2028648 MP25000-0x2.0	-	2028649 MP25000-0x3.0	2028650 MP25000-0x4.0	2028651 MP25000-0x5.0	2028652 MP25000-0x6.0	-	2028653 MP25000-0x8.0	2028654 MP25000-0x10
30 t	-	2028656 MP30000-0x2.0	2028657 MP30000-0x2.5	2028658 MP30000-0x3.0	2028659 MP30000-0x4.0	2028660 MP30000-0x5.0	2028661 MP30000-0x6.0	2028662 MP30000-0x7.0	2028663 MP30000-0x8.0	2028664 MP30000-0x10
40 t	-	2028667 MP40000-0x2.0	2028668 MP40000-0x2.5	2028669 MP40000-0x3.0	2028670 MP40000-0x4.0	-	2028671 MP40000-0x6.0	-	2028672 MP40000-0x8.0	2028673 MP40000-0x10
50 t	-	2028676 MP50000-0x2.0	-	2028677 MP50000-0x3.0	2028678 MP50000-0x4.0	2028679 MP50000-0x5.0	2028680 MP50000-0x6.0	2028681 MP50000-0x7.0	2028682 MP50000-0x8.0	2028683 MP50000-0x10
60 t	-	2028685 MP60000-0x2.0	-	-	2028686 MP60000-0x4.0	-	2028687 MP60000-0x6.0	-	2028688 MP60000-0x8.0	2028689 MP60000-0x10
80 t	-	2028690 MP80000-0x2.0	-	2028691 MP80000-0x3.0	2028692 MP80000-0x4.0	-	2028693 MP80000-0x6.0	2028694 MP80000-0x7.0	2028695 MP80000-0x8.0	-
100 t	-	2028697 MP100000-0x2.0	2028698 MP100000-0x2.5	2028699 MP100000-0x3.0	2028700 MP100000-0x4.0	2028701 MP100000-0x5.0	2028702 MP100000-0x6.0	2028703 MP100000-0x7.0	2028704 MP100000-0x8.0	-
125 t	-	2028705 MP125000-0x2.0	-	-	-	-	-	-	2028706 MP125000-0x8.0	-
150 t	-	2028708 MP150000-0x2.0	-	2028709 MP150000-0x3.0	2028710 MP150000-0x4.0	-	2028711 MP150000-0x6.0	-	2028712 MP150000-0x8.0	-

WLL t	15 m	20 m	25 m	30 m
10 t	-	-	-	-
15 t	-	2028638 MP15000-0x20	2028639 MP15000-0x25	-
20 t	-	-	-	-
25 t	-	-	2028655 MP25000-0x25	-
30 t	2028665 MP30000-0x15	-	-	2028666 MP30000-0x30
40 t	-	2028674 MP40000-0x20	-	2028675 MP40000-0x30
50 t	-	2028684 MP50000-0x20	-	-
60 t	-	-	-	-



WLL t	15 m	20 m	25 m	30 m
80 t	2028696 MP80000-0x15	-	-	-
100 t	-	-	-	-
125 t	-	-	-	-
150 t	-	-	-	-

■ Standards	AS 4497:2018
■ Main Material	Polyester
■ Colour	Orange
■ Temperature Range	-40°C to 100°C
■ Label Protection	Yes
■ Packaging Unit (PU) Content	1

