

MagnumPlus

Funi rotonde per carichi pesanti, supporto affidabile, maneggevolezza ottimale ed elevata resistenza all'usura.



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
MagnumPlus 10t 2m	10000	10	2	1	93	12	4.4
MagnumPlus 10t 3m	10000	10	3	1	93	12	6.6
MagnumPlus 10t 4m	10000	10	4	1	93	12	9.3
MagnumPlus 10t 5m	10000	10	5	1	93	12	11.5
MagnumPlus 10t 6m	10000	10	6	1	93	12	13.7
MagnumPlus 10t 7m	10000	10	7	1	93	12	15.9
MagnumPlus 10t 8m	10000	10	8	1	93	12	18.1
MagnumPlus 10t 10m	10000	10	10	1	93	12	22
MagnumPlus 15t 2m	15000	15	2	1	110	15	5.4
MagnumPlus 15t 3m	15000	15	3	1	110	15	8.1
MagnumPlus 15t 4m	15000	15	4	1	110	15	13.3
MagnumPlus 15t 5m	15000	15	5	1	110	15	16.5
MagnumPlus 15t 6m	15000	15	6	1	110	15	19.7
MagnumPlus 15t 7.0m	15000	15	7	1	110	15	22.9
MagnumPlus 15t 8m	15000	15	8	1	110	15	26.1
MagnumPlus 15t 10m	15000	15	10	1	110	15	27
MagnumPlus 15t 12m	15000	15	12	1	110	15	32.4
MagnumPlus 20t 2m	20000	20	2	1.3	140	18	8
MagnumPlus 20t 3m	20000	20	3	1.3	140	18	12



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
MagnumPlus 20t 4m	20000	20	4	1.3	140	18	18.1
MagnumPlus 20t 5m	20000	20	5	1.3	140	18	22.5
MagnumPlus 20t 6m	20000	20	6	1.3	140	18	26.9
MagnumPlus 20t 7m	20000	20	7	1.3	140	18	31.3
MagnumPlus 20t 8,0m	20000	20	8	1.3	140	18	35.7
MagnumPlus 20t 10m	20000	20	10	1.3	140	18	40
MagnumPlus 25t 3m	25000	25	3	1.3	153	25	15
MagnumPlus 25t 4m	25000	25	4	1.3	153	25	22.9
MagnumPlus 25t 5m	25000	25	5	1.3	153	25	28.5
MagnumPlus 25t 6m	25000	25	6	1.3	153	25	34.1
MagnumPlus 25t 7m	25000	25	7	1.3	153	25	39.7
MagnumPlus 25t 8m	25000	25	8	1.3	153	25	45.3
MagnumPlus 25t 12m	25000	25	12	1.3	153	25	60
MagnumPlus 30t 2m	30000	30	2	1.3	165	19	13
MagnumPlus 30t 3m	30000	30	3	1.3	165	19	19.5
MagnumPlus 30t 4m	30000	30	4	1.3	165	19	30.1
MagnumPlus 30t 5m	30000	30	5	1.3	165	19	37.5
MagnumPlus 30t 6m	30000	30	6	1.3	165	19	44.9
MagnumPlus 30t 7m	30000	30	7	1.3	165	19	52.3
MagnumPlus 30t 8m	30000	30	8	1.3	165	19	59.7



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
MagnumPlus 40t 3m	40000	40	3	3	180	22	29.1
MagnumPlus 40t 4m	40000	40	4	3	180	22	40.5
MagnumPlus 40t 5m	40000	40	5	3	180	22	50.5
MagnumPlus 40t 6m	40000	40	6	3	180	22	60.5
MagnumPlus 40t 7m	40000	40	7	3	180	22	70.5
MagnumPlus 40t 8m	40000	40	8	3	180	22	80.5
MagnumPlus 50t 3m	50000	50	3	3	208	24	37.5
MagnumPlus 50t 4m	50000	50	4	3	208	24	52.5
MagnumPlus 50t 5m	50000	50	5	3	208	24	65.5
MagnumPlus 50t 6m	50000	50	6	3	208	24	78.5
MagnumPlus 50t 7m	50000	50	7	3	208	24	91.5
MagnumPlus 50t 8m	50000	50	8	3	208	24	104.5
MagnumPlus 60t 3m	60000	60	3	3	244	27	49.8
MagnumPlus 60t 4m	60000	60	4	3	244	27	59.7
MagnumPlus 60t 5m	60000	60	5	3	244	27	74.5
MagnumPlus 60t 6m	60000	60	6	3	244	27	89.3
MagnumPlus 60t 7m	60000	60	7	3	244	27	104.1
MagnumPlus 60t 8m	60000	60	8	3	244	27	118.9
MagnumPlus 80t 4,0m	80000	80	4	3	279	47	80.5
MagnumPlus 80t 5,0m	80000	80	5	3	279	47	100.5



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza parte a contatto sotto carico [mm]	Spessore sotto carico [mm]	Peso netto [kg]
MagnumPlus 80t 6,0m	80000	80	6	3	279	47	120.5
MagnumPlus 80t 7,0m	80000	80	7	3	279	47	140.5
MagnumPlus 80t 8,0m	80000	80	8	3	279	47	160.5
MagnumPlus 100t 4,0m	100000	100	4	3	294	49	104.5
MagnumPlus 100t 5,0m	100000	100	5	3	294	49	130.5
MagnumPlus 100t 6,0m	100000	100	6	3	294	49	156.5
MagnumPlus 100t 7,0m	100000	100	7	3	294	49	182.5
MagnumPlus 100t 8,0m	100000	100	8	3	294	49	208.5

Nome articolo breve	Peso al metro [kg/m]
MagnumPlus 10t 2m	2.2
MagnumPlus 10t 3m	2.2
MagnumPlus 10t 4m	2.2
MagnumPlus 10t 5m	2.2
MagnumPlus 10t 6m	2.2
MagnumPlus 10t 7m	2.2
MagnumPlus 10t 8m	2.2
MagnumPlus 10t 10m	2.2
MagnumPlus 15t 2m	2.7
MagnumPlus 15t 3m	2.7
MagnumPlus 15t 4m	2.7
MagnumPlus 15t 5m	2.7
MagnumPlus 15t 6m	2.7
MagnumPlus 15t 7,0m	2.7
MagnumPlus 15t 8m	2.7
MagnumPlus 15t 10m	2.7
MagnumPlus 15t 12m	2.7



Nome articolo breve	Peso al metro [kg/m]
MagnumPlus 20t 2m	4
MagnumPlus 20t 3m	4
MagnumPlus 20t 4m	4
MagnumPlus 20t 5m	4
MagnumPlus 20t 6m	4
MagnumPlus 20t 7m	4
MagnumPlus 20t 8,0m	4
MagnumPlus 20t 10m	4
MagnumPlus 25t 3m	5
MagnumPlus 25t 4m	5
MagnumPlus 25t 5m	5
MagnumPlus 25t 6m	5
MagnumPlus 25t 7m	5
MagnumPlus 25t 8m	5
MagnumPlus 25t 12m	5
MagnumPlus 30t 2m	6.5
MagnumPlus 30t 3m	6.5
MagnumPlus 30t 4m	6.5
MagnumPlus 30t 5m	6.5
MagnumPlus 30t 6m	6.5
MagnumPlus 30t 7m	6.5
MagnumPlus 30t 8m	6.5
MagnumPlus 40t 3m	9.7
MagnumPlus 40t 4m	9.7
MagnumPlus 40t 5m	9.7
MagnumPlus 40t 6m	9.7
MagnumPlus 40t 7m	9.7
MagnumPlus 40t 8m	9.7
MagnumPlus 50t 3m	12.5
MagnumPlus 50t 4m	12.5
MagnumPlus 50t 5m	12.5
MagnumPlus 50t 6m	12.5
MagnumPlus 50t 7m	12.5



Nome articolo breve	Peso al metro [kg/m]
MagnumPlus 50t 8m	12.5
MagnumPlus 60t 3m	16.6
MagnumPlus 60t 4m	16.6
MagnumPlus 60t 5m	16.6
MagnumPlus 60t 6m	16.6
MagnumPlus 60t 7m	16.6
MagnumPlus 60t 8m	16.6
MagnumPlus 80t 4,0m	20.8
MagnumPlus 80t 5,0m	20.8
MagnumPlus 80t 6,0m	20.8
MagnumPlus 80t 7,0m	20.8
MagnumPlus 80t 8,0m	20.8
MagnumPlus 100t 4,0m	24.3
MagnumPlus 100t 5,0m	24.3
MagnumPlus 100t 6,0m	24.3
MagnumPlus 100t 7,0m	24.3
MagnumPlus 100t 8,0m	24.3



ARTICOLO[Global Item Number/Local ERP Number SSIT]

Dimensione L1	10000 kg	15000 kg	20000 kg	25000 kg	30000 kg	40000 kg	50000 kg	60000 kg
2 m	2020851 MAGNUM10000-040	2027560 MAGNUM15000-040	2023220 MAGNUM20000-040	-	2030454 MAGNUM30000-040	-	-	-
3 m	2020998 MAGNUM10000-060	2021000 MAGNUM15000-060	2021002 MAGNUM20000-060	2021004 MAGNUM25000-060	2021006 MAGNUM30000-060	2021008 MAGNUM40000-060	2026463 MAGNUM50000-060	2026497 MAGNUM60000-060
4 m	2002743 MAGNUM10000-080	2002745 MAGNUM15000-080	2002747 MAGNUM20000-080	2002749 MAGNUM25000-080	2002751 MAGNUM30000-080	2002753 MAGNUM40000-080	2002755 MAGNUM50000-080	2002757 MAGNUM60000-080
5 m	2002744 MAGNUM10000-100	2002746 MAGNUM15000-100	2002748 MAGNUM20000-100	2002750 MAGNUM25000-100	2002752 MAGNUM30000-100	2002754 MAGNUM40000-100	2002756 MAGNUM50000-100	2002758 MAGNUM60000-100
6 m	2003231 MAGNUM10000-120	2003233 MAGNUM15000-120	2003235 MAGNUM20000-120	2003237 MAGNUM25000-120	2003239 MAGNUM30000-120	2003241 MAGNUM40000-120	2003243 MAGNUM50000-120	2003245 MAGNUM60000-120
7 m	2003232 MAGNUM10000-140	2003234 MAGNUM15000-140	2003236 MAGNUM20000-140	2003238 MAGNUM25000-140	2003240 MAGNUM30000-140	2003242 MAGNUM40000-140	2003244 MAGNUM50000-140	2003246 MAGNUM60000-140
8 m	2003728 MAGNUM10000-160	2003729 MAGNUM15000-160	2003730 MAGNUM20000-160	2003731 MAGNUM25000-160	2003732 MAGNUM30000-160	2003733 MAGNUM40000-160	2003734 MAGNUM50000-160	2003735 MAGNUM60000-160
10 m	2030455 MAGNUM10000-200	2030456 MAGNUM15000-200	2030457 MAGNUM20000-200	-	-	-	-	-
12 m	-	2030459 MAGNUM15000-240	-	2030460 MAGNUM25000-240	-	-	-	-

■ Norme	EN 1492-2: 2000
■ Materiale principale	Poliestere
■ Colore	Arancio
■ Intervallo di temperatura	- 40 tot + 100°C
■ Protezione dell'etichetta [y/n]	Si
■ Packaging Unit (PU) Contenuto	1

1. WLL - working load limit, nominal load capacity. Applies to direct attachment type.
2. L1 - Nutzlänge.
3. Deviating from DIN EN 1492-2, the material in this round sling is suitable up to an operating temperature of +70°C.
4. In DIN EN 1492-2, HMPE is not listed as a material and material mixtures are not provided for.

