


Multi-Leg Sling 1

One leg modular system sling with replaceable components and textile protective sleeve for longer service life

Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	L1 max. [m]	Weight for 1m [kg]	Weight per Meter [kg/m]
MLS1 1000 EH/C 1m	1000	1	1	0.38	10	1.4	0.3
MLS1 1000 EH/C 2m	1000	1	2	0.38	10	1.4	0.3
MLS1 1000 EH/C 3m	1000	1	3	0.38	10	1.4	0.3
MLS1 1000 EH/C 4m	1000	1	4	0.38	10	1.4	0.3
MLS1 2000 EH/C 1m	2000	2	1	0.38	10	2.5	0.5
MLS1 2000 EH/C 2m	2000	2	2	0.38	10	2.5	0.5
MLS1 2000 EH/C 3m	2000	2	3	0.38	10	2.5	0.5
MLS1 2000 EH/C 4m	2000	2	4	0.38	10	2.5	0.5
MLS1 3000 EH/C 1m	3000	3	1	0.38	20	3.7	0.8
MLS1 3000 EH/C 2m	3000	3	2	0.38	20	3.7	0.8
MLS1 3000 EH/C 3m	3000	3	3	0.38	20	3.7	0.8
MLS1 3000 EH/C 4m	3000	3	4	0.38	20	3.7	0.8
MLS1 4000 EH/C 1m	4000	4	1	0.38	20	5.7	1
MLS1 4000 EH/C 2m	4000	4	2	0.38	20	5.7	1
MLS1 4000 EH/C 3m	4000	4	3	0.38	20	5.7	1
MLS1 4000 EH/C 4m	4000	4	4	0.38	20	5.7	1
MLS1 5000 EH/C 1m	5000	5	1	0.38	20	6.6	1.1
MLS1 5000 EH/C 2m	5000	5	2	0.38	20	6.6	1.1
MLS1 5000 EH/C 3m	5000	5	3	0.38	20	6.6	1.1
MLS1 5000 EH/C 4m	5000	5	4	0.38	20	6.6	1.1



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	L1 max. [m]	Weight for 1m [kg]	Weight per Meter [kg/m]
MLS1 6000 EH/C 1m	6000	6	1	1	20	9.1	1.4
MLS1 6000 EH/C 2m	6000	6	2	1	20	9.1	1.4
MLS1 6000 EH/C 3m	6000	6	3	1	20	9.1	1.4
MLS1 6000 EH/C 4m	6000	6	4	1	20	9.1	1.4
MLS1 8000 EH/C 1m	8000	8	1	1	20	9.4	1.8
MLS1 8000 EH/C 2m	8000	8	2	1	20	9.4	1.8
MLS1 8000 EH/C 3m	8000	8	3	1	20	9.4	1.8
MLS1 8000 EH/C 4m	8000	8	4	1	20	9.4	1.8
MLS1 10000 EH/C 1m	10000	10	1	2	30	23	2.5
MLS1 10000 EH/C 2m	10000	10	2	2	30	23	2.5
MLS1 10000 EH/C 3m	10000	10	3	2	30	23	2.5
MLS1 10000 EH/C 4m	10000	10	4	2	30	23	2.5
MLS1 15000 EH/C 1m	15000	15	1	2	30	36	3.5
MLS1 15000 EH/C 2m	15000	15	2	2	30	36	3.5
MLS1 15000 EH/C 3m	15000	15	3	2	30	36	3.5
MLS1 15000 EH/C 4m	15000	15	4	2	30	36	3.5
MLS1 20000 EH/C 1m	20000	20	1	2	30	56	5
MLS1 20000 EH/C 2m	20000	20	2	2	30	56	5
MLS1 20000 EH/C 3m	20000	20	3	2	30	56	5
MLS1 20000 EH/C 4m	20000	20	4	2	30	56	5
MLS1 25000 EH/C 1m	25000	25	1	2	30	89	6



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	L1 max. [m]	Weight for 1m [kg]	Weight per Meter [kg/m]
MLS1 25000 EH/C 2m	25000	25	2	2	30	89	6
MLS1 25000 EH/C 3m	25000	25	3	2	30	89	6
MLS1 25000 EH/C 4m	25000	25	4	2	30	89	6
MLS1 30000 EH/C 1m	30000	30	1	2	30	94	8
MLS1 30000 EH/C 2m	30000	30	2	2	30	94	8
MLS1 30000 EH/C 3m	30000	30	3	2	30	94	8
MLS1 30000 EH/C 4m	30000	30	4	2	30	94	8

ORDER NUMBERS[Global Item Number/Local ERP Number SSDE]

WLL kg	1 m	2 m	3 m	4 m
1000 kg	2024691 D062796	2002836 D062830	2003306 D028729	2003307 D029377
2000 kg	2024694 D062820	2002838 D062831	2003308 D021700	2003309 D041591
3000 kg	2024697 D062821	2002840 D062832	2003310 D034729	2003311 D046562
4000 kg	2024699 D062822	2002842 D062834	2003312 D047760	2003313 D047762
5000 kg	2024700 D062823	2002844 D062835	2003314 D041025	2003315 D034598
6000 kg	2024701 D062824	2002846 D062836	2003316 D047763	2003317 D006409
8000 kg	2024702 D062825	2002848 D062837	2003318 D047770	2003319 D020074
10000 kg	2024692 D062826	2002850 D062839	2003320 D019695	2003321 D032281
15000 kg	2024693 D062827	2002852 D062841	2003322 D047764	2003323 D047765
20000 kg	2024695 D062828	2002854 D062842	2003324 D028197	2003325 D047766
25000 kg	2024696 D016640	2002856 D021664	2003326 D047732	2003327 D047336
30000 kg	2024698 D016643	2002858 D021666	2003328 D047767	2003329 D047768



■ Norms	EN 1492-2
■ Main Material	Polyester
■ Temperature Range	-40°C / +100°C
■ Packaging Unit (PU) Content	1

