


NoCut® Sleeve

Protective cover, flexible and easy to fit, for webbing slings and round slings.



Item Name short	Length [m]	Width Inside [mm]	Width Outside [mm]	Weight Net [kg]	Weight per Meter [kg/m]
NoCut sleeve 55mm 0.5m	0.5	55	65	0.4	0.40
NoCut sleeve 75mm 0.5m	0.5	75	85	0.3	0.60
NoCut sleeve, 315mm, 0.5m	0.5	315	325	2.7	2.70
NoCut sleeve 55mm 0.75m	0.75	55	65	-	0.40
NoCut sleeve 75mm 0.75m	0.75	75	85	-	0.60
NoCut sleeve 105mm 0.75m	0.75	105	115	-	0.80
NoCut sleeve 135mm 0.75m	0.75	135	145	-	1.10
NoCut sleeve 165mm 0.75m	0.75	165	175	-	1.40
NoCut sleeve 195mm 0.75m	0.75	195	205	-	1.60
NoCut sleeve 255mm 0.75m	0.75	255	265	-	2.00
NoCut sleeve 315mm 0.75m	0.75	315	325	-	2.70
NoCut sleeve, 55mm, 1.0m	1	55	65	0.4	0.40
NoCut sleeve, 75mm, 1.0m	1	75	85	0.6	0.60
NoCut sleeve, 105mm, 1.0m	1	105	115	0.8	0.80
NoCut sleeve, 135mm, 1.0m	1	135	145	1.1	1.10
NoCut sleeve, 165mm, 1.0m	1	165	175	1.4	1.40
NoCut sleeve, 195mm, 1.0m	1	195	205	1.6	1.60
NoCut sleeve, 255mm, 1.0m	1	255	265	2	2.00
NoCut sleeve, 315mm, 1.0m	1	315	325	2.7	2.70
NoCut sleeve 75mm 1.5m	1.5	75	85	0.9	0.60



Item Name short	Length [m]	Width Inside [mm]	Width Outside [mm]	Weight Net [kg]	Weight per Meter [kg/m]
NoCut sleeve 105mm 1.5m	1.5	105	115	1.2	0.80
NoCut sleeve 135mm 1.5m	1.5	135	145	1.65	1.10
NoCut sleeve 165mm 1.5m	1.5	165	175	2.1	1.40
NoCut sleeve 195mm 1.5m	1.5	195	205	2.4	1.60
NoCut sleeve 255mm 1.5m	1.5	255	265	3	2.00
NoCut sleeve 315mm 1.5m	1.5	315	325	1.35	2.70
NoCut sleeve 75mm 2.0m	2	75	85	1.2	0.60
NoCut sleeve 105mm 2.0m	2	105	115	1.6	0.80
NoCut sleeve 135mm 2.0m	2	135	145	2.2	1.10
NoCut sleeve 165mm 2.0m	2	165	175	2.8	1.40
NoCut sleeve 195mm 2.0m	2	195	205	3.2	1.60
NoCut sleeve 255mm 2.0m	2	255	265	4	2.00
NoCut sleeve 315mm 2.0m	2	315	325	5.4	2.70

ORDER NUMBERS[Global Item Number/Local ERP Number SSDE]

Length	55 mm	75 mm	105 mm	135 mm	165 mm	195 mm	255 mm	315 mm
0.5 m	2024576 D049302	2024577 D049303	-	-	-	-	-	2026372 D087056
0.75 m	2031012 D050008	2031013 D050557	2031011 D050850	2031014 D052971	2031015 D050715	2031016 D051455	2031017 D053503	2031018 D056290
1 m	2003475 D049294	2003477 D049295	2003479 D049296	2003481 D049297	2003483 D049298	2003485 D049299	2003487 D049300	2003489 D054664
1.5 m	-	2026625 D049601	2026627 D049603	2026629 D052311	2026631 D049306	2026633 D051951	2026635 D056285	2026637 D05140
2 m	-	2026626 D049413	2026628 D049602	2026630 D051920	2026632 D050905	2026634 D051804	2026636 D055841	2026638 D056294

■ Fastener Type

TB

SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-
Palenberg
Deutschland
+49 (0) 2451 4831-0
info@spanset.de
www.spanset.com



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written authorisation of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. DB040719 © SpanSet GmbH & Co. KG - Germany

**SpanSet
Certified
Safety**

■ Main Material	High molecular weight polyethylene (HMPE)
■ Colour	White
■ Tube Thickness	13 mm
■ Temperature Range	-40° C to + 60° C
■ Number of layers	1
■ Label Protection	No
■ Packaging Unit (PU) Content	1

