



PaXafe Net Kit for Trucks and Trailers

Universal load securing aids with which separated loads as well as cargoes on pallets can be secured


Item Name short	Length [m]	Contains Locking Bar	Fixing Points	Width [m]
LKW E1.1	1.25	No	12 Triangles / 6 Carabiner	2.75
LKW E2.1	1.25	No	18 Triangles / 6 Carabiner	3.05
LKW1	2.45	Yes	20 Triangles	2.75
PaXafe LKW3	2.45	No	28 Triangles	2.75
LKW E1.2	2.45	No	20 Triangles / 6 Carabiner	2.75
LKW E2.2	2.45	No	30 Triangles / 6 Carabiner	3.05
LKW2	3.05	Yes	44 Triangles	3.05




Sip-LKW3




LKW E2.1



LKW 2



LKW E2.2



ORDER NUMBERS[Global Item Number/Local ERP Number SSNL]

Length	Width	Yes	No
1.25 m	2.75 m	-	2006023
1.25 m	3.05 m	-	2006026
2.45 m	2.75 m	2006022	2006028,2006024
2.45 m	3.05 m	-	2006027
3.05 m	3.05 m	2006025	-

- Norms EN 12195-2 VDI 2700
- Colour Orange
- Temperature Range -40 / +100° C
- Packaging Unit (PU) Content 1

SpanSet Nederland B.V.
Plaza 10A 4782 SK
Moerdijk Nederland
Tel.: +31 (0) 168 38 68 00
info@spanset.nl
www.spanset.nl



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed via electronic systems without the written permission of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Nederland B.V.

**SpanSet
Certified
Safety**