




Poweform 6P RHOL

Produk Benang yang Dikompresi Berperforma Tinggi

Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
POWERFORM 6X36 10MM Pi RHOL	10	85.7	8.7
POWERFORM 6X36 11MM Pi RHOL	11	98.6	10.1
POWERFORM 6X36 12MM Pi RHOL	12	114	11.6
POWERFORM 6X36 13MM Pi RHOL	13	140	15
POWERFORM 6X36 14MM Pi RHOL	14	147	17.3
POWERFORM 6X36 15MM Pi RHOL	15	170	19.9
POWERFORM 6X36 16MM RHOL	16	195	22.2
POWERFORM 6X36 17MM Pi RHOL	17	218	25.1
POWERFORM 6X36 18MM Pi RHOL	18	246	28.1
POWERFORM 6X36 19MM Pi RHOL	19	276	31
POWERFORM 6X36 20MM Pi RHOL	20	304	34.1
POWERFORM 6X36 22MM Pi RHOL	22	335	40.8
POWERFORM 6X36 24MM Pi RHOL	24	400	49.8
POWERFORM 6X36 26MM Pi RHOL	26	489	58.9
POWERFORM 6X36 28MM Pi RHOL	28	578	67
POWERFORM 6X36 30MM Pi RHOL	30	657	77.2
POWERFORM 6X36 32MM Pi RHOL	32	757	86.2
POWERFORM 6X36 34MM Pi RHOL	34	846	93.4
POWERFORM 6X36 36MM Pi RHOL	36	916	109
POWERFORM 6X36 38MM Pi RHOL	38	1065	119



Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
POWERFORM 6X36 40MM Pi RHOL	40	1165	132
POWERFORM 6X36 42MM Pi RHOL	42	1295	145
POWERFORM 6X36 44MM Pi RHOL	44	1425	153
POWERFORM 6X36 46MM Pi RHOL	46	1665	170
POWERFORM 6X36 48MM Pi RHOL	48	1885	192
POWERFORM 6X36 50MM Pi RHOL	50	1975	201
POWERFORM 6X36 52MM Pi RHOL	52	2135	218
POWERFORM 6X36 54MM Pi RHOL	54	2325	237
POWERFORM 6X36 56MM Pi RHOL	56	2475	252
POWERFORM 6X36 58MM Pi RHOL	58	2650	270
POWERFORM 6X36 60MM Pi RHOL	60	2810	286



NOMOR PESANAN[Global Item Number/Local ERP Number SSID]

Rope Diameter	POWERFORM 6X36 10MM Pi RHOL	POWERFORM 6X36 11MM Pi RHOL	POWERFORM 6X36 12MM Pi RHOL	POWERFORM 6X36 13MM Pi RHOL	POWERFORM 6X36 14MM Pi RHOL	POWERFORM 6X36 15MM Pi RHOL	POWERFORM 6X36 16MM RHOL	POWERFORM 6X36 17MM Pi RHOL	POWERFORM 6X36 18MM Pi RHOL	POWERFORM 6X36 19MM Pi RHOL
10 mm	2023411 UM6X36CP- IWd10.0SZ1960G	-	-	-	-	-	-	-	-	-
11 mm	-	2023412 UM6X36CP- IWd11.0SZ1960G	-	-	-	-	-	-	-	-
12 mm	-	-	2023413 UM6X36CP- IWd12.0SZ1960G	-	-	-	-	-	-	-
13 mm	-	-	-	2023414 UM6X36CP- IWd13.0SZ1960G	-	-	-	-	-	-
14 mm	-	-	-	-	2023415 UM6X36CP- IWd14.0SZ1960G	-	-	-	-	-
15 mm	-	-	-	-	-	2023416 UM6X36CP- IWd15.0SZ1960G	-	-	-	-
16 mm	-	-	-	-	-	-	2023417 UM6X36CP- IWd16.0SZ1960G	-	-	-
17 mm	-	-	-	-	-	-	-	2023418 UM6X36CP- IWd17.0SZ1960G	-	-
18 mm	-	-	-	-	-	-	-	-	2023419 UM6X36CP- IWd18.0SZ1960G	-
19 mm	-	-	-	-	-	-	-	-	-	2023420 UM6X36CP- IWd19.0SZ1960G
20 mm	-	-	-	-	-	-	-	-	-	-
22 mm	-	-	-	-	-	-	-	-	-	-
24 mm	-	-	-	-	-	-	-	-	-	-
26 mm	-	-	-	-	-	-	-	-	-	-
28 mm	-	-	-	-	-	-	-	-	-	-
30 mm	-	-	-	-	-	-	-	-	-	-
32 mm	-	-	-	-	-	-	-	-	-	-
34 mm	-	-	-	-	-	-	-	-	-	-
36 mm	-	-	-	-	-	-	-	-	-	-



Rope Diameter	POWERFORM 6X36 10MM Pi RHOL	POWERFORM 6X36 11MM Pi RHOL	POWERFORM 6X36 12MM Pi RHOL	POWERFORM 6X36 13MM Pi RHOL	POWERFORM 6X36 14MM Pi RHOL	POWERFORM 6X36 15MM Pi RHOL	POWERFORM 6X36 16MM RHOL	POWERFORM 6X36 17MM Pi RHOL	POWERFORM 6X36 18MM Pi RHOL	POWERFORM 6X36 19MM Pi RHOL
38 mm	-	-	-	-	-	-	-	-	-	-
40 mm	-	-	-	-	-	-	-	-	-	-
42 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
46 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-
54 mm	-	-	-	-	-	-	-	-	-	-
56 mm	-	-	-	-	-	-	-	-	-	-
58 mm	-	-	-	-	-	-	-	-	-	-
60 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 6X36 22MM Pi RHOL	POWERFORM 6X36 24MM Pi RHOL	POWERFORM 6X36 26MM Pi RHOL	POWERFORM 6X36 28MM Pi RHOL	POWERFORM 6X36 30MM Pi RHOL	POWERFORM 6X36 32MM Pi RHOL	POWERFORM 6X36 34MM Pi RHOL	POWERFORM 6X36 36MM Pi RHOL	POWERFORM 6X36 38MM Pi RHOL	POWERFORM 6X36 40MM Pi RHOL
10 mm	-	-	-	-	-	-	-	-	-	-
11 mm	-	-	-	-	-	-	-	-	-	-
12 mm	-	-	-	-	-	-	-	-	-	-
13 mm	-	-	-	-	-	-	-	-	-	-
14 mm	-	-	-	-	-	-	-	-	-	-
15 mm	-	-	-	-	-	-	-	-	-	-
16 mm	-	-	-	-	-	-	-	-	-	-
17 mm	-	-	-	-	-	-	-	-	-	-
18 mm	-	-	-	-	-	-	-	-	-	-
19 mm	-	-	-	-	-	-	-	-	-	-
20 mm	-	-	-	-	-	-	-	-	-	-
22 mm	2023422 UM6X36CP- IWd22.OSZ1960G									
24 mm	-	2023423 UM6X36CP- IWd24.OSZ1960G								
26 mm	-	-	2023424 UM6X36CP- IWd26.OSZ1960G							



Rope Diameter	POWERFORM 6X36 22MM Pi RHOL	POWERFORM 6X36 24MM Pi RHOL	POWERFORM 6X36 26MM Pi RHOL	POWERFORM 6X36 28MM Pi RHOL	POWERFORM 6X36 30MM Pi RHOL	POWERFORM 6X36 32MM Pi RHOL	POWERFORM 6X36 34MM Pi RHOL	POWERFORM 6X36 36MM Pi RHOL	POWERFORM 6X36 38MM Pi RHOL	POWERFORM 6X36 40MM Pi RHOL
28 mm	-	-	-	2023425 UM6X36CP- IWd28.0SZ1960G		-	-	-	-	-
30 mm	-	-	-	-	2023426 UM6X36CP- IWd30.0SZ1960G		-	-	-	-
32 mm	-	-	-	-	-	2023427 UM6X36CP- IWd32.0SZ1960G		-	-	-
34 mm	-	-	-	-	-	-	2023428 UM6X36CP- IWd34.0SZ1960G		-	-
36 mm	-	-	-	-	-	-	-	2023429 UM6X36CP- IWd36.0SZ1960G		-
38 mm	-	-	-	-	-	-	-	-	2023430 UM6X36CP- IWd38.0SZ1960G	
40 mm	-	-	-	-	-	-	-	-	-	2023431 UM6X36CP- IWd40.0SZ1960G
42 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
46 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-
54 mm	-	-	-	-	-	-	-	-	-	-
56 mm	-	-	-	-	-	-	-	-	-	-
58 mm	-	-	-	-	-	-	-	-	-	-
60 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 6X36 44MM Pi RHOL	POWERFORM 6X36 46MM Pi RHOL	POWERFORM 6X36 48MM Pi RHOL	POWERFORM 6X36 50MM Pi RHOL	POWERFORM 6X36 52MM Pi RHOL	POWERFORM 6X36 54MM Pi RHOL	POWERFORM 6X36 56MM Pi RHOL	POWERFORM 6X36 58MM Pi RHOL	POWERFORM 6X36 60MM Pi RHOL
10 mm	-	-	-	-	-	-	-	-	-
11 mm	-	-	-	-	-	-	-	-	-
12 mm	-	-	-	-	-	-	-	-	-



Rope Diameter	POWERFORM 6X36 44MM Pi RHOL	POWERFORM 6X36 46MM Pi RHOL	POWERFORM 6X36 48MM Pi RHOL	POWERFORM 6X36 50MM Pi RHOL	POWERFORM 6X36 52MM Pi RHOL	POWERFORM 6X36 54MM Pi RHOL	POWERFORM 6X36 56MM Pi RHOL	POWERFORM 6X36 58MM Pi RHOL	POWERFORM 6X36 60MM Pi RHOL
13 mm	-	-	-	-	-	-	-	-	-
14 mm	-	-	-	-	-	-	-	-	-
15 mm	-	-	-	-	-	-	-	-	-
16 mm	-	-	-	-	-	-	-	-	-
17 mm	-	-	-	-	-	-	-	-	-
18 mm	-	-	-	-	-	-	-	-	-
19 mm	-	-	-	-	-	-	-	-	-
20 mm	-	-	-	-	-	-	-	-	-
22 mm	-	-	-	-	-	-	-	-	-
24 mm	-	-	-	-	-	-	-	-	-
26 mm	-	-	-	-	-	-	-	-	-
28 mm	-	-	-	-	-	-	-	-	-
30 mm	-	-	-	-	-	-	-	-	-
32 mm	-	-	-	-	-	-	-	-	-
34 mm	-	-	-	-	-	-	-	-	-
36 mm	-	-	-	-	-	-	-	-	-
38 mm	-	-	-	-	-	-	-	-	-
40 mm	-	-	-	-	-	-	-	-	-
42 mm	-	-	-	-	-	-	-	-	-
44 mm	2023433 UM6X36CP- IWd44.OSZ1960G		-	-	-	-	-	-	-
46 mm	-	2023434 UM6X36CP- IWd46.OSZ1960G		-	-	-	-	-	-
48 mm	-	-	2023435 UM6X36CP- IWd48.OSZ1960G		-	-	-	-	-
50 mm	-	-	-	2023436 UM6X36CP- IWd50.OSZ1960G		-	-	-	-
52 mm	-	-	-	-	2023437 UM6X36CP- IWd52.OSZ1960G		-	-	-
54 mm	-	-	-	-	-	2023438 UM6X36CP- IWd54.OSZ1960G		-	-



Rope Diameter	POWERFORM 6X36 44MM Pi RHOL	POWERFORM 6X36 46MM Pi RHOL	POWERFORM 6X36 48MM Pi RHOL	POWERFORM 6X36 50MM Pi RHOL	POWERFORM 6X36 52MM Pi RHOL	POWERFORM 6X36 54MM Pi RHOL	POWERFORM 6X36 56MM Pi RHOL	POWERFORM 6X36 58MM Pi RHOL	POWERFORM 6X36 60MM Pi RHOL
56 mm	-	-	-	-	-	-	2023439 UM6X36CP- IWd56.0SZ1960G	-	-
58 mm	-	-	-	-	-	-	-	2023440 UM6X36CP- IWd58.0SZ1960G	-
60 mm	-	-	-	-	-	-	-	-	2023441 UM6X36CP- IWd60.0SZ1960G

- Main Material Steel
- Temperature Range -40° C to + 100° C
- Packaging Unit (PU) Content 1

