

Powerband Endless

Advantages of a round sling and webbing, with load-protecting contact surface and variable useful lengths

Item Name short	WLL kg [kg]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Belt Layers	Weight for 1m [kg]
Powerband endless 1ply 1000 1m	1000	1	0.5	30	2.8	1	0.2
Powerband endless 1ply 1000 1.5m	1000	1.5	0.5	30	2.8	1	0.2
Powerband endless 1ply 1000 2m	1000	2	0.5	30	2.8	1	0.2
Powerband endless 1ply 1000 3m	1000	3	0.5	30	2.8	1	0.2
Powerband endless 1ply 1000 4m	1000	4	0.5	30	2.8	1	0.2
Powerband endless 1ply 1000 5m	1000	5	0.5	30	2.8	1	0.2
Powerband endless 2ply 2000 5m	2000	-	1.0	30	5.6	2	0.3
Powerband endless 2ply 2000 1m	2000	1	1.0	30	5.6	2	0.3
Powerband endless 1ply 2000 1m	2000	1	1.0	60	2.8	1	0.3
Powerband endless 2ply 2000 1.5m	2000	1.5	1.0	30	5.6	2	0.3
Powerband endless 1ply 2000 1.5m	2000	1.5	1.0	60	2.8	1	0.3
Powerband endless 2ply 2000 2m	2000	2	1.0	30	5.6	2	0.3
Powerband endless 1ply 2000 2m	2000	2	1.0	60	2.8	1	0.3
Powerband endless 2ply 2000 3m	2000	3	1.0	30	5.6	2	0.3
Powerband endless 1ply 2000 3m	2000	3	1.0	60	2.8	1	0.3
Powerband endless 2ply 2000 4m	2000	4	1.0	30	5.6	2	0.3
Powerband endless 1ply 2000 4m	2000	4	1.0	60	2.8	1	0.3
Powerband endless 1ply 2000 5m	2000	5	1.0	60	2.8	1	0.3
Powerband endless 1ply 3000 1m	3000	1	1	90	0.4	1	0.4



Item Name short	WLL kg [kg]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Belt Layers	Weight for 1m [kg]
Powerband endless 1ply 3000 1.5m	3000	1.5	1	90	0.4	1	0.4
Powerband endless 1ply 3000 2m	3000	2	1	90	0.4	1	0.4
Powerband endless 1ply 3000 3m	3000	3	1	90	0.4	1	0.4
Powerband endless 1ply 3000 4m	3000	4	1	90	0.4	1	0.4
Powerband endless 1ply 3000 5m	3000	5	1	90	0.4	1	0.4
Powerband endless 2ply 4000 1m	4000	1	0.5	60	5.6	2	0.5
Powerband endless 2ply 4000 1.5m	4000	1.5	0.5	60	5.6	2	0.5
Powerband endless 1ply 4000 1.5m	4000	1.5	1.5	120	3.1	1	-
Powerband endless 2ply 4000 2m	4000	2	0.5	60	5.6	2	0.5
Powerband endless 1ply 4000 2m	4000	2	1.5	120	3.1	1	-
Powerband endless 2ply 4000 3m	4000	3	0.5	60	5.6	2	0.5
Powerband endless 1ply 4000 3m	4000	3	1.5	120	3.1	1	-
Powerband endless 2ply 4000 4m	4000	4	0.5	60	5.6	2	0.5
Powerband endless 1ply 4000 4m	4000	4	1.5	120	3.1	1	-
Powerband endless 2ply 4000 5m	4000	5	0.5	60	5.6	2	0.5
Powerband endless 1ply 4000 5m	4000	5	1.5	120	3.1	1	-
Powerband endless 1ply 5000 1.5m	5000	1.5	1.5	150	3.2	1	0.8
Powerband endless 1ply 5000 2m	5000	2	1.5	150	3.2	1	0.8
Powerband endless 1ply 5000 3m	5000	3	1.5	150	3.2	1	0.8
Powerband endless 1ply 5000 4m	5000	4	1.5	150	3.2	1	0.8



Item Name short	WLL kg [kg]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Belt Layers	Weight for 1m [kg]
Powerband endless 1ply 5000 5m	5000	5	1.5	150	3.2	1	0.8
Powerband endless 2ply 6000 1m	6000	1	0.7	90	6.0	2	0.7
Powerband endless 2ply 6000 1.5m	6000	1.5	0.7	90	6.0	2	0.7
Powerband endless 2ply 6000 2m	6000	2	0.7	90	6.0	2	0.7
Powerband endless 2ply 6000 3m	6000	3	0.7	90	6.0	2	0.7
Powerband endless 2ply 6000 4m	6000	4	0.7	90	6.0	2	0.7
Powerband endless 2ply 6000 5m	6000	5	0.7	90	6.0	2	0.7
Powerband endless 2ply 8000 1.5m	8000	1.5	1.5	120	6.2	2	1.0
Powerband endless 2ply 8000 2m	8000	2	1.5	120	6.2	2	1.0
Powerband endless 2ply 8000 3m	8000	3	1.5	120	6.2	2	1.0
Powerband endless 2ply 8000 4m	8000	4	1.5	120	6.2	2	1.0
Powerband endless 2ply 8000 5m	8000	5	1.5	120	6.2	2	1.0
Powerband endless 2ply 10000 1.5m	10000	1.5	1.5	150	6.4	2	1.3
Powerband endless 2ply 10000 2m	10000	2	1.5	150	6.4	2	1.3
Powerband endless 2ply 10000 3m	10000	3	1.5	150	6.4	2	1.3
Powerband endless 2ply 10000 4m	10000	4	1.5	150	6.4	2	1.3
Powerband endless 2ply 10000 5m	10000	5	1.5	150	6.4	2	1.3

Item Name short	Weight Net [kg]	Weight per Meter [kg/m]
Powerband endless 1ply 1000 1m	0.2	0.1
Powerband endless 1ply 1000 1.5m	-	0.1



Item Name short	Weight Net [kg]	Weight per Meter [kg/m]
Powerband endless 1ply 1000 2m	0.3	0.1
Powerband endless 1ply 1000 3m	0.4	0.1
Powerband endless 1ply 1000 4m	0.5	0.1
Powerband endless 1ply 1000 5m	0.6	0.1
Powerband endless 2ply 2000 5m	-	0.2
Powerband endless 2ply 2000 1m	-	0.2
Powerband endless 1ply 2000 1m	0.3	0.2
Powerband endless 2ply 2000 1.5m	-	0.2
Powerband endless 1ply 2000 1.5m	-	0.2
Powerband endless 2ply 2000 2m	-	0.2
Powerband endless 1ply 2000 2m	0.5	0.2
Powerband endless 2ply 2000 3m	-	0.2
Powerband endless 1ply 2000 3m	0.7	0.2
Powerband endless 2ply 2000 4m	-	0.2
Powerband endless 1ply 2000 4m	0.9	0.2
Powerband endless 1ply 2000 5m	0.7	0.2
Powerband endless 1ply 3000 1m	0.4	0.3
Powerband endless 1ply 3000 1.5m	-	0.3
Powerband endless 1ply 3000 2m	0.7	0.3
Powerband endless 1ply 3000 3m	1	0.3
Powerband endless 1ply 3000 4m	1.3	0.3
Powerband endless 1ply 3000 5m	1.6	0.3
Powerband endless 2ply 4000 1m	0.5	0.4
Powerband endless 2ply 4000 1.5m	-	0.4
Powerband endless 1ply 4000 1.5m	-	-
Powerband endless 2ply 4000 2m	-	0.4
Powerband endless 1ply 4000 2m	-	-
Powerband endless 2ply 4000 3m	-	0.4
Powerband endless 1ply 4000 3m	-	-
Powerband endless 2ply 4000 4m	-	0.4
Powerband endless 1ply 4000 4m	-	-
Powerband endless 2ply 4000 5m	-	0.4
Powerband endless 1ply 4000 5m	-	-



Item Name short	Weight Net [kg]	Weight per Meter [kg/m]
Powerband endless 1ply 5000 1.5m	-	0.5
Powerband endless 1ply 5000 2m	-	0.5
Powerband endless 1ply 5000 3m	1.8	0.5
Powerband endless 1ply 5000 4m	2.3	0.5
Powerband endless 1ply 5000 5m	2.8	0.5
Powerband endless 2ply 6000 1m	-	0.6
Powerband endless 2ply 6000 1.5m	-	0.6
Powerband endless 2ply 6000 2m	-	0.6
Powerband endless 2ply 6000 3m	-	0.6
Powerband endless 2ply 6000 4m	-	0.6
Powerband endless 2ply 6000 5m	-	0.6
Powerband endless 2ply 8000 1.5m	-	0.8
Powerband endless 2ply 8000 2m	-	0.8
Powerband endless 2ply 8000 3m	-	0.8
Powerband endless 2ply 8000 4m	-	0.8
Powerband endless 2ply 8000 5m	-	0.8
Powerband endless 2ply 10000 1.5m	-	1.0
Powerband endless 2ply 10000 2m	-	1.0
Powerband endless 2ply 10000 3m	-	1.0
Powerband endless 2ply 10000 4m	-	1.0
Powerband endless 2ply 10000 5m	-	1.0

ORDER NUMBERS[Global Item Number/Local ERP Number SSNL]

Dimension L1	1000 kg	2000 kg	3000 kg	4000 kg	5000 kg	6000 kg	8000 kg	10000 kg
-	-	2025084	-	-	-	-	-	-
1 m	2025051	2025057,2025079	2025063	2025085	-	2025091	-	-
1.5 m	2025052	2025058,2025080	2025064	2025069,2025086	2025074	2025092	2025131	2025136
2 m	2025053	2025059,2025081	2025065	2025070,2025087	2025075	2025093	2025132	2025137
3 m	2025054	2025060,2025082	2025066	2025071,2025088	2025076	2025094	2025133	2025138
4 m	2025055	2025061,2025083	2025067	2025072,2025089	2025077	2025095	2025134	2025139
5 m	2025056	2025062	2025068	2025073,2025090	2025078	2025096	2025135	2025140

- Temperature Range -40°C / +100°C
- Packaging Unit (PU) Content 1

SpanSet Nederland B.V.
 Plaza 10A 4782 SK
 Moerdijk Nederland
 Tel.: +31 (0) 168 38 68 00
 info@spanset.nl
 www.spanset.nl



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed via electronic systems without the written permission of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Nederland B.V.

**SpanSet
 Certified
 Safety**

