




Powerform 35P

Produk Benang yang Dikompresi Berperforma Tinggi

Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn]	Minimum Breaking Force [Tn] [t]
POWERFORM 35X7 13MM Pi	13	155	15.8
POWERFORM 35X7 14MM Pi	14	180	18.3
POWERFORM 35X7 16MM Pi	16	233	23.8
POWERFORM 35X7 18MM Pi	18	300	30.6
POWERFORM 35X7 19MM Pi	19	331	33.7
POWERFORM 35X7 20MM Pi	20	372	37.9
POWERFORM 35X7 21MM Pi	21	402	41
POWERFORM 35X7 22MM Pi	22	444	45.3
POWERFORM 35X7 24MM Pi	24	531	54.1
POWERFORM 35X7 26MM Pi	26	621	63.3
POWERFORM 35X7 28MM Pi	28	720	73.4
POWERFORM 35X7 30MM Pi	30	827	84.3
POWERFORM 35X7 32MM Pi	32	944	96.2
POWERFORM 35X7 35MM Pi	35	1120	115
POWERFORM 35X7 36MM Pi	36	1190	121
POWERFORM 35X7 38MM Pi	38	1330	135
POWERFORM 35X7 40MM Pi	40	1450	151
POWERFORM 35X7 42MM Pi	42	1490	151
POWERFORM 35X7 44MM Pi	44	1620	165
POWERFORM 35X7 46MM Pi	46	1770	180



Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
POWERFORM 35X7 48MM Pi	48	1940	197
POWERFORM 35X7 50MM Pi	50	2080	212
POWERFORM 35X7 52MM Pi	52	2260	230



NOMOR PESANAN[Global Item Number/Local ERP Number SSID]

Rope Diameter	POWERFORM 35X7 13MM Pi	POWERFORM 35X7 14MM Pi	POWERFORM 35X7 16MM Pi	POWERFORM 35X7 18MM Pi	POWERFORM 35X7 19MM Pi	POWERFORM 35X7 20MM Pi	POWERFORM 35X7 21MM Pi	POWERFORM 35X7 22MM Pi	POWERFORM 35X7 24MM Pi	POWERFORM 35X7 26MM Pi
13 mm	2023250 UM35X7CP- WSd13.0ZZ1960G	-	-	-	-	-	-	-	-	-
14 mm	-	2023251 UM35X7CP- WSd14.0ZZ1960G	-	-	-	-	-	-	-	-
16 mm	-	-	2023252 UM35X7CP- WSd16.0ZZ1960G	-	-	-	-	-	-	-
18 mm	-	-	-	2023253 UM35X7CP- WSd18.0ZZ1960G	-	-	-	-	-	-
19 mm	-	-	-	-	2023254 UM35X7CP- WSd19.0ZZ1960G	-	-	-	-	-
20 mm	-	-	-	-	-	2023255 UM35X7CP- WSd20.0ZZ1960G	-	-	-	-
21 mm	-	-	-	-	-	-	2023256 UM35X7CP- WSd21.0ZZ1960G	-	-	-
22 mm	-	-	-	-	-	-	-	2023257 UM35X7CP- WSd22.0ZZ1960G	-	-
24 mm	-	-	-	-	-	-	-	-	2023258 USHA 24MM POWERFORM 35X7 COMPACTED Pi WSC RHLL 1960 GALV	-
26 mm	-	-	-	-	-	-	-	-	-	2023259 UM35X7CP- WSd26.0ZZ1960G
28 mm	-	-	-	-	-	-	-	-	-	-
30 mm	-	-	-	-	-	-	-	-	-	-
32 mm	-	-	-	-	-	-	-	-	-	-
35 mm	-	-	-	-	-	-	-	-	-	-
36 mm	-	-	-	-	-	-	-	-	-	-
38 mm	-	-	-	-	-	-	-	-	-	-
40 mm	-	-	-	-	-	-	-	-	-	-



Rope Diameter	POWERFORM 35X7 13MM Pi	POWERFORM 35X7 14MM Pi	POWERFORM 35X7 16MM Pi	POWERFORM 35X7 18MM Pi	POWERFORM 35X7 19MM Pi	POWERFORM 35X7 20MM Pi	POWERFORM 35X7 21MM Pi	POWERFORM 35X7 22MM Pi	POWERFORM 35X7 24MM Pi	POWERFORM 35X7 26MM Pi
42 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
46 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 35X7 30MM Pi	POWERFORM 35X7 32MM Pi	POWERFORM 35X7 35MM Pi	POWERFORM 35X7 36MM Pi	POWERFORM 35X7 38MM Pi	POWERFORM 35X7 40MM Pi	POWERFORM 35X7 42MM Pi	POWERFORM 35X7 44MM Pi	POWERFORM 35X7 46MM Pi	POWERFORM 35X7 48MM Pi
13 mm	-	-	-	-	-	-	-	-	-	-
14 mm	-	-	-	-	-	-	-	-	-	-
16 mm	-	-	-	-	-	-	-	-	-	-
18 mm	-	-	-	-	-	-	-	-	-	-
19 mm	-	-	-	-	-	-	-	-	-	-
20 mm	-	-	-	-	-	-	-	-	-	-
21 mm	-	-	-	-	-	-	-	-	-	-
22 mm	-	-	-	-	-	-	-	-	-	-
24 mm	-	-	-	-	-	-	-	-	-	-
26 mm	-	-	-	-	-	-	-	-	-	-
28 mm	-	-	-	-	-	-	-	-	-	-
30 mm	2023261 UM35X7CP- WSd30.0ZZ1960G	-	-	-	-	-	-	-	-	-
32 mm	-	2023262 UM35X7CP- WSd32.0ZZ1960G	-	-	-	-	-	-	-	-
35 mm	-	-	2023263 UM35X7CP- WSd35.0ZZ1960G	-	-	-	-	-	-	-
36 mm	-	-	-	2023264 UM35X7CP- WSd36.0ZZ1960G	-	-	-	-	-	-
38 mm	-	-	-	-	2023265 UM35X7CP- WSd38.0ZZ1960G	-	-	-	-	-



Rope Diameter	POWERFORM 35X7 30MM Pi	POWERFORM 35X7 32MM Pi	POWERFORM 35X7 35MM Pi	POWERFORM 35X7 36MM Pi	POWERFORM 35X7 38MM Pi	POWERFORM 35X7 40MM Pi	POWERFORM 35X7 42MM Pi	POWERFORM 35X7 44MM Pi	POWERFORM 35X7 46MM Pi	POWERFORM 35X7 48MM Pi
40 mm	-	-	-	-	-	2023266 UM35X7CP- WSd40.0ZZ1960G	-	-	-	-
42 mm	-	-	-	-	-	-	2023267 UM35X7CP- WSd42.0ZZ1960G	-	-	-
44 mm	-	-	-	-	-	-	-	2023268 UM35X7CP- WSd44.0ZZ1960G	-	-
46 mm	-	-	-	-	-	-	-	-	2023269 UM35X7CP- WSd46.0ZZ1960G	-
48 mm	-	-	-	-	-	-	-	-	-	2023270 UM35X7CP- WSd48.0ZZ1960G
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 35X7 52MM Pi
13 mm	-
14 mm	-
16 mm	-
18 mm	-
19 mm	-
20 mm	-
21 mm	-
22 mm	-
24 mm	-
26 mm	-
28 mm	-
30 mm	-
32 mm	-
35 mm	-
36 mm	-
38 mm	-



Rope Diameter	POWERFORM 35X7 52MM Pi
40 mm	-
42 mm	-
44 mm	-
46 mm	-
48 mm	-
50 mm	-
52 mm	2023272 UM35X7CP-WSd52.0ZZ1960G

- **Main Material** Steel
- **Temperature Range** -40° C to + 100° C
- **Packaging Unit (PU) Content** 1

