




Powerform 6P LHOL

High Performance Compacted Strands Products

Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
POWERFORM 6X36 10MM Pi LHOL	10	85.7	8.7
POWERFORM 6X36 11MM Pi LHOL	11	98.6	10.1
POWERFORM 6X36 12MM Pi LHOL	12	114	11.6
POWERFORM 6X36 13MM Pi LHOL	13	140	15
POWERFORM 6X36 14MM Pi LHOL	14	147	17.3
POWERFORM 6X36 15MM Pi LHOL	15	170	19.9
POWERFORM 6X36 16MM Pi LHOL	16	195	22.2
POWERFORM 6X36 17MM Pi LHOL	17	218	25.1
POWERFORM 6X36 18MM Pi LHOL	18	246	28.1
POWERFORM 6X36 19MM Pi LHOL	19	276	31
POWERFORM 6X36 20MM Pi LHOL	20	304	34.1
POWERFORM 6X36 22MM Pi LHOL	22	335	40.8
POWERFORM 6X36 24MM Pi LHOL	24	400	49.8
POWERFORM 6X36 26MM Pi LHOL	26	489	58.9
POWERFORM 6X36 28MM Pi LHOL	28	578	67
POWERFORM 6X36 30MM Pi LHOL	30	657	77.2
POWERFORM 6X36 32MM Pi LHOL	32	757	86.2
POWERFORM 6X36 34MM Pi LHOL	34	846	93.4
POWERFORM 6X36 36MM Pi LHOL	36	1065	109
POWERFORM 6X36 38MM Pi LHOL	38	1165	119



Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
POWERFORM 6X36 40MM Pi LHOL	40	1295	132
POWERFORM 6X36 42MM Pi LHOL	42	1425	145
POWERFORM 6X36 44MM Pi LHOL	44	1505	153
POWERFORM 6X36 46MM Pi LHOL	46	1665	170
POWERFORM 6X36 48MM Pi LHOL	48	1885	192
POWERFORM 6X36 50MM Pi LHOL	50	1975	201
POWERFORM 6X36 52MM Pi LHOL	52	2135	218
POWERFORM 6X36 54MM Pi LHOL	54	2325	237
POWERFORM 6X36 56MM Pi LHOL	56	2475	252
POWERFORM 6X36 58MM Pi LHOL	58	2650	270
POWERFORM 6X36 60MM Pi LHOL	60	2810	286



ORDER NUMBERS[Global Item Number/Local ERP Number SSID]

Rope Diameter	POWERFORM 6X36 10MM Pi LHOL	POWERFORM 6X36 11MM Pi LHOL	POWERFORM 6X36 12MM Pi LHOL	POWERFORM 6X36 13MM Pi LHOL	POWERFORM 6X36 14MM Pi LHOL	POWERFORM 6X36 15MM Pi LHOL	POWERFORM 6X36 16MM Pi LHOL	POWERFORM 6X36 17MM Pi LHOL	POWERFORM 6X36 18MM Pi LHOL	POWERFORM 6X36 19MM Pi LHOL
10 mm	2023442 UM6X36CP- IWd10.0ZS1960G	-	-	-	-	-	-	-	-	-
11 mm	-	2023443 UM6X36CP- IWd11.0ZS1960G	-	-	-	-	-	-	-	-
12 mm	-	-	2023444 UM6X36CP- IWd12.0ZS1960G	-	-	-	-	-	-	-
13 mm	-	-	-	2023445 USHA 13MM POWERFORM 6X36 COMPACTED Pi IWRC LHOL 1960 GALV	-	-	-	-	-	-
14 mm	-	-	-	-	2023446 UM6X36CP- IWd14.0ZS1960G	-	-	-	-	-
15 mm	-	-	-	-	-	2023447 UM6X36CP- IWd15.0ZS1960G	-	-	-	-
16 mm	-	-	-	-	-	-	2023448 UM6X36CP- IWd16.0ZS1960G	-	-	-
17 mm	-	-	-	-	-	-	-	2023449 UM6X36CP- IWd17.0ZS1960G	-	-
18 mm	-	-	-	-	-	-	-	-	2023450 UM6X36CP- IWd18.0ZS1960G	-
19 mm	-	-	-	-	-	-	-	-	-	2023451 UM6X36CP- IWd19.0ZS1960G
20 mm	-	-	-	-	-	-	-	-	-	-
22 mm	-	-	-	-	-	-	-	-	-	-
24 mm	-	-	-	-	-	-	-	-	-	-
26 mm	-	-	-	-	-	-	-	-	-	-
28 mm	-	-	-	-	-	-	-	-	-	-
30 mm	-	-	-	-	-	-	-	-	-	-
32 mm	-	-	-	-	-	-	-	-	-	-



Rope Diameter	POWERFORM 6X36 10MM Pi LHOL	POWERFORM 6X36 11MM Pi LHOL	POWERFORM 6X36 12MM Pi LHOL	POWERFORM 6X36 13MM Pi LHOL	POWERFORM 6X36 14MM Pi LHOL	POWERFORM 6X36 15MM Pi LHOL	POWERFORM 6X36 16MM Pi LHOL	POWERFORM 6X36 17MM Pi LHOL	POWERFORM 6X36 18MM Pi LHOL	POWERFORM 6X36 19MM Pi LHOL
34 mm	-	-	-	-	-	-	-	-	-	-
36 mm	-	-	-	-	-	-	-	-	-	-
38 mm	-	-	-	-	-	-	-	-	-	-
40 mm	-	-	-	-	-	-	-	-	-	-
42 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
46 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-
54 mm	-	-	-	-	-	-	-	-	-	-
56 mm	-	-	-	-	-	-	-	-	-	-
58 mm	-	-	-	-	-	-	-	-	-	-
60 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 6X36 22MM Pi LHOL	POWERFORM 6X36 24MM Pi LHOL	POWERFORM 6X36 26MM Pi LHOL	POWERFORM 6X36 28MM Pi LHOL	POWERFORM 6X36 30MM Pi LHOL	POWERFORM 6X36 32MM Pi LHOL	POWERFORM 6X36 34MM Pi LHOL	POWERFORM 6X36 36MM Pi LHOL	POWERFORM 6X36 38MM Pi LHOL	POWERFORM 6X36 40MM Pi LHOL
10 mm	-	-	-	-	-	-	-	-	-	-
11 mm	-	-	-	-	-	-	-	-	-	-
12 mm	-	-	-	-	-	-	-	-	-	-
13 mm	-	-	-	-	-	-	-	-	-	-
14 mm	-	-	-	-	-	-	-	-	-	-
15 mm	-	-	-	-	-	-	-	-	-	-
16 mm	-	-	-	-	-	-	-	-	-	-
17 mm	-	-	-	-	-	-	-	-	-	-
18 mm	-	-	-	-	-	-	-	-	-	-
19 mm	-	-	-	-	-	-	-	-	-	-
20 mm	-	-	-	-	-	-	-	-	-	-
22 mm	2023453 UM6X36CP- IWD22.0ZS1960G	-	-	-	-	-	-	-	-	-
24 mm	-	2023454 UM6X36CP- IWD24.0ZS1960G	-	-	-	-	-	-	-	-



Rope Diameter	POWERFORM 6X36 22MM Pi LHOL	POWERFORM 6X36 24MM Pi LHOL	POWERFORM 6X36 26MM Pi LHOL	POWERFORM 6X36 28MM Pi LHOL	POWERFORM 6X36 30MM Pi LHOL	POWERFORM 6X36 32MM Pi LHOL	POWERFORM 6X36 34MM Pi LHOL	POWERFORM 6X36 36MM Pi LHOL	POWERFORM 6X36 38MM Pi LHOL	POWERFORM 6X36 40MM Pi LHOL
26 mm	-	-	2023455 UM6X36CP- IWd26.0ZS1960G	-	-	-	-	-	-	-
28 mm	-	-	-	2023456 UM6X36CP- IWd28.0ZS1960G	-	-	-	-	-	-
30 mm	-	-	-	-	2023457 UM6X36CP- IWd30.0ZS1960G	-	-	-	-	-
32 mm	-	-	-	-	-	2023458 UM6X36CP- IWd32.0ZS1960G	-	-	-	-
34 mm	-	-	-	-	-	-	2023459 UM6X36CP- IWd34.0ZS1960G	-	-	-
36 mm	-	-	-	-	-	-	-	2023460 UM6X36CP- IWd36.0ZS1960G	-	-
38 mm	-	-	-	-	-	-	-	-	2023461 UM6X36CP- IWd38.0ZS1960G	-
40 mm	-	-	-	-	-	-	-	-	-	2023462 UM6X36CP- IWd40.0ZS1960G
42 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
46 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-
54 mm	-	-	-	-	-	-	-	-	-	-
56 mm	-	-	-	-	-	-	-	-	-	-
58 mm	-	-	-	-	-	-	-	-	-	-
60 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 6X36 44MM Pi LHOL	POWERFORM 6X36 46MM Pi LHOL	POWERFORM 6X36 48MM Pi LHOL	POWERFORM 6X36 50MM Pi LHOL	POWERFORM 6X36 52MM Pi LHOL	POWERFORM 6X36 54MM Pi LHOL	POWERFORM 6X36 56MM Pi LHOL	POWERFORM 6X36 58MM Pi LHOL	POWERFORM 6X36 60MM Pi LHOL
10 mm	-	-	-	-	-	-	-	-	-



Rope Diameter	POWERFORM 6X36 44MM Pi LHOL	POWERFORM 6X36 46MM Pi LHOL	POWERFORM 6X36 48MM Pi LHOL	POWERFORM 6X36 50MM Pi LHOL	POWERFORM 6X36 52MM Pi LHOL	POWERFORM 6X36 54MM Pi LHOL	POWERFORM 6X36 56MM Pi LHOL	POWERFORM 6X36 58MM Pi LHOL	POWERFORM 6X36 60MM Pi LHOL
11 mm	-	-	-	-	-	-	-	-	-
12 mm	-	-	-	-	-	-	-	-	-
13 mm	-	-	-	-	-	-	-	-	-
14 mm	-	-	-	-	-	-	-	-	-
15 mm	-	-	-	-	-	-	-	-	-
16 mm	-	-	-	-	-	-	-	-	-
17 mm	-	-	-	-	-	-	-	-	-
18 mm	-	-	-	-	-	-	-	-	-
19 mm	-	-	-	-	-	-	-	-	-
20 mm	-	-	-	-	-	-	-	-	-
22 mm	-	-	-	-	-	-	-	-	-
24 mm	-	-	-	-	-	-	-	-	-
26 mm	-	-	-	-	-	-	-	-	-
28 mm	-	-	-	-	-	-	-	-	-
30 mm	-	-	-	-	-	-	-	-	-
32 mm	-	-	-	-	-	-	-	-	-
34 mm	-	-	-	-	-	-	-	-	-
36 mm	-	-	-	-	-	-	-	-	-
38 mm	-	-	-	-	-	-	-	-	-
40 mm	-	-	-	-	-	-	-	-	-
42 mm	-	-	-	-	-	-	-	-	-
44 mm	2023464 UM6X36CP- IWd44.0ZS1960G		-	-	-	-	-	-	-
46 mm	-	2023465 UM6X36CP- IWd46.0ZS1960G		-	-	-	-	-	-
48 mm	-	-	2023466 UM6X36CP- IWd48.0ZS1960G		-	-	-	-	-
50 mm	-	-	-	2023467 UM6X36CP- IWd50.0ZS1960G		-	-	-	-
52 mm	-	-	-	-	2023468 UM6X36CP- IWd52.0ZS1960G		-	-	-



Rope Diameter	POWERFORM 6X36 44MM Pi LHOL	POWERFORM 6X36 46MM Pi LHOL	POWERFORM 6X36 48MM Pi LHOL	POWERFORM 6X36 50MM Pi LHOL	POWERFORM 6X36 52MM Pi LHOL	POWERFORM 6X36 54MM Pi LHOL	POWERFORM 6X36 56MM Pi LHOL	POWERFORM 6X36 58MM Pi LHOL	POWERFORM 6X36 60MM Pi LHOL
54 mm	-	-	-	-	-	2023469 UM6X36CP-IWd54.0ZS1960G	-	-	-
56 mm	-	-	-	-	-	-	2023470 UM6X36CP-IWd56.0ZS1960G	-	-
58 mm	-	-	-	-	-	-	-	2023471 UM6X36CP-IWd58.0ZS1960G	-
60 mm	-	-	-	-	-	-	-	-	2023472 UM6X36CP-IWd60.0ZS1960G

- Main Material Steel
- Temperature Range -40° C to + 100° C
- Packaging Unit (PU) Content 1

SpanSet Indonesia
Marunda Center Blok
F No.20 Segara
Makmur, Tarumajaya.
Bekasi, Indonesia.
17211
+62 21 285 100 77
sales@spanset.co.id
www.spanset.co.id



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Indonesia - Indonesia

**SpanSet
Certified
Safety**