




Powerform 8P RHOL

High Performance Compacted Strands Products

Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
POWERFORM 8X26 10MM Pi RHOL	10	87.8	9
POWERFORM 8X26 11MM Pi RHOL	11	106	10.8
POWERFORM 8X26 12MM Pi RHOL	12	126	12.8
POWERFORM 8X26 13MM Pi RHOL	13	148	15.1
POWERFORM 8X26 14MM Pi RHOL	14	172	17.5
POWERFORM 8X26 15MM Pi RHOL	15	198	20.2
POWERFORM 8X26 16MM Pi RHOL	16	225	22.9
POWERFORM 8X26 17MM Pi RHOL	17	254	25.9
POWERFORM 8X26 18MM Pi RHOL	18	284	29
POWERFORM 8X26 19MM Pi RHOL	19	317	32.3
POWERFORM 8X26 20MM Pi RHOL	20	351	35.8
POWERFORM 8X26 22MM Pi RHOL	22	425	43.3
POWERFORM 8X26 24MM Pi RHOL	24	506	51.6
POWERFORM 8X26 26MM Pi RHOL	26	594	60.6
POWERFORM 8X26 28MM Pi RHOL	28	688	70.1
POWERFORM 8X26 30MM Pi RHOL	30	790	80.5
POWERFORM 8X26 32MM Pi RHOL	32	899	91.6
POWERFORM 8X26 34MM Pi RHOL	34	1013	103
POWERFORM 8X26 36MM Pi RHOL	36	1138	116
POWERFORM 8X26 38MM Pi RHOL	38	1268	129



Item Name short	Rope Diameter [mm]	Minimum Breaking Force [Kn] [kN]	Minimum Breaking Force [Tn] [t]
POWERFORM 8X26 40MM Pi RHOL	40	1405	143
POWERFORM 8X26 42MM Pi RHOL	42	1535	156
POWERFORM 8X26 44MM Pi RHOL	44	1700	173
POWERFORM 8X26 46MM Pi RHOL	46	1858	189
POWERFORM 8X26 48MM Pi RHOL	48	2023	206
POWERFORM 8X26 50MM Pi RHOL	50	2200	224
POWERFORM 8X26 52MM Pi RHOL	52	2374	242



ORDER NUMBERS[Global Item Number/Local ERP Number SSID]

Rope Diameter	POWERFORM 8X26 10MM Pi RHOL	POWERFORM 8X26 11MM Pi RHOL	POWERFORM 8X26 12MM Pi RHOL	POWERFORM 8X26 13MM Pi RHOL	POWERFORM 8X26 14MM Pi RHOL	POWERFORM 8X26 15MM Pi RHOL	POWERFORM 8X26 16MM Pi RHOL	POWERFORM 8X26 17MM Pi RHOL	POWERFORM 8X26 18MM Pi RHOL	POWERFORM 8X26 19MM Pi RHOL
10 mm	2023623 UM8X26CP- IWd10.0SZ1960G	-	-	-	-	-	-	-	-	-
11 mm	-	2023624 UM8X26CP- IWd11.0SZ1960G	-	-	-	-	-	-	-	-
12 mm	-	-	2023625 UM8X26CP- IWd12.0SZ1960G	-	-	-	-	-	-	-
13 mm	-	-	-	2023626 UM8X26CP- IWd13.0SZ1960G	-	-	-	-	-	-
14 mm	-	-	-	-	2023627 UM8X26CP- IWd14.0SZ1960G	-	-	-	-	-
15 mm	-	-	-	-	-	2023628 UM8X26CP- IWd15.0SZ1960G	-	-	-	-
16 mm	-	-	-	-	-	-	2023629 UM8X26CP- IWd16.0SZ1960G	-	-	-
17 mm	-	-	-	-	-	-	-	2023630 UM8X26CP- IWd17.0SZ1960G	-	-
18 mm	-	-	-	-	-	-	-	-	2023631 UM8X26CP- IWd18.0SZ1960G	-
19 mm	-	-	-	-	-	-	-	-	-	2023632 UM8X26CP- IWd19.0SZ1960G
20 mm	-	-	-	-	-	-	-	-	-	-
22 mm	-	-	-	-	-	-	-	-	-	-
24 mm	-	-	-	-	-	-	-	-	-	-
26 mm	-	-	-	-	-	-	-	-	-	-
28 mm	-	-	-	-	-	-	-	-	-	-
30 mm	-	-	-	-	-	-	-	-	-	-
32 mm	-	-	-	-	-	-	-	-	-	-
34 mm	-	-	-	-	-	-	-	-	-	-
36 mm	-	-	-	-	-	-	-	-	-	-



Rope Diameter	POWERFORM 8X26 10MM Pi RHOL	POWERFORM 8X26 11MM Pi RHOL	POWERFORM 8X26 12MM Pi RHOL	POWERFORM 8X26 13MM Pi RHOL	POWERFORM 8X26 14MM Pi RHOL	POWERFORM 8X26 15MM Pi RHOL	POWERFORM 8X26 16MM Pi RHOL	POWERFORM 8X26 17MM Pi RHOL	POWERFORM 8X26 18MM Pi RHOL	POWERFORM 8X26 19MM Pi RHOL
38 mm	-	-	-	-	-	-	-	-	-	-
40 mm	-	-	-	-	-	-	-	-	-	-
42 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
46 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 8X26 22MM Pi RHOL	POWERFORM 8X26 24MM Pi RHOL	POWERFORM 8X26 26MM Pi RHOL	POWERFORM 8X26 28MM Pi RHOL	POWERFORM 8X26 30MM Pi RHOL	POWERFORM 8X26 32MM Pi RHOL	POWERFORM 8X26 34MM Pi RHOL	POWERFORM 8X26 36MM Pi RHOL	POWERFORM 8X26 38MM Pi RHOL	POWERFORM 8X26 40MM Pi RHOL
10 mm	-	-	-	-	-	-	-	-	-	-
11 mm	-	-	-	-	-	-	-	-	-	-
12 mm	-	-	-	-	-	-	-	-	-	-
13 mm	-	-	-	-	-	-	-	-	-	-
14 mm	-	-	-	-	-	-	-	-	-	-
15 mm	-	-	-	-	-	-	-	-	-	-
16 mm	-	-	-	-	-	-	-	-	-	-
17 mm	-	-	-	-	-	-	-	-	-	-
18 mm	-	-	-	-	-	-	-	-	-	-
19 mm	-	-	-	-	-	-	-	-	-	-
20 mm	-	-	-	-	-	-	-	-	-	-
22 mm	2023634 UM8X26CP- IWd22.0SZ1960G									
24 mm	2023635 UM8X26CP- IWd24.0SZ1960G									
26 mm	2023636 UM8X26CP- IWd26.0SZ1960G									
28 mm	2023637 UM8X26CP- IWd28.0SZ1960G									



Rope Diameter	POWERFORM 8X26 22MM Pi RHOL	POWERFORM 8X26 24MM Pi RHOL	POWERFORM 8X26 26MM Pi RHOL	POWERFORM 8X26 28MM Pi RHOL	POWERFORM 8X26 30MM Pi RHOL	POWERFORM 8X26 32MM Pi RHOL	POWERFORM 8X26 34MM Pi RHOL	POWERFORM 8X26 36MM Pi RHOL	POWERFORM 8X26 38MM Pi RHOL	POWERFORM 8X26 40MM Pi RHOL
30 mm	-	-	-	-	2023638 UM8X26CP- IWd30.0SZ1960G	-	-	-	-	-
32 mm	-	-	-	-	-	2023710 UM8X26CP- IWd32.0SZ1960G	-	-	-	-
34 mm	-	-	-	-	-	-	2023711 UM8X26CP- IWd34.0SZ1960G	-	-	-
36 mm	-	-	-	-	-	-	-	2023712 UM8X26CP- IWd36.0SZ1960G	-	-
38 mm	-	-	-	-	-	-	-	-	2023713 UM8X26CP- IWd38.0SZ1960G	-
40 mm	-	-	-	-	-	-	-	-	-	2023714 UM8X26CP- IWd40.0SZ1960G
42 mm	-	-	-	-	-	-	-	-	-	-
44 mm	-	-	-	-	-	-	-	-	-	-
46 mm	-	-	-	-	-	-	-	-	-	-
48 mm	-	-	-	-	-	-	-	-	-	-
50 mm	-	-	-	-	-	-	-	-	-	-
52 mm	-	-	-	-	-	-	-	-	-	-

Rope Diameter	POWERFORM 8X26 44MM Pi RHOL	POWERFORM 8X26 46MM Pi RHOL	POWERFORM 8X26 48MM Pi RHOL	POWERFORM 8X26 50MM Pi RHOL	POWERFORM 8X26 52MM Pi RHOL
10 mm	-	-	-	-	-
11 mm	-	-	-	-	-
12 mm	-	-	-	-	-
13 mm	-	-	-	-	-
14 mm	-	-	-	-	-
15 mm	-	-	-	-	-
16 mm	-	-	-	-	-
17 mm	-	-	-	-	-
18 mm	-	-	-	-	-
19 mm	-	-	-	-	-



Rope Diameter	POWERFORM 8X26 44MM Pi RHOL	POWERFORM 8X26 46MM Pi RHOL	POWERFORM 8X26 48MM Pi RHOL	POWERFORM 8X26 50MM Pi RHOL	POWERFORM 8X26 52MM Pi RHOL
20 mm	-	-	-	-	-
22 mm	-	-	-	-	-
24 mm	-	-	-	-	-
26 mm	-	-	-	-	-
28 mm	-	-	-	-	-
30 mm	-	-	-	-	-
32 mm	-	-	-	-	-
34 mm	-	-	-	-	-
36 mm	-	-	-	-	-
38 mm	-	-	-	-	-
40 mm	-	-	-	-	-
42 mm	-	-	-	-	-
44 mm	2023716 UM8X26CP-IWd44.0SZ1960G	-	-	-	-
46 mm	-	2023717 UM8X26CP-IWd46.0SZ1960G	-	-	-
48 mm	-	-	2023718 UM8X26CP-IWd48.0SZ1960G	-	-
50 mm	-	-	-	2023719 UM8X26CP-IWd50.0SZ1960G	-
52 mm	-	-	-	-	2023720 UM8X26CP-IWd52.0SZ1960G

- Main Material Steel
- Temperature Range -40° C to + 100° C
- Packaging Unit (PU) Content 1

SpanSet Indonesia
Marunda Center Blok
F No.20 Segara
Makmur, Tarumajaya.
Bekasi, Indonesia.
17211
+62 21 285 100 77
sales@spanset.co.id
www.spanset.co.id



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Indonesia - Indonesia

**SpanSet
Certified
Safety**