



Powerform 8 RHOL

High Performance Compacted Strands Products

| Item Name short | Rope Diameter [mm] | Minimum Breaking Force [Kn] [kN] | Minimum Breaking Force [Tn] [t] |
|--------------------------|--------------------|----------------------------------|---------------------------------|
| POWERFORM 8X26 10MM RHOL | 10 | 87.8 | 9 |
| POWERFORM 8X26 11MM RHOL | 11 | 106 | 10.8 |
| POWERFORM 8X26 12MM RHOL | 12 | 126 | 12.8 |
| POWERFORM 8X26 13MM RHOL | 13 | 148 | 15.1 |
| POWERFORM 8X26 14MM RHOL | 14 | 172 | 17.5 |
| POWERFORM 8X26 15MM RHOL | 15 | 198 | 20.2 |
| POWERFORM 8X26 16MM RHOL | 16 | 225 | 22.9 |
| POWERFORM 8X26 17MM RHOL | 17 | 254 | 25.9 |
| POWERFORM 8X26 18MM RHOL | 18 | 284 | 29 |
| POWERFORM 8X26 19MM RHOL | 19 | 317 | 32.3 |
| POWERFORM 8X26 20MM RHOL | 20 | 351 | 35.8 |
| POWERFORM 8X26 22MM RHOL | 22 | 425 | 43.3 |
| POWERFORM 8X26 24MM RHOL | 24 | 506 | 51.6 |
| POWERFORM 8X26 26MM RHOL | 26 | 594 | 60.6 |
| POWERFORM 8X26 28MM RHOL | 28 | 688 | 70.1 |
| POWERFORM 8X26 30MM RHOL | 30 | 790 | 80.5 |
| POWERFORM 8X26 32MM RHOL | 32 | 899 | 91.6 |
| POWERFORM 8X26 34MM RHOL | 34 | 1013 | 103 |
| POWERFORM 8X26 36MM RHOL | 36 | 1138 | 116 |
| POWERFORM 8X26 38MM RHOL | 38 | 1268 | 129 |



| Item Name short | Rope Diameter [mm] | Minimum Breaking Force [Kn] [kN] | Minimum Breaking Force [Tn] [t] |
|--------------------------|--------------------|----------------------------------|---------------------------------|
| POWERFORM 8X26 40MM RHOL | 40 | 1405 | 143 |
| POWERFORM 8X26 42MM RHOL | 42 | 1535 | 156 |
| POWERFORM 8X26 44MM RHOL | 44 | 1700 | 173 |
| POWERFORM 8X26 46MM RHOL | 46 | 1858 | 189 |
| POWERFORM 8X26 48MM RHOL | 48 | 2023 | 206 |
| POWERFORM 8X26 50MM RHOL | 50 | 2200 | 224 |
| POWERFORM 8X26 52MM RHOL | 52 | 2374 | 242 |



ORDER NUMBERS[Global Item Number/Local ERP Number SSID]

| Rope Diameter | POWERFORM 8X26 10MM RHOL | POWERFORM 8X26 11MM RHOL | POWERFORM 8X26 12MM RHOL | POWERFORM 8X26 13MM RHOL | POWERFORM 8X26 14MM RHOL | POWERFORM 8X26 15MM RHOL | POWERFORM 8X26 16MM RHOL | POWERFORM 8X26 17MM RHOL | POWERFORM 8X26 18MM RHOL | POWERFORM 8X26 19MM RHOL |
|---------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| 10 mm | 2023545 UM8X26CO-IWd10.OSZ1960G | - | - | - | - | - | - | - | - | - |
| 11 mm | - | 2023546 UM8X26CO-IWd11.OSZ1960G | - | - | - | - | - | - | - | - |
| 12 mm | - | - | 2023547 UM8X26CO-IWd12.OSZ1960G | - | - | - | - | - | - | - |
| 13 mm | - | - | - | 2023548 UM8X26CO-IWd13.OSZ1960G | - | - | - | - | - | - |
| 14 mm | - | - | - | - | 2023549 UM8X26CO-IWd14.OSZ1960G | - | - | - | - | - |
| 15 mm | - | - | - | - | - | 2023550 UM8X26CO-IWd15.OSZ1960G | - | - | - | - |
| 16 mm | - | - | - | - | - | - | 2023555 UM8X26CO-IWd16.OSZ1960G | - | - | - |
| 17 mm | - | - | - | - | - | - | - | 2023557 UM8X26CO-IWd17.OSZ1960G | - | - |
| 18 mm | - | - | - | - | - | - | - | - | 2023558 UM8X26CO-IWd18.OSZ1960G | - |
| 19 mm | - | - | - | - | - | - | - | - | - | 2023559 UM8X26CO-IWd19.OSZ1960G |
| 20 mm | - | - | - | - | - | - | - | - | - | - |
| 22 mm | - | - | - | - | - | - | - | - | - | - |
| 24 mm | - | - | - | - | - | - | - | - | - | - |
| 26 mm | - | - | - | - | - | - | - | - | - | - |
| 28 mm | - | - | - | - | - | - | - | - | - | - |
| 30 mm | - | - | - | - | - | - | - | - | - | - |
| 32 mm | - | - | - | - | - | - | - | - | - | - |
| 34 mm | - | - | - | - | - | - | - | - | - | - |
| 36 mm | - | - | - | - | - | - | - | - | - | - |

SpanSet Indonesia
 Marunda Center Blok
 F No.20 Segara
 Makmur, Tarumajaya.
 Bekasi, Indonesia.
 17211
 +62 21 285 100 77
 sales@spanset.co.id
 www.spanset.co.id



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Indonesia - Indonesia

**SpanSet
 Certified
 Safety**

| Rope Diameter | POWERFORM 8X26 10MM RHOL | POWERFORM 8X26 11MM RHOL | POWERFORM 8X26 12MM RHOL | POWERFORM 8X26 13MM RHOL | POWERFORM 8X26 14MM RHOL | POWERFORM 8X26 15MM RHOL | POWERFORM 8X26 16MM RHOL | POWERFORM 8X26 17MM RHOL | POWERFORM 8X26 18MM RHOL | POWERFORM 8X26 19MM RHOL |
|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 38 mm | - | - | - | - | - | - | - | - | - | - |
| 40 mm | - | - | - | - | - | - | - | - | - | - |
| 42 mm | - | - | - | - | - | - | - | - | - | - |
| 44 mm | - | - | - | - | - | - | - | - | - | - |
| 46 mm | - | - | - | - | - | - | - | - | - | - |
| 48 mm | - | - | - | - | - | - | - | - | - | - |
| 50 mm | - | - | - | - | - | - | - | - | - | - |
| 52 mm | - | - | - | - | - | - | - | - | - | - |

| Rope Diameter | POWERFORM 8X26 22MM RHOL | POWERFORM 8X26 24MM RHOL | POWERFORM 8X26 26MM RHOL | POWERFORM 8X26 28MM RHOL | POWERFORM 8X26 30MM RHOL | POWERFORM 8X26 32MM RHOL | POWERFORM 8X26 34MM RHOL | POWERFORM 8X26 36MM RHOL | POWERFORM 8X26 38MM RHOL | POWERFORM 8X26 40MM RHOL |
|---------------|--|--|--|--|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 10 mm | - | - | - | - | - | - | - | - | - | - |
| 11 mm | - | - | - | - | - | - | - | - | - | - |
| 12 mm | - | - | - | - | - | - | - | - | - | - |
| 13 mm | - | - | - | - | - | - | - | - | - | - |
| 14 mm | - | - | - | - | - | - | - | - | - | - |
| 15 mm | - | - | - | - | - | - | - | - | - | - |
| 16 mm | - | - | - | - | - | - | - | - | - | - |
| 17 mm | - | - | - | - | - | - | - | - | - | - |
| 18 mm | - | - | - | - | - | - | - | - | - | - |
| 19 mm | - | - | - | - | - | - | - | - | - | - |
| 20 mm | - | - | - | - | - | - | - | - | - | - |
| 22 mm | 2023561 UM8X26CO- IWd22.OSZ1960G | - | - | - | - | - | - | - | - | - |
| 24 mm | - | 2023563 UM8X26CO- IWd24.OSZ1960G | - | - | - | - | - | - | - | - |
| 26 mm | - | - | 2023565 UM8X26CO- IWd26.OSZ1960G | - | - | - | - | - | - | - |
| 28 mm | - | - | - | 2023569 UM8X26CO- IWd28.OSZ1960G | - | - | - | - | - | - |



| Rope Diameter | POWERFORM 8X26 22MM RHOL | POWERFORM 8X26 24MM RHOL | POWERFORM 8X26 26MM RHOL | POWERFORM 8X26 28MM RHOL | POWERFORM 8X26 30MM RHOL | POWERFORM 8X26 32MM RHOL | POWERFORM 8X26 34MM RHOL | POWERFORM 8X26 36MM RHOL | POWERFORM 8X26 38MM RHOL | POWERFORM 8X26 40MM RHOL |
|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--|--|--|--|--|--|
| 30 mm | - | - | - | - | 2023570 UM8X26CO- IWd30.OSZ1960G | - | - | - | - | - |
| 32 mm | - | - | - | - | - | 2023572 UM8X26CO- IWd32.OSZ1960G | - | - | - | - |
| 34 mm | - | - | - | - | - | - | 2023574 UM8X26CO- IWd34.OSZ1960G | - | - | - |
| 36 mm | - | - | - | - | - | - | - | 2023576 UM8X26CO- IWd36.OSZ1960G | - | - |
| 38 mm | - | - | - | - | - | - | - | - | 2023577 UM8X26CO- IWd38.OSZ1960G | - |
| 40 mm | - | - | - | - | - | - | - | - | - | 2023578 UM8X26CO- IWd40.OSZ1960G |
| 42 mm | - | - | - | - | - | - | - | - | - | - |
| 44 mm | - | - | - | - | - | - | - | - | - | - |
| 46 mm | - | - | - | - | - | - | - | - | - | - |
| 48 mm | - | - | - | - | - | - | - | - | - | - |
| 50 mm | - | - | - | - | - | - | - | - | - | - |
| 52 mm | - | - | - | - | - | - | - | - | - | - |

| Rope Diameter | POWERFORM 8X26 44MM RHOL | POWERFORM 8X26 46MM RHOL | POWERFORM 8X26 48MM RHOL | POWERFORM 8X26 50MM RHOL | POWERFORM 8X26 52MM RHOL |
|---------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 10 mm | - | - | - | - | - |
| 11 mm | - | - | - | - | - |
| 12 mm | - | - | - | - | - |
| 13 mm | - | - | - | - | - |
| 14 mm | - | - | - | - | - |
| 15 mm | - | - | - | - | - |
| 16 mm | - | - | - | - | - |
| 17 mm | - | - | - | - | - |
| 18 mm | - | - | - | - | - |
| 19 mm | - | - | - | - | - |



| Rope Diameter | POWERFORM 8X26 44MM RHOL | POWERFORM 8X26 46MM RHOL | POWERFORM 8X26 48MM RHOL | POWERFORM 8X26 50MM RHOL | POWERFORM 8X26 52MM RHOL |
|---------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| 20 mm | - | - | - | - | - |
| 22 mm | - | - | - | - | - |
| 24 mm | - | - | - | - | - |
| 26 mm | - | - | - | - | - |
| 28 mm | - | - | - | - | - |
| 30 mm | - | - | - | - | - |
| 32 mm | - | - | - | - | - |
| 34 mm | - | - | - | - | - |
| 36 mm | - | - | - | - | - |
| 38 mm | - | - | - | - | - |
| 40 mm | - | - | - | - | - |
| 42 mm | - | - | - | - | - |
| 44 mm | 2023582 UM8X26CO-IWd44.OSZ1960G | - | - | - | - |
| 46 mm | - | 2023583 UM8X26CO-IWd46.OSZ1960G | - | - | - |
| 48 mm | - | - | 2023585 UM8X26CO-IWd48.OSZ1960G | - | - |
| 50 mm | - | - | - | 2023587 UM8X26CO-IWd50.OSZ1960G | - |
| 52 mm | - | - | - | - | 2023589 UM8X26CO-IWd52.OSZ1960G |

- Main Material Steel
- Temperature Range -40° C to + 100° C
- Packaging Unit (PU) Content 1

SpanSet Indonesia
 Marunda Center Blok
 F No.20 Segara
 Makmur, Tarumajaya.
 Bekasi, Indonesia.
 17211
 +62 21 285 100 77
 sales@spanset.co.id
 www.spanset.co.id



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Indonesia - Indonesia

**SpanSet
 Certified
 Safety**