

## PowerStar 2ply

High-strength polyester flat sling with reinforced loops



| Item Name short        | WLL kg [kg] | WLL t [t] | L1 [m] | L1 min. [m] | Webbing Width B [mm] | Webbing Thickness [mm] | Weight for 1m [kg] |
|------------------------|-------------|-----------|--------|-------------|----------------------|------------------------|--------------------|
| PowerStar 2ply 1t 1m   | 1000        | 1         | 1      | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 1t 1.5m | 1000        | 1         | 1.5    | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 1t 2m   | 1000        | 1         | 2      | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 1t 3m   | 1000        | 1         | 3      | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 1t 4m   | 1000        | 1         | 4      | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 1t 5m   | 1000        | 1         | 5      | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 1t 6m   | 1000        | 1         | 6      | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 1t 8m   | 1000        | 1         | 8      | 1           | 30                   | 5.6                    | 0.3                |
| PowerStar 2ply 2t 2m   | 2000        | 2         | 2      | 1           | 60                   | 5.6                    | 0.6                |
| PowerStar 2ply 2t 3m   | 2000        | 2         | 3      | 1           | 60                   | 5.6                    | 0.6                |
| PowerStar 2ply 2t 4m   | 2000        | 2         | 4      | 1           | 60                   | 5.6                    | 0.6                |
| PowerStar 2ply 2t 5m   | 2000        | 2         | 5      | 1           | 60                   | 5.6                    | 0.6                |
| PowerStar 2ply 2t 6m   | 2000        | 2         | 6      | 1           | 60                   | 5.6                    | 0.6                |
| PowerStar 2ply 2t 8m   | 2000        | 2         | 8      | 1           | 60                   | 5.6                    | 0.6                |
| PowerStar 2ply 3t 2m   | 3000        | 3         | 2      | 1.3         | 90                   | 6                      | 1                  |
| PowerStar 2ply 3t 3m   | 3000        | 3         | 3      | 1.3         | 90                   | 6                      | 1                  |
| PowerStar 2ply 3t 4m   | 3000        | 3         | 4      | 1.3         | 90                   | 6                      | 1                  |
| PowerStar 2ply 3t 5m   | 3000        | 3         | 5      | 1.3         | 90                   | 6                      | 1                  |
| PowerStar 2ply 3t 6m   | 3000        | 3         | 6      | 1.3         | 90                   | 6                      | 1                  |



| Item Name short      | WLL kg [kg] | WLL t [t] | L1 [m] | L1 min. [m] | Webbing Width B [mm] | Webbing Thickness [mm] | Weight for 1m [kg] |
|----------------------|-------------|-----------|--------|-------------|----------------------|------------------------|--------------------|
| PowerStar 2ply 3t 8m | 3000        | 3         | 8      | 1.3         | 90                   | 6                      | 1                  |
| PowerStar 2ply 4t 2m | 4000        | 4         | 2      | 1.3         | 120                  | 6.2                    | 1.4                |
| PowerStar 2ply 4t 3m | 4000        | 4         | 3      | 1.3         | 120                  | 6.2                    | 1.4                |
| PowerStar 2ply 4t 4m | 4000        | 4         | 4      | 1.3         | 120                  | 6.2                    | 1.4                |
| PowerStar 2ply 4t 5m | 4000        | 4         | 5      | 1.3         | 120                  | 6.2                    | 1.4                |
| PowerStar 2ply 4t 6m | 4000        | 4         | 6      | 1.3         | 120                  | 6.2                    | 1.4                |
| PowerStar 2ply 4t 8m | 4000        | 4         | 8      | 1.3         | 120                  | 6.2                    | 1.4                |
| PowerStar 2ply 5t 2m | 5000        | 5         | 2      | 1.5         | 150                  | 6.4                    | 1.7                |
| PowerStar 2ply 5t 3m | 5000        | 5         | 3      | 1.5         | 150                  | 6.4                    | 1.7                |
| PowerStar 2ply 5t 4m | 5000        | 5         | 4      | 1.5         | 150                  | 6.4                    | 1.7                |
| PowerStar 2ply 5t 5m | 5000        | 5         | 5      | 1.5         | 150                  | 6.4                    | 1.7                |
| PowerStar 2ply 5t 6m | 5000        | 5         | 6      | 1.5         | 150                  | 6.4                    | 1.7                |
| PowerStar 2ply 5t 8m | 5000        | 5         | 8      | 1.5         | 150                  | 6.4                    | 1.7                |
| PowerStar 2ply 6t 2m | 6000        | 6         | 2      | 1.9         | 180                  | 7.6                    | 2.2                |
| PowerStar 2ply 6t 3m | 6000        | 6         | 3      | 1.9         | 180                  | 7.6                    | 2.2                |
| PowerStar 2ply 6t 4m | 6000        | 6         | 4      | 1.9         | 180                  | 7.6                    | 2.2                |
| PowerStar 2ply 6t 5m | 6000        | 6         | 5      | 1.9         | 180                  | 7.6                    | 2.2                |
| PowerStar 2ply 6t 6m | 6000        | 6         | 6      | 1.9         | 180                  | 7.6                    | 2.2                |
| PowerStar 2ply 6t 8m | 6000        | 6         | 8      | 1.9         | 180                  | 7.6                    | 2.2                |
| PowerStar 2ply 8t 3m | 8000        | 8         | 3      | 2.2         | 240                  | 7.6                    | 2.9                |



| Item Name short       | WLL kg [kg] | WLL t [t] | L1 [m] | L1 min. [m] | Webbing Width B [mm] | Webbing Thickness [mm] | Weight for 1m [kg] |
|-----------------------|-------------|-----------|--------|-------------|----------------------|------------------------|--------------------|
| PowerStar 2ply 8t 4m  | 8000        | 8         | 4      | 2.2         | 240                  | 7.6                    | 2.9                |
| PowerStar 2ply 8t 5m  | 8000        | 8         | 5      | 2.2         | 240                  | 7.6                    | 2.9                |
| PowerStar 2ply 8t 6m  | 8000        | 8         | 6      | 2.2         | 240                  | 7.6                    | 2.9                |
| PowerStar 2ply 8t 8m  | 8000        | 8         | 8      | 2.2         | 240                  | 7.6                    | 2.9                |
| PowerStar 2ply 10t 3m | 10000       | 10        | 3      | 2.6         | 300                  | 7.6                    | 4.1                |
| PowerStar 2ply 10t 4m | 10000       | 10        | 4      | 2.6         | 300                  | 7.6                    | 4.1                |
| PowerStar 2ply 10t 5m | 10000       | 10        | 5      | 2.6         | 300                  | 7.6                    | 4.1                |
| PowerStar 2ply 10t 6m | 10000       | 10        | 6      | 2.6         | 300                  | 7.6                    | 4.1                |
| PowerStar 2ply 10t 8m | 10000       | 10        | 8      | 2.6         | 300                  | 7.6                    | 4.1                |

| Item Name short        | Weight Net [kg] | Weight per Meter [kg/m] | Colour |
|------------------------|-----------------|-------------------------|--------|
| PowerStar 2ply 1t 1m   | 0.3             | 0.2                     | Purple |
| PowerStar 2ply 1t 1.5m | 0.4             | 0.2                     | Purple |
| PowerStar 2ply 1t 2m   | 0.5             | 0.2                     | Purple |
| PowerStar 2ply 1t 3m   | 0.7             | 0.2                     | Purple |
| PowerStar 2ply 1t 4m   | 0.9             | 0.2                     | Purple |
| PowerStar 2ply 1t 5m   | 1.2             | 0.2                     | Purple |
| PowerStar 2ply 1t 6m   | 1.4             | 0.2                     | Purple |
| PowerStar 2ply 1t 8m   | 1.8             | 0.2                     | Purple |
| PowerStar 2ply 2t 2m   | 1.2             | 0.4                     | Green  |
| PowerStar 2ply 2t 3m   | 1.6             | 0.4                     | Green  |
| PowerStar 2ply 2t 4m   | 2               | 0.4                     | Green  |
| PowerStar 2ply 2t 5m   | 2.4             | 0.4                     | Green  |



| Item Name short      | Weight Net [kg] | Weight per Meter [kg/m] | Colour |
|----------------------|-----------------|-------------------------|--------|
| PowerStar 2ply 2t 6m | 2.8             | 0.4                     | Green  |
| PowerStar 2ply 2t 8m | 3.6             | 0.4                     | Green  |
| PowerStar 2ply 3t 2m | 2               | 0.6                     | Yellow |
| PowerStar 2ply 3t 3m | 2.6             | 0.6                     | Yellow |
| PowerStar 2ply 3t 4m | 3.2             | 0.6                     | Yellow |
| PowerStar 2ply 3t 5m | 3.8             | 0.6                     | Yellow |
| PowerStar 2ply 3t 6m | 4.4             | 0.6                     | Yellow |
| PowerStar 2ply 3t 8m | 5.6             | 0.6                     | Yellow |
| PowerStar 2ply 4t 2m | 2.8             | 0.8                     | Grey   |
| PowerStar 2ply 4t 3m | 3.6             | 0.8                     | Grey   |
| PowerStar 2ply 4t 4m | 4.4             | 0.8                     | Grey   |
| PowerStar 2ply 4t 5m | 5.2             | 0.8                     | Grey   |
| PowerStar 2ply 4t 6m | 6               | 0.8                     | Grey   |
| PowerStar 2ply 4t 8m | 7.6             | 0.8                     | Grey   |
| PowerStar 2ply 5t 2m | 3.4             | 1                       | Red    |
| PowerStar 2ply 5t 3m | 4.4             | 1                       | Red    |
| PowerStar 2ply 5t 4m | 5.4             | 1                       | Red    |
| PowerStar 2ply 5t 5m | 6.4             | 1                       | Red    |
| PowerStar 2ply 5t 6m | 7.4             | 1                       | Red    |
| PowerStar 2ply 5t 8m | 9.4             | 1                       | Red    |
| PowerStar 2ply 6t 2m | 4.4             | 1.2                     | Brown  |
| PowerStar 2ply 6t 3m | 5.6             | 1.2                     | Brown  |
| PowerStar 2ply 6t 4m | 6.8             | 1.2                     | Brown  |
| PowerStar 2ply 6t 5m | 8               | 1.2                     | Brown  |
| PowerStar 2ply 6t 6m | 9.2             | 1.2                     | Brown  |
| PowerStar 2ply 6t 8m | 11.6            | 1.2                     | Brown  |



| Item Name short       | Weight Net [kg] | Weight per Meter [kg/m] | Colour |
|-----------------------|-----------------|-------------------------|--------|
| PowerStar 2ply 8t 3m  | 7.4             | 1.6                     | Blue   |
| PowerStar 2ply 8t 4m  | 9               | 1.6                     | Blue   |
| PowerStar 2ply 8t 5m  | 10.6            | 1.6                     | Blue   |
| PowerStar 2ply 8t 6m  | 12.2            | 1.6                     | Blue   |
| PowerStar 2ply 8t 8m  | 15.4            | 1.6                     | Blue   |
| PowerStar 2ply 10t 3m | 10.4            | 2.2                     | Orange |
| PowerStar 2ply 10t 4m | 12.6            | 2.2                     | Orange |
| PowerStar 2ply 10t 5m | 14.8            | 2.2                     | Orange |
| PowerStar 2ply 10t 6m | 17              | 2.2                     | Orange |
| PowerStar 2ply 10t 8m | 21.4            | 2.2                     | Orange |

### ORDER NUMBERS[Global Item Number/Local ERP Number SSNL]

| WLL kg   | 1 m     | 1.5 m   | 2 m     | 3 m     | 4 m     | 5 m     | 6 m     | 8 m     |
|----------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1000 kg  | 2015118 | 2030940 | 2002956 | 2003410 | 2003411 | 2003893 | 2003894 | 2003895 |
| 2000 kg  | -       | -       | 2002958 | 2003414 | 2003415 | 2003899 | 2003900 | 2003901 |
| 3000 kg  | -       | -       | 2002959 | 2003416 | 2003417 | 2003902 | 2003903 | 2003904 |
| 4000 kg  | -       | -       | 2002960 | 2003418 | 2003419 | 2003905 | 2003906 | 2003907 |
| 5000 kg  | -       | -       | 2002961 | 2003420 | 2003421 | 2003908 | 2003909 | 2003910 |
| 6000 kg  | -       | -       | 2002962 | 2003422 | 2003423 | 2003911 | 2003912 | 2003913 |
| 8000 kg  | -       | -       | -       | 2002963 | 2003424 | 2003425 | 2003914 | 2003915 |
| 10000 kg | -       | -       | -       | 2002964 | 2003426 | 2003427 | 2003916 | 2003917 |

|                               |                 |
|-------------------------------|-----------------|
| ■ Norms                       | EN 1492-1: 2000 |
| ■ Main Material               | Polyester       |
| ■ Temperature Range           | -40°C / +100°C  |
| ■ Label Protection            | Yes             |
| ■ Packaging Unit (PU) Content | 1               |

**SpanSet Nederland B.V.**  
Plaza 10A 4782 SK  
Moerdijk Nederland  
Tel.: +31 (0) 168 38 68 00  
info@spanset.nl  
www.spanset.nl



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed via electronic systems without the written permission of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Nederland B.V.

**SpanSet  
Certified  
Safety**