



PowerStar 2ply

High-strength polyester flat sling with reinforced loops

Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
PowerStar 2ply 1t 1m	1000	1	1	1	30	5.6	0.3
PowerStar 2ply 1t 1.5m	1000	1	1.5	1	30	5.6	0.3
PowerStar 2ply 1t 2m	1000	1	2	1	30	5.6	0.3
PowerStar 2ply 1t 3m	1000	1	3	1	30	5.6	0.3
PowerStar 2ply 1t 4m	1000	1	4	1	30	5.6	0.3
PowerStar 2ply 1t 5m	1000	1	5	1	30	5.6	0.3
PowerStar 2ply 1t 6m	1000	1	6	1	30	5.6	0.3
PowerStar 2ply 1t 8m	1000	1	8	1	30	5.6	0.3
PowerStar 2ply 2t 2m	2000	2	2	1	60	5.6	0.6
PowerStar 2ply 2t 3m	2000	2	3	1	60	5.6	0.6
PowerStar 2ply 2t 4m	2000	2	4	1	60	5.6	0.6
PowerStar 2ply 2t 5m	2000	2	5	1	60	5.6	0.6
PowerStar 2ply 2t 6m	2000	2	6	1	60	5.6	0.6
PowerStar 2ply 2t 8m	2000	2	8	1	60	5.6	0.6
PowerStar 2ply 3t 2m	3000	3	2	1.3	90	6	1
PowerStar 2ply 3t 3m	3000	3	3	1.3	90	6	1
PowerStar 2ply 3t 4m	3000	3	4	1.3	90	6	1
PowerStar 2ply 3t 5m	3000	3	5	1.3	90	6	1
PowerStar 2ply 3t 6m	3000	3	6	1.3	90	6	1



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
PowerStar 2ply 3t 8m	3000	3	8	1.3	90	6	1
PowerStar 2ply 4t 2m	4000	4	2	1.3	120	6.2	1.4
PowerStar 2ply 4t 3m	4000	4	3	1.3	120	6.2	1.4
PowerStar 2ply 4t 4m	4000	4	4	1.3	120	6.2	1.4
PowerStar 2ply 4t 5m	4000	4	5	1.3	120	6.2	1.4
PowerStar 2ply 4t 6m	4000	4	6	1.3	120	6.2	1.4
PowerStar 2ply 4t 8m	4000	4	8	1.3	120	6.2	1.4
PowerStar 2ply 5t 2m	5000	5	2	1.5	150	6.4	1.7
PowerStar 2ply 5t 3m	5000	5	3	1.5	150	6.4	1.7
PowerStar 2ply 5t 4m	5000	5	4	1.5	150	6.4	1.7
PowerStar 2ply 5t 5m	5000	5	5	1.5	150	6.4	1.7
PowerStar 2ply 5t 6m	5000	5	6	1.5	150	6.4	1.7
PowerStar 2ply 5t 8m	5000	5	8	1.5	150	6.4	1.7
PowerStar 2ply 6t 2m	6000	6	2	1.9	180	7.6	2.2
PowerStar 2ply 6t 3m	6000	6	3	1.9	180	7.6	2.2
PowerStar 2ply 6t 4m	6000	6	4	1.9	180	7.6	2.2
PowerStar 2ply 6t 5m	6000	6	5	1.9	180	7.6	2.2
PowerStar 2ply 6t 6m	6000	6	6	1.9	180	7.6	2.2
PowerStar 2ply 6t 8m	6000	6	8	1.9	180	7.6	2.2
PowerStar 2ply 8t 3m	8000	8	3	2.2	240	7.6	2.9



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Webbing Width B [mm]	Webbing Thickness [mm]	Weight for 1m [kg]
PowerStar 2ply 8t 4m	8000	8	4	2.2	240	7.6	2.9
PowerStar 2ply 8t 5m	8000	8	5	2.2	240	7.6	2.9
PowerStar 2ply 8t 6m	8000	8	6	2.2	240	7.6	2.9
PowerStar 2ply 8t 8m	8000	8	8	2.2	240	7.6	2.9
PowerStar 2ply 10t 3m	10000	10	3	2.6	300	7.6	4.1
PowerStar 2ply 10t 4m	10000	10	4	2.6	300	7.6	4.1
PowerStar 2ply 10t 5m	10000	10	5	2.6	300	7.6	4.1
PowerStar 2ply 10t 6m	10000	10	6	2.6	300	7.6	4.1
PowerStar 2ply 10t 8m	10000	10	8	2.6	300	7.6	4.1

Item Name short	Weight Net [kg]	Weight per Meter [kg/m]	Colour
PowerStar 2ply 1t 1m	0.3	0.2	Purple
PowerStar 2ply 1t 1.5m	0.4	0.2	Purple
PowerStar 2ply 1t 2m	0.5	0.2	Purple
PowerStar 2ply 1t 3m	0.7	0.2	Purple
PowerStar 2ply 1t 4m	0.9	0.2	Purple
PowerStar 2ply 1t 5m	1.2	0.2	Purple
PowerStar 2ply 1t 6m	1.4	0.2	Purple
PowerStar 2ply 1t 8m	1.8	0.2	Purple
PowerStar 2ply 2t 2m	1.2	0.4	Green
PowerStar 2ply 2t 3m	1.6	0.4	Green
PowerStar 2ply 2t 4m	2	0.4	Green
PowerStar 2ply 2t 5m	2.4	0.4	Green



Item Name short	Weight Net [kg]	Weight per Meter [kg/m]	Colour
PowerStar 2ply 2t 6m	2.8	0.4	Green
PowerStar 2ply 2t 8m	3.6	0.4	Green
PowerStar 2ply 3t 2m	2	0.6	Yellow
PowerStar 2ply 3t 3m	2.6	0.6	Yellow
PowerStar 2ply 3t 4m	3.2	0.6	Yellow
PowerStar 2ply 3t 5m	3.8	0.6	Yellow
PowerStar 2ply 3t 6m	4.4	0.6	Yellow
PowerStar 2ply 3t 8m	5.6	0.6	Yellow
PowerStar 2ply 4t 2m	2.8	0.8	Grey
PowerStar 2ply 4t 3m	3.6	0.8	Grey
PowerStar 2ply 4t 4m	4.4	0.8	Grey
PowerStar 2ply 4t 5m	5.2	0.8	Grey
PowerStar 2ply 4t 6m	6	0.8	Grey
PowerStar 2ply 4t 8m	7.6	0.8	Grey
PowerStar 2ply 5t 2m	3.4	1	Red
PowerStar 2ply 5t 3m	4.4	1	Red
PowerStar 2ply 5t 4m	5.4	1	Red
PowerStar 2ply 5t 5m	6.4	1	Red
PowerStar 2ply 5t 6m	7.4	1	Red
PowerStar 2ply 5t 8m	9.4	1	Red
PowerStar 2ply 6t 2m	4.4	1.2	Brown
PowerStar 2ply 6t 3m	5.6	1.2	Brown
PowerStar 2ply 6t 4m	6.8	1.2	Brown
PowerStar 2ply 6t 5m	8	1.2	Brown
PowerStar 2ply 6t 6m	9.2	1.2	Brown
PowerStar 2ply 6t 8m	11.6	1.2	Brown



Item Name short	Weight Net [kg]	Weight per Meter [kg/m]	Colour
PowerStar 2ply 8t 3m	7.4	1.6	Blue
PowerStar 2ply 8t 4m	9	1.6	Blue
PowerStar 2ply 8t 5m	10.6	1.6	Blue
PowerStar 2ply 8t 6m	12.2	1.6	Blue
PowerStar 2ply 8t 8m	15.4	1.6	Blue
PowerStar 2ply 10t 3m	10.4	2.2	Orange
PowerStar 2ply 10t 4m	12.6	2.2	Orange
PowerStar 2ply 10t 5m	14.8	2.2	Orange
PowerStar 2ply 10t 6m	17	2.2	Orange
PowerStar 2ply 10t 8m	21.4	2.2	Orange

ORDER NUMBERS[Global Item Number/Local ERP Number SSUK]

WLL kg	1 m	1.5 m	2 m	3 m	4 m	5 m	6 m	8 m
1000 kg	2015118 PB1000/1M	2030940 PB1000/1M	2002956 PB1000/2M	2003410 PB1000/3M	2003411 PB1000/4M	2003893 PB1000/5M	2003894 PB1000/6M	2003895 PB1000/8M
2000 kg	-	-	2002958 PB2000/2M	2003414 PB2000/3M	2003415 PB2000/4M	2003899 PB2000/5M	2003900 PB2000/6M	2003901 PB2000/8M
3000 kg	-	-	2002959 PB3000/2M	2003416 PB3000/3M	2003417 PB3000/4M	2003902 PB3000/5M	2003903 PB3000/6M	2003904 PB3000/8M
4000 kg	-	-	2002960	2003418	2003419	2003905	2003906	2003907
5000 kg	-	-	2002961	2003420	2003421	2003908	2003909	2003910
6000 kg	-	-	2002962	2003422	2003423	2003911	2003912	2003913
8000 kg	-	-	-	2002963	2003424	2003425	2003914	2003915
10000 kg	-	-	-	2002964	2003426	2003427	2003916	2003917

■ Norms	EN 1492-1: 2000
■ Main Material	Polyester
■ Temperature Range	-40°C / +100°C
■ Label Protection	Yes
■ Packaging Unit (PU) Content	1

SpanSet (UK) Limited
Telford Way
Middlewich Cheshire
CW10 0HX United
Kingdom
+44 (0) 1606 737494
info@spanset.co.uk
www.spanset.co.uk



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

SpanSet
Certified
Safety