

PowerStar 2ply

Nastri di sollevamento, robusti, affidabili e resistenti all'usura e protezione anti-abrasione fino a 5 volte superiore.



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza della fettuccia B [mm]	Spessore del nastro [mm]	Peso al metro [kg]
PowerStar 2ply 1t 1m	1000	1	1	1	30	5.6	0.3
PowerStar 2ply 1t 1.5m	1000	1	1.5	1	30	5.6	0.3
PowerStar 2ply 1t 2m	1000	1	2	1	30	5.6	0.3
PowerStar 2ply 1t 3m	1000	1	3	1	30	5.6	0.3
PowerStar 2ply 1t 4m	1000	1	4	1	30	5.6	0.3
PowerStar 2ply 1t 5m	1000	1	5	1	30	5.6	0.3
PowerStar 2ply 1t 6m	1000	1	6	1	30	5.6	0.3
PowerStar 2ply 1t 7m	1000	1	7	1	30	5.6	0.3
PowerStar 2ply 1t 8m	1000	1	8	1	30	5.6	0.3
PowerStar 2ply 1t 9m	1000	1	9	1	30	5.6	0.3
PowerStar 2ply 1t 10m	1000	1	10	1	30	5.6	0.3
PowerStar 2ply 2t 2m	2000	2	2	1	60	5.6	0.6
PowerStar 2ply 2t 3m	2000	2	3	1	60	5.6	0.6
PowerStar 2ply 2t 4m	2000	2	4	1	60	5.6	0.6
PowerStar 2ply 2t 5m	2000	2	5	1	60	5.6	0.6
PowerStar 2ply 2t 6m	2000	2	6	1	60	5.6	0.6
PowerStar 2ply 2t 7m	2000	2	7	1	60	5.6	0.6
PowerStar 2ply 2t 8m	2000	2	8	1	60	5.6	0.6
PowerStar 2ply 2t 10m	2000	2	10	1	60	5.6	0.6



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza della fettuccia B [mm]	Spessore del nastro [mm]	Peso al metro [kg]
PowerStar 2ply 3t 2m	3000	3	2	1.3	90	6	1
PowerStar 2ply 3t 3m	3000	3	3	1.3	90	6	1
PowerStar 2ply 3t 4m	3000	3	4	1.3	90	6	1
PowerStar 2ply 3t 5m	3000	3	5	1.3	90	6	1
PowerStar 2ply 3t 6m	3000	3	6	1.3	90	6	1
PowerStar 2ply 3t 7m	3000	3	7	1.3	90	6	1
PowerStar 2ply 3t 8m	3000	3	8	1.3	90	6	1
PowerStar 2ply 3t 9m	3000	3	9	1.3	90	6	1
PowerStar 2ply 3t 10m	3000	3	10	1.3	90	6	1
PowerStar 2ply 4t 2m	4000	4	2	1.3	120	6.2	1.4
PowerStar 2ply 4t 3m	4000	4	3	1.3	120	6.2	1.4
PowerStar 2ply 4t 4m	4000	4	4	1.3	120	6.2	1.4
PowerStar 2ply 4t 5m	4000	4	5	1.3	120	6.2	1.4
PowerStar 2ply 4t 6m	4000	4	6	1.3	120	6.2	1.4
PowerStar 2ply 4t 7m	4000	4	7	1.3	120	6.2	1.4
PowerStar 2ply 4t 8m	4000	4	8	1.3	120	6.2	1.4
PowerStar 2ply 4t 9m	4000	4	9	1.3	120	6.2	1.4
PowerStar 2ply 4t 10m	4000	4	10	1.3	120	6.2	1.4
PowerStar 2ply 5t 2m	5000	5	2	1.5	150	6.4	1.7
PowerStar 2ply 5t 3m	5000	5	3	1.5	150	6.4	1.7



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza della fettuccia B [mm] [mm]	Spessore del nastro [mm]	Peso al metro [kg]
PowerStar 2ply 5t 4m	5000	5	4	1.5	150	6.4	1.7
PowerStar 2ply 5t 5m	5000	5	5	1.5	150	6.4	1.7
PowerStar 2ply 5t 6m	5000	5	6	1.5	150	6.4	1.7
PowerStar 2ply 5t 8m	5000	5	8	1.5	150	6.4	1.7
PowerStar 2ply 5t 9m	5000	5	9	1.5	150	6.4	1.7
PowerStar 2ply 5t 10m	5000	5	10	1.5	150	6.4	1.7
PowerStar 2ply 6t 2m	6000	6	2	1.9	180	7.6	2.2
PowerStar 2ply 6t 3m	6000	6	3	1.9	180	7.6	2.2
PowerStar 2ply 6t 4m	6000	6	4	1.9	180	7.6	2.2
PowerStar 2ply 6t 5m	6000	6	5	1.9	180	7.6	2.2
PowerStar 2ply 6t 6m	6000	6	6	1.9	180	7.6	2.2
PowerStar 2ply 6t 7m	6000	6	7	1.9	180	7.6	2.2
PowerStar 2ply 6t 8m	6000	6	8	1.9	180	7.6	2.2
PowerStar 2ply 6t 9m	6000	6	9	1.9	180	7.6	2.2
PowerStar 2ply 6t 10m	6000	6	10	1.9	180	7.6	2.2
PowerStar 2ply 8t 2m	8000	8	2	2.2	240	7.6	2.9
PowerStar 2ply 8t 3m	8000	8	3	2.2	240	7.6	2.9
PowerStar 2ply 8t 4m	8000	8	4	2.2	240	7.6	2.9
PowerStar 2ply 8t 5m	8000	8	5	2.2	240	7.6	2.9
PowerStar 2ply 8t 6m	8000	8	6	2.2	240	7.6	2.9



Nome articolo breve	WLL kg [kg]	WLL ton [t]	L1 [m]	L1 min. [m]	Larghezza della fettuccia B [mm]	Spessore del nastro [mm]	Peso al metro [kg]
PowerStar 2ply 8t 7m	8000	8	7	2.2	240	7.6	2.9
PowerStar 2ply 8t 8m	8000	8	8	2.2	240	7.6	2.9
PowerStar 2ply 8t 9m	8000	8	9	2.2	240	7.6	2.9
PowerStar 2ply 8t 10m	8000	8	10	2.2	240	7.6	2.9
PowerStar 2ply 10t 2m	10000	10	2	2.6	300	7.6	4.1
PowerStar 2ply 10t 3m	10000	10	3	2.6	300	7.6	4.1
PowerStar 2ply 10t 4m	10000	10	4	2.6	300	7.6	4.1
PowerStar 2ply 10t 5m	10000	10	5	2.6	300	7.6	4.1
PowerStar 2ply 10t 6m	10000	10	6	2.6	300	7.6	4.1
PowerStar 2ply 10t 7m	10000	10	7	2.6	300	7.6	4.1
PowerStar 2ply 10t 8m	10000	10	8	2.6	300	7.6	4.1
PowerStar 2ply 10t 9m	10000	10	9	2.6	300	7.6	4.1
PowerStar 2ply 10t 10m	10000	10	10	2.6	300	7.6	4.1

Nome articolo breve	Peso netto [kg]	Peso al metro [kg/m]	Colore
PowerStar 2ply 1t 1m	0.3	0.2	Viola
PowerStar 2ply 1t 1.5m	0.4	0.2	Viola
PowerStar 2ply 1t 2m	0.5	0.2	Viola
PowerStar 2ply 1t 3m	0.7	0.2	Viola
PowerStar 2ply 1t 4m	0.9	0.2	Viola
PowerStar 2ply 1t 5m	1.2	0.2	Viola
PowerStar 2ply 1t 6m	1.4	0.2	Viola



Nome articolo breve	Peso netto [kg]	Peso al metro [kg/m]	Colore
PowerStar 2ply 1t 7m	1.5	0.2	Viola
PowerStar 2ply 1t 8m	1.8	0.2	Viola
PowerStar 2ply 1t 9m	1.9	0.2	Viola
PowerStar 2ply 1t 10m	2.1	0.2	Viola
PowerStar 2ply 2t 2m	1.2	0.4	Verde
PowerStar 2ply 2t 3m	1.6	0.4	Verde
PowerStar 2ply 2t 4m	2	0.4	Verde
PowerStar 2ply 2t 5m	2.4	0.4	Verde
PowerStar 2ply 2t 6m	2.8	0.4	Verde
PowerStar 2ply 2t 7m	3	0.4	Verde
PowerStar 2ply 2t 8m	3.6	0.4	Verde
PowerStar 2ply 2t 10m	4.6	0.4	Verde
PowerStar 2ply 3t 2m	2	0.6	Giallo
PowerStar 2ply 3t 3m	2.6	0.6	Giallo
PowerStar 2ply 3t 4m	3.2	0.6	Giallo
PowerStar 2ply 3t 5m	3.8	0.6	Giallo
PowerStar 2ply 3t 6m	4.4	0.6	Giallo
PowerStar 2ply 3t 7m	4.6	0.6	Giallo
PowerStar 2ply 3t 8m	5.6	0.6	Giallo
PowerStar 2ply 3t 9m	5.8	0.6	Giallo
PowerStar 2ply 3t 10m	6.4	0.6	Giallo
PowerStar 2ply 4t 2m	2.8	0.8	Grigio
PowerStar 2ply 4t 3m	3.6	0.8	Grigio
PowerStar 2ply 4t 4m	4.4	0.8	Grigio
PowerStar 2ply 4t 5m	5.2	0.8	Grigio
PowerStar 2ply 4t 6m	6	0.8	Grigio



Nome articolo breve	Peso netto [kg]	Peso al metro [kg/m]	Colore
PowerStar 2ply 4t 7m	6.2	0.8	Grigio
PowerStar 2ply 4t 8m	7.6	0.8	Grigio
PowerStar 2ply 4t 9m	7.8	0.8	Grigio
PowerStar 2ply 4t 10m	8.6	0.8	Grigio
PowerStar 2ply 5t 2m	3.4	1	Rosso
PowerStar 2ply 5t 3m	4.4	1	Rosso
PowerStar 2ply 5t 4m	5.4	1	Rosso
PowerStar 2ply 5t 5m	6.4	1	Rosso
PowerStar 2ply 5t 6m	7.4	1	Rosso
PowerStar 2ply 5t 8m	9.4	1	Rosso
PowerStar 2ply 5t 9m	9.7	1	Rosso
PowerStar 2ply 5t 10m	10.7	1	Rosso
PowerStar 2ply 6t 2m	4.4	1.2	Marrone
PowerStar 2ply 6t 3m	5.6	1.2	Marrone
PowerStar 2ply 6t 4m	6.8	1.2	Marrone
PowerStar 2ply 6t 5m	8	1.2	Marrone
PowerStar 2ply 6t 6m	9.2	1.2	Marrone
PowerStar 2ply 6t 7m	9.4	1.2	Marrone
PowerStar 2ply 6t 8m	11.6	1.2	Marrone
PowerStar 2ply 6t 9m	11.8	1.2	Marrone
PowerStar 2ply 6t 10m	13	1.2	Marrone
PowerStar 2ply 8t 2m	4.5	1.6	Blu
PowerStar 2ply 8t 3m	7.4	1.6	Blu
PowerStar 2ply 8t 4m	9	1.6	Blu
PowerStar 2ply 8t 5m	10.6	1.6	Blu
PowerStar 2ply 8t 6m	12.2	1.6	Blu



Nome articolo breve	Peso netto [kg]	Peso al metro [kg/m]	Colore
PowerStar 2ply 8t 7m	12.5	1.6	Blu
PowerStar 2ply 8t 8m	15.4	1.6	Blu
PowerStar 2ply 8t 9m	15.7	1.6	Blu
PowerStar 2ply 8t 10m	17.3	1.6	Blu
PowerStar 2ply 10t 2m	6.3	2.2	Arancio
PowerStar 2ply 10t 3m	10.4	2.2	Arancio
PowerStar 2ply 10t 4m	12.6	2.2	Arancio
PowerStar 2ply 10t 5m	14.8	2.2	Arancio
PowerStar 2ply 10t 6m	17	2.2	Arancio
PowerStar 2ply 10t 7m	19.5	2.2	Arancio
PowerStar 2ply 10t 8m	21.4	2.2	Arancio
PowerStar 2ply 10t 9m	21.7	2.2	Arancio
PowerStar 2ply 10t 10m	23.9	2.2	Arancio

ARTICOLO[Global Item Number/Local ERP Number SSIT]

WLL kg	1 m	1.5 m	2 m	3 m	4 m	5 m	6 m	7 m	8 m	9 m	10 m
1000 kg	2015118 B1000-010	2030940 B1000-010	2002956 B1000-020	2003410 B1000-030	2003411 B1000-040	2003893 B1000-050	2003894 B1000-060	2030463 B1000-070	2003895 B1000-080	2030471 B1000-090	2030479 B1000-100
2000 kg	-	-	2002958 B2000-020	2003414 B2000-030	2003415 B2000-040	2003899 B2000-050	2003900 B2000-060	2030464 B2000-070	2003901 B2000-080	-	2030480 B2000-100
3000 kg	-	-	2002959 B3000-020	2003416 B3000-030	2003417 B3000-040	2003902 B3000-050	2003903 B3000-060	2030465 B3000-070	2003904 B3000-080	2030473 B3000-090	2030481 B3000-100
4000 kg	-	-	2002960 B4000-020	2003418 B4000-030	2003419 B4000-040	2003905 B4000-050	2003906 B4000-060	2030466 B4000-070	2003907 B4000-080	2030474 B4000-090	2030482 B4000-100
5000 kg	-	-	2002961 B5000-020	2003420 B5000-030	2003421 B5000-040	2003908 B5000-050	2003909 B5000-060	-	2003910 B5000-080	2030475 2030475	2030483 B5000-100
6000 kg	-	-	2002962 B6000-020	2003422 B6000-030	2003423 B6000-040	2003911 B6000-050	2003912 B6000-060	2030468 B6000-070	2003913 B6000-080	2030476 B6000-090	2030484 B6000-100
8000 kg	-	-	2030461 B8000-020	2002963 B8000-030	2003424 B8000-040	2003425 B8000-050	2003914 B8000-060	2030469 B8000-070	2003915 B8000-080	2030477 B8000-090	2030485 B8000-100
10000 kg	-	-	2030462 B10000-020	2002964 B10000-030	2003426 B10000-040	2003427 B10000-050	2003916 B10000-060	2030470 B10000-070	2003917 B10000-080	2030478 B10000-090	2030486

■ Norme

EN 1492-1: 2000

SpanSet Italia Srl
Via Pietro Nenni, 13A
10036 Settimo TO
Italia
Tel.: +39 011 816
9744
info@spanset.it
www.spanset.it



Con riserva di modifiche tecniche. Tutti i diritti riservati. Nessuna parte di questa scheda tecnica può essere riprodotta in qualsiasi forma (stampa, fotocopia, microfilm o qualsiasi altro processo) o elaborata, duplicata o distribuita con sistemi elettronici senza il permesso scritto di SpanSet. Questa scheda tecnica è stata preparata con la dovuta attenzione; SpanSet non si assume alcuna responsabilità per errori o omissioni. © SpanSet Italia Srl - Italia

**SpanSet
Certified
Safety**

■ Materiale principale	Poliestere
■ Intervallo di temperatura	-40°C / +100°C
■ Protezione dell'etichetta [y/n]	Sì
■ Packaging Unit (PU) Contenuto	1

