

Secutex Clip

Protective sleeve with longitudinal opening, quick attachment.

Item Name short	Length [m]	For Lifting Equipment	Width Inside [mm]	Width Outside [mm]	Height Outside [mm]	Height Inside [mm]	Weight Net [kg]
SC-30 0.5m	0.5	Flat Sling	38	45	20	10	0.45
SC-50/3 0.5m	0.5	Round Sling	55	70	25	10	-
SC-60 0.5m	0.5	Flat Sling	65	85	25	10	0.7
SC-65/3 0.5m	0.5	Round Sling	75	80	25	10	-
SC-75/3 0.5m	0.5	Round Sling	80	95	25	10	-
SC-90 0.5m	0.5	Flat Sling	95	110	25	10	1.1
SC-100/3 0.5m	0.5	Round Sling	105	125	25	10	-
SC-125/3 0.5m	0.5	Round Sling	120	145	25	10	-
SC-120 0.5m	0.5	Flat Sling	125	145	25	10	1.45
SC-150/3 0.5m	0.5	Round Sling	125	145	40	25	-
SC-200-20/3 0.5m	0.5	Round Sling	145	165	35	20	-
SC-150 0.5m	0.5	Flat Sling	150	175	25	10	1.7
SC-180 0.5m	0.5	Flat Sling	180	210	30	15	2.1
SC-PCS-180 0.5m	0.5	Flat Sling	205	230	40	30	-
SC-240 0.5m	0.5	Flat Sling	240	270	35	20	2.75
SC-300 0.5m	0.5	Flat Sling	310	335	35	20	3.4
SC-30 1m	1	Flat Sling	38	45	20	10	0.9
SC-PCS-30 1m	1	Flat Sling	38	55	28	15	-
SC-50/3 1m	1	Round Sling	55	70	25	10	-
SC-60 1m	1	Flat Sling	65	85	25	10	1.4
SC-PCS-60 1m	1	Flat Sling	70	80	35	20	-
SC-65/3 1m	1	Round Sling	75	80	25	10	-
SC-75/3 1m	1	Round Sling	80	95	25	10	-
SC-PCS-90 1m	1	Flat Sling	90	110	35	20	-
SC-90 1m	1	Flat Sling	95	110	25	10	-
SC-100/3 1m	1	Round Sling	105	125	25	10	-



Item Name short	Length [m]	For Lifting Equipment	Width Inside [mm]	Width Outside [mm]	Height Outside [mm]	Height Inside [mm]	Weight Net [kg]
SC-125/3 1m	1	Round Sling	120	145	25	10	-
SC-PCS-120 1m	1	Flat Sling	125	140	40	25	-
SC-120 1m	1	Flat Sling	125	145	25	10	2.9
SC-150/3 1m	1	Round Sling	125	145	40	25	-
SC-200-20/3 1m	1	Round Sling	145	165	35	20	-
SC-150 1m	1	Flat Sling	150	175	25	10	3.4
SC-PCS-150 1m	1	Flat Sling	155	175	40	20	-
SC-180 1m	1	Flat Sling	180	210	30	15	4.2
SC-200-20/3 1m	1	Round Sling	190	210	50	35	-
SC-PCS-180 1m	1	Flat Sling	205	230	40	30	-
SC-240 1m	1	Flat Sling	240	270	35	20	5.5
SC-300-30/3 1m	1	Round Sling	245	265	45	30	-
SC-240 1m	1	Flat Sling	245	270	35	20	-
SC-PCS-240 1m	1	Flat Sling	255	270	45	30	-
SC-PCS-300 1m	1	Flat Sling	310	335	35	20	-
SC-300 1m	1	Flat Sling	310	335	35	20	6.8
SC-30 1.5m	1.5	Flat Sling	38	45	20	10	1.35
SC-50/3 1.5m	1.5	Round Sling	55	70	25	10	-
SC-60 1.5m	1.5	Flat Sling	65	85	25	10	2.1
SC-65/3 1.5m	1.5	Round Sling	75	80	25	10	-
SC-75/3 1.5m	1.5	Round Sling	80	95	25	10	-
SC-90 1.5m	1.5	Flat Sling	95	110	25	10	-
SC-100/3 1.5m	1.5	Round Sling	105	125	25	10	-
SC-125/3 1.5m	1.5	Round Sling	120	145	25	10	-
SC-120 1.5m	1.5	Flat Sling	125	145	25	10	4.35
SC-150/3 1.5m	1.5	Round Sling	125	145	40	25	-



Item Name short	Length [m]	For Lifting Equipment	Width Inside [mm]	Width Outside [mm]	Height Outside [mm]	Height Inside [mm]	Weight Net [kg]
SC-150 1.5m	1.5	Flat Sling	150	175	25	10	5.7
SC-180 1.5m	1.5	Flat Sling	180	210	30	15	6.3
SC-240 1.5m	1.5	Flat Sling	240	270	35	20	8.25
SC-300 1.5m	1.5	Flat Sling	310	335	35	20	10.2
SC-30 2m	2	Flat Sling	38	45	20	10	1.8
SC-50/3 2m	2	Round Sling	55	70	25	10	-
SC-60 2m	2	Flat Sling	65	85	25	10	2.8
SC-65/3 2m	2	Round Sling	75	80	25	10	-
SC-75/3 2m	2	Round Sling	80	95	25	10	-
SC-90 2m	2	Flat Sling	95	110	25	10	-
SC-100/3 2m	2	Round Sling	105	125	25	10	-
SC-125/3 2m	2	Round Sling	120	145	25	10	-
SC-120 2m	2	Flat Sling	125	145	25	10	5.8
SC-150/3 2m	2	Round Sling	125	145	40	25	-
SC-150 2m	2	Flat Sling	150	175	25	10	6.8
SC-180 2m	2	Flat Sling	180	210	30	15	8.4
SC-240 2m	2	Flat Sling	240	270	35	20	11
SC-300 2m	2	Flat Sling	310	335	35	20	13.6
SC-250-25/3 5m	5	Round Sling	190	210	50	35	-
SC-PCS-300 5m	5	Flat Sling	310	335	35	20	-
SC-50/5 6m	6	Round Sling	55	70	25	10	-
SC-250-25/3 6m	6	Round Sling	190	210	50	35	-
SC-300 7.5m	7.5	Flat Sling	310	335	35	20	83.5
SC-300 8m	8	Flat Sling	310	335	35	20	93

Item Name short	Weight per Meter [kg/m]
SC-30 0.5m	0.9
SC-50/3 0.5m	1.1
SC-60 0.5m	1.4
SC-65/3 0.5m	1.3



Item Name short	Weight per Meter [kg/m]
SC-75/3 0.5m	1.8
SC-90 0.5m	2.2
SC-100/3 0.5m	2.1
SC-125/3 0.5m	2.3
SC-120 0.5m	2.9
SC-150/3 0.5m	3.0
SC-200-20/3 0.5m	3.5
SC-150 0.5m	3.4
SC-180 0.5m	4.2
SC-PCS-180 0.5m	-
SC-240 0.5m	5.5
SC-300 0.5m	6.8
SC-30 1m	0.9
SC-PCS-30 1m	0.9
SC-50/3 1m	1.1
SC-60 1m	1.4
SC-PCS-60 1m	-
SC-65/3 1m	1.3
SC-75/3 1m	1.8
SC-PCS-90 1m	-
SC-90 1m	2.2
SC-100/3 1m	2.1
SC-125/3 1m	2.3
SC-PCS-120 1m	2.9
SC-120 1m	2.9
SC-150/3 1m	3.0
SC-200-20/3 1m	3.5
SC-150 1m	3.4
SC-PCS-150 1m	-
SC-180 1m	4.2
SC-200-20/3 1m	4.2
SC-PCS-180 1m	-
SC-240 1m	5.5



Item Name short	Weight per Meter [kg/m]
SC-300-30/3 1m	6
SC-240 1m	-
SC-PCS-240 1m	-
SC-PCS-300 1m	-
SC-300 1m	6.8
SC-30 1.5m	0.9
SC-50/3 1.5m	1.1
SC-60 1.5m	1.4
SC-65/3 1.5m	1.3
SC-75/3 1.5m	1.8
SC-90 1.5m	2.2
SC-100/3 1.5m	2.1
SC-125/3 1.5m	2.3
SC-120 1.5m	2.9
SC-150/3 1.5m	3.0
SC-150 1.5m	3.4
SC-180 1.5m	4.2
SC-240 1.5m	5.5
SC-300 1.5m	6.8
SC-30 2m	0.9
SC-50/3 2m	1.1
SC-60 2m	1.4
SC-65/3 2m	1.3
SC-75/3 2m	1.8
SC-90 2m	2.2
SC-100/3 2m	2.1
SC-125/3 2m	2.3
SC-120 2m	2.9
SC-150/3 2m	3.0
SC-150 2m	3.4
SC-180 2m	4.2
SC-240 2m	5.5
SC-300 2m	6.8



Item Name short	Weight per Meter [kg/m]
SC-250-25/3 5m	-
SC-PCS-300 5m	-
SC-50/5 6m	1.1
SC-250-25/3 6m	-
SC-300 7.5m	6.8
SC-300 8m	6.8



ORDER NUMBERS[Global Item Number/Local ERP Number SSDE]

Height Inside	Length	38 mm	55 mm	65 mm	70 mm	75 mm	80 mm	90 mm	95 mm	105 mm	120 mm
10 mm	0.5 m	2027618	2027642	2027621	-	2027645	2027648	-	2027624	2027651	2027654
10 mm	1 m	2026418	2015384	2026419	-	2015385	2015386	-	2026420	2015387	2015388
10 mm	1.5 m	2027619	2027643	2027622	-	2027646	2027649	-	2027625	2027652	2027655
10 mm	2 m	2027620	2027644	2027623	-	2027647	2027650	-	2027626	2027653	2027656
10 mm	6 m	-	2028243	-	-	-	-	-	-	-	-
15 mm	0.5 m	-	-	-	-	-	-	-	-	-	-
15 mm	1 m	2017353	-	-	-	-	-	-	-	-	-
15 mm	1.5 m	-	-	-	-	-	-	-	-	-	-
15 mm	2 m	-	-	-	-	-	-	-	-	-	-
20 mm	0.5 m	-	-	-	-	-	-	-	-	-	-
20 mm	1 m	-	-	-	2017354	-	-	2017355	-	-	-
20 mm	1.5 m	-	-	-	-	-	-	-	-	-	-
20 mm	2 m	-	-	-	-	-	-	-	-	-	-
20 mm	5 m	-	-	-	-	-	-	-	-	-	-
20 mm	7.5 m	-	-	-	-	-	-	-	-	-	-
20 mm	8 m	-	-	-	-	-	-	-	-	-	-
25 mm	0.5 m	-	-	-	-	-	-	-	-	-	-
25 mm	1 m	-	-	-	-	-	-	-	-	-	-
25 mm	1.5 m	-	-	-	-	-	-	-	-	-	-
25 mm	2 m	-	-	-	-	-	-	-	-	-	-
30 mm	0.5 m	-	-	-	-	-	-	-	-	-	-
30 mm	1 m	-	-	-	-	-	-	-	-	-	-
35 mm	1 m	-	-	-	-	-	-	-	-	-	-
35 mm	5 m	-	-	-	-	-	-	-	-	-	-
35 mm	6 m	-	-	-	-	-	-	-	-	-	-

Height Inside	125 mm	145 mm	150 mm	155 mm	180 mm	190 mm	205 mm	240 mm	245 mm	255 mm	310 mm
10 mm	2027627	-	2027630	-	-	-	-	-	-	-	-
10 mm	2026421	-	2026422	-	-	-	-	-	-	-	-
10 mm	2027628	-	2027631	-	-	-	-	-	-	-	-
10 mm	2027629	-	2027632	-	-	-	-	-	-	-	-
10 mm	-	-	-	-	-	-	-	-	-	-	-
15 mm	-	-	-	-	2027633	-	-	-	-	-	-

**SpanSet GmbH & Co.
KG**
Jülicher Straße 49-51
52531 Übach-
Palenberg
Deutschland
+49 (0) 2451 4831-0
info@spanset.de
www.spanset.com



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written authorisation of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. DB040719 © SpanSet GmbH & Co. KG - Germany

**SpanSet
Certified
Safety**

Height Inside	125 mm	145 mm	150 mm	155 mm	180 mm	190 mm	205 mm	240 mm	245 mm	255 mm	310 mm
15 mm	-	-	-	-	2026423	-	-	-	-	-	-
15 mm	-	-	-	-	2027634	-	-	-	-	-	-
15 mm	-	-	-	-	2027635	-	-	-	-	-	-
20 mm	-	2029055	-	-	-	-	-	2027636	-	-	2027639
20 mm	-	2026415	-	2017357	-	-	-	2026424	2018723	-	2026425,2017291
20 mm	-	-	-	-	-	-	-	2027637	-	-	2027640
20 mm	-	-	-	-	-	-	-	2027638	-	-	2027641
20 mm	-	-	-	-	-	-	-	-	-	-	2032225
20 mm	-	-	-	-	-	-	-	-	-	-	2033006
20 mm	-	-	-	-	-	-	-	-	-	-	2033011
25 mm	2027657	-	-	-	-	-	-	-	-	-	-
25 mm	2015389,2017356	-	-	-	-	-	-	-	-	-	-
25 mm	2027658	-	-	-	-	-	-	-	-	-	-
25 mm	2027659	-	-	-	-	-	-	-	-	-	-
30 mm	-	-	-	-	-	-	2017358	-	-	-	-
30 mm	-	-	-	-	-	-	2031289	-	2026417	2017359	-
35 mm	-	-	-	-	-	2026416	-	-	-	-	-
35 mm	-	-	-	-	-	2031030	-	-	-	-	-
35 mm	-	-	-	-	-	2031810	-	-	-	-	-

- Main Material Polyurethane
- Packaging Unit (PU) Content 1

