

Secutex Clip

Protective sleeve with longitudinal opening, quick attachment.



Item Name short	Length [m]	For Lifting Equipment	Width Inside [mm]	Width Outside [mm]	Height Outside [mm]	Height Inside [mm]	Weight Net [kg]
SC-30 0.5m	0.5	Flat Sling	38	45	20	10	0.45
SC-50/3 0.5m	0.5	Round Sling	55	70	25	10	-
SC-60 0.5m	0.5	Flat Sling	65	85	25	10	0.7
SC-65/3 0.5m	0.5	Round Sling	75	80	25	10	-
SC-75/3 0.5m	0.5	Round Sling	80	95	25	10	-
SC-90 0.5m	0.5	Flat Sling	95	110	25	10	1.1
SC-100/3 0.5m	0.5	Round Sling	105	125	25	10	-
SC-125/3 0.5m	0.5	Round Sling	120	145	25	10	-
SC-120 0.5m	0.5	Flat Sling	125	145	25	10	1.45
SC-150/3 0.5m	0.5	Round Sling	125	145	40	25	-
SC-200-20/3 0.5m	0.5	Round Sling	145	165	35	20	-
SC-150 0.5m	0.5	Flat Sling	150	175	25	10	1.7
SC-180 0.5m	0.5	Flat Sling	180	210	30	15	2.1
SC-240 0.5m	0.5	Flat Sling	240	270	35	20	2.75
SC-300 0.5m	0.5	Flat Sling	310	335	35	20	3.4
SC-30 1m	1	Flat Sling	38	45	20	10	0.9
SC-50/3 1m	1	Round Sling	55	70	25	10	-
SC-60 1m	1	Flat Sling	65	85	25	10	1.4
SC-65/3 1m	1	Round Sling	75	80	25	10	-
SC-75/3 1m	1	Round Sling	80	95	25	10	-
SC-90 1m	1	Flat Sling	95	110	25	10	-
SC-100/3 1m	1	Round Sling	105	125	25	10	-
SC-125/3 1m	1	Round Sling	120	145	25	10	-
SC-120 1m	1	Flat Sling	125	145	25	10	2.9
SC-150/3 1m	1	Round Sling	125	145	40	25	-
SC-200-20/3 1m	1	Round Sling	145	165	35	20	-
SC-150 1m	1	Flat Sling	150	175	25	10	3.4
SC-180 1m	1	Flat Sling	180	210	30	15	4.2



Item Name short	Length [m]	For Lifting Equipment	Width Inside [mm]	Width Outside [mm]	Height Outside [mm]	Height Inside [mm]	Weight Net [kg]
SC-200-20/3 1m	1	Round Sling	190	210	50	35	-
SC-240 1m	1	Flat Sling	240	270	35	20	5.5
SC-300-30/3 1m	1	Round Sling	245	265	45	30	-
SC-PCS-300 1m	1	Flat Sling	310	335	35	20	-
SC-300 1m	1	Flat Sling	310	335	35	20	6.8
SC-30 1.5m	1.5	Flat Sling	38	45	20	10	1.35
SC-50/3 1.5m	1.5	Round Sling	55	70	25	10	-
SC-60 1.5m	1.5	Flat Sling	65	85	25	10	2.1
SC-65/3 1.5m	1.5	Round Sling	75	80	25	10	-
SC-75/3 1.5m	1.5	Round Sling	80	95	25	10	-
SC-90 1.5m	1.5	Flat Sling	95	110	25	10	-
SC-100/3 1.5m	1.5	Round Sling	105	125	25	10	-
SC-125/3 1.5m	1.5	Round Sling	120	145	25	10	-
SC-120 1.5m	1.5	Flat Sling	125	145	25	10	4.35
SC-150/3 1.5m	1.5	Round Sling	125	145	40	25	-
SC-150 1.5m	1.5	Flat Sling	150	175	25	10	5.7
SC-180 1.5m	1.5	Flat Sling	180	210	30	15	6.3
SC-240 1.5m	1.5	Flat Sling	240	270	35	20	8.25
SC-300 1.5m	1.5	Flat Sling	310	335	35	20	10.2
SC-30 2m	2	Flat Sling	38	45	20	10	1.8
SC-50/3 2m	2	Round Sling	55	70	25	10	-
SC-60 2m	2	Flat Sling	65	85	25	10	2.8
SC-65/3 2m	2	Round Sling	75	80	25	10	-
SC-75/3 2m	2	Round Sling	80	95	25	10	-
SC-90 2m	2	Flat Sling	95	110	25	10	-
SC-100/3 2m	2	Round Sling	105	125	25	10	-
SC-125/3 2m	2	Round Sling	120	145	25	10	-
SC-120 2m	2	Flat Sling	125	145	25	10	5.8
SC-150/3 2m	2	Round Sling	125	145	40	25	-



Item Name short	Length [m]	For Lifting Equipment	Width Inside [mm]	Width Outside [mm]	Height Outside [mm]	Height Inside [mm]	Weight Net [kg]
SC-150 2m	2	Flat Sling	150	175	25	10	6.8
SC-180 2m	2	Flat Sling	180	210	30	15	8.4
SC-240 2m	2	Flat Sling	240	270	35	20	11
SC-300 2m	2	Flat Sling	310	335	35	20	13.6
SC-50/5 6m	6	Round Sling	55	70	25	10	-

Item Name short	Weight per Meter [kg/m]
SC-30 0.5m	0.9
SC-50/3 0.5m	1.1
SC-60 0.5m	1.4
SC-65/3 0.5m	1.3
SC-75/3 0.5m	1.8
SC-90 0.5m	2.2
SC-100/3 0.5m	2.1
SC-125/3 0.5m	2.3
SC-120 0.5m	2.9
SC-150/3 0.5m	3.0
SC-200-20/3 0.5m	3.5
SC-150 0.5m	3.4
SC-180 0.5m	4.2
SC-240 0.5m	5.5
SC-300 0.5m	6.8
SC-30 1m	0.9
SC-50/3 1m	1.1
SC-60 1m	1.4
SC-65/3 1m	1.3
SC-75/3 1m	1.8
SC-90 1m	2.2
SC-100/3 1m	2.1
SC-125/3 1m	2.3
SC-120 1m	2.9



Item Name short	Weight per Meter [kg/m]
SC-150/3 1m	3.0
SC-200-20/3 1m	3.5
SC-150 1m	3.4
SC-180 1m	4.2
SC-200-20/3 1m	4.2
SC-240 1m	5.5
SC-300-30/3 1m	6
SC-PCS-300 1m	-
SC-300 1m	6.8
SC-30 1.5m	0.9
SC-50/3 1.5m	1.1
SC-60 1.5m	1.4
SC-65/3 1.5m	1.3
SC-75/3 1.5m	1.8
SC-90 1.5m	2.2
SC-100/3 1.5m	2.1
SC-125/3 1.5m	2.3
SC-120 1.5m	2.9
SC-150/3 1.5m	3.0
SC-150 1.5m	3.4
SC-180 1.5m	4.2
SC-240 1.5m	5.5
SC-300 1.5m	6.8
SC-30 2m	0.9
SC-50/3 2m	1.1
SC-60 2m	1.4
SC-65/3 2m	1.3
SC-75/3 2m	1.8
SC-90 2m	2.2
SC-100/3 2m	2.1
SC-125/3 2m	2.3
SC-120 2m	2.9
SC-150/3 2m	3.0



Item Name short	Weight per Meter [kg/m]
SC-150 2m	3.4
SC-180 2m	4.2
SC-240 2m	5.5
SC-300 2m	6.8
SC-50/5 6m	1.1



ORDER NUMBERS[Global Item Number/Local ERP Number SSUK]

Height Inside	Length	38 mm	55 mm	65 mm	75 mm	80 mm	95 mm	105 mm	120 mm	125 mm	145 mm
10 mm	0.5 m	2027618	2027642	2027621	2027645	2027648	2027624	2027651	2027654	2027627	-
10 mm	1 m	2026418	2015384	2026419	2015385	2015386	2026420	2015387	2015388	2026421	-
10 mm	1.5 m	2027619	2027643	2027622	2027646	2027649	2027625	2027652	2027655	2027628	-
10 mm	2 m	2027620	2027644	2027623	2027647	2027650	2027626	2027653	2027656	2027629	-
10 mm	6 m	-	2028243	-	-	-	-	-	-	-	-
15 mm	0.5 m	-	-	-	-	-	-	-	-	-	-
15 mm	1 m	-	-	-	-	-	-	-	-	-	-
15 mm	1.5 m	-	-	-	-	-	-	-	-	-	-
15 mm	2 m	-	-	-	-	-	-	-	-	-	-
20 mm	0.5 m	-	-	-	-	-	-	-	-	-	2029055
20 mm	1 m	-	-	-	-	-	-	-	-	-	2026415
20 mm	1.5 m	-	-	-	-	-	-	-	-	-	-
20 mm	2 m	-	-	-	-	-	-	-	-	-	-
25 mm	0.5 m	-	-	-	-	-	-	-	-	2027657	-
25 mm	1 m	-	-	-	-	-	-	-	-	2015389	-
25 mm	1.5 m	-	-	-	-	-	-	-	-	2027658	-
25 mm	2 m	-	-	-	-	-	-	-	-	2027659	-
30 mm	1 m	-	-	-	-	-	-	-	-	-	-
35 mm	1 m	-	-	-	-	-	-	-	-	-	-

Height Inside	150 mm	180 mm	190 mm	240 mm	245 mm	310 mm
10 mm	2027630	-	-	-	-	-
10 mm	2026422	-	-	-	-	-
10 mm	2027631	-	-	-	-	-
10 mm	2027632	-	-	-	-	-
10 mm	-	-	-	-	-	-
15 mm	-	2027633	-	-	-	-
15 mm	-	2026423	-	-	-	-
15 mm	-	2027634	-	-	-	-
15 mm	-	2027635	-	-	-	-
20 mm	-	-	-	2027636	-	2027639
20 mm	-	-	-	2026424	-	2026425,2017291 2017291



Height Inside	150 mm	180 mm	190 mm	240 mm	245 mm	310 mm
20 mm	-	-	-	2027637	-	2027640
20 mm	-	-	-	2027638	-	2027641
25 mm	-	-	-	-	-	-
25 mm	-	-	-	-	-	-
25 mm	-	-	-	-	-	-
25 mm	-	-	-	-	-	-
30 mm	-	-	-	-	2026417	-
35 mm	-	-	2026416	-	-	-

- Main Material Polyurethane
- Packaging Unit (PU) Content 1

