



SpannFix 50mm

Ideal for Panel Vans , Smaller Pick-ups and wrap around applications

Item Name short	Lashing Type	Lashing Capacity [daN]	L1 [m]	L2 [m]	L3 [m]	Lashing End Fitting Component
RL1803 LC500/50/STF230 2pc 4m DJH	Two-piece	500	4	0.3	3.7	DJH-50
RL1803 LC500/50/STF230 2pc 4m JH	Two-piece	500	4	0.3	3.7	JH-50
RL1803 LC500/50/STF230 2pc 4m RH	Two-piece	500	4	0.3	3.7	RH-50
RL1803 LC500/50/STF230 2pc 4m SHS	Two-piece	500	4	0.3	3.7	SHS-25
RL1803 LC500/50/STF230 2pc 6m RH	Two-piece	500	6	0.3	5.7	RH-50
RL1803 LC500/50/STF230 2pc 6m DJH	Two-piece	500	6	0.3	5.7	DJH-50
RL1803 LC500/50/STF230 2pc 6m SHS	Two-piece	500	6	0.3	5.7	SHS-25
RL1803 LC1000/50 1pc 4m	One-piece	1000	4	-	-	No
RL1803 LC1000/50 1pc 6m	One-piece	1000	6	-	-	No

**SpanSet GmbH & Co.
KG**

Jülicher Straße 49-51
52531 Übach-
Palenberg
Deutschland
+49 (0) 2451 4831-0
info@spanset.de
www.spanset.com



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written authorisation of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. DB040719 © SpanSet GmbH & Co. KG - Germany

**SpanSet
Certified
Safety**



ORDER NUMBERS[Global Item Number/Local ERP Number SSDE]

Lashing Type	Lashing End Fitting Component	4 m	6 m
One-piece	 No	2003025 D056657	2024160 D056658
Two-piece	 SHS-25	2004048 D059627	2024161 D056660
Two-piece	 DJH-50	2003532 D059629	-
Two-piece	 JH-50	2030923 D003660	-
Two-piece	 RH-50	2003533 D059628	2024163 D067069
Two-piece	 DJH-50	-	2024162 D061117

■ Norms	EN 12195-2: 2001
■ Surface Coating	Galvanized
■ Webbing Material	Polyester
■ Colour	Orange
■ Webbing Width B	50 mm
■ Standard Tension Force	230 daN
■ Anti Belt Slip (ABS)	No
■ Tension Force Indicator (TFI)	No
■ Label Protection	No
■ Handle Type	Short Wide
■ Packaging Unit (PU) Content	1

SpanSet GmbH & Co. KG
Jülicher Straße 49-51
52531 Übach-
Palenberg
Deutschland
+49 (0) 2451 4831-0
info@spanset.de
www.spanset.com



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written authorisation of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. DB040719 © SpanSet GmbH & Co. KG - Germany

**SpanSet
Certified
Safety**