

Stage Sling

Designed for stage and background work for the entertainment industry where reduced equipment visibility is desirable



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
EB1000-0x1.5	1000	1	1.5	45	6	18	0.45
EB1000-0x2.0	1000	1	2	45	6	18	0.6
EB1000-0x2.5	1000	1	2.5	45	6	18	0.75
EB1000-0x3.0	1000	1	3	45	6	18	0.9
EB1000-0x4.0	1000	1	4	45	6	18	1.2
EB1000-0x5.0	1000	1	5	45	6	18	1.5
EB1000-0x6.0	1000	1	6	45	6	18	1.8
EB1000-0x7.0	1000	1	7	45	6	18	2.1
EB1000-0x8.0	1000	1	8	45	6	18	2.4
EB1000-0x20	1000	1	20	45	6	18	6
EB2000-0x1.5	2000	2	1.5	48	7	21	0.75
EB2000-0x2.0	2000	2	2	48	7	21	1
EB2000-0x2.5	2000	2	2.5	48	7	21	1.25
EB2000-0x3.0	2000	2	3	48	7	21	1.5
EB2000-0x4.0	2000	2	4	48	7	21	2
EB2000-0x5.0	2000	2	5	48	7	21	2.5
EB2000-0x6.0	2000	2	6	48	7	21	3
EB2000-0x7.0	2000	2	7	48	7	21	3.5
EB2000-0x10	2000	2	10	48	7	21	5
EB3000-0x1.5	3000	3	1.5	60	8	24	1.2
EB3000-0x2.0	3000	3	2	60	8	24	1.6
EB3000-0x2.5	3000	3	2.5	60	8	24	2
EB3000-0x3.0	3000	3	3	60	8	24	2.4
EB3000-0x4.0	3000	3	4	60	8	24	3.2
EB3000-0x5.0	3000	3	5	60	8	24	4
EB3000-0x6.0	3000	3	6	60	8	24	4.8
EB3000-0x8.0	3000	3	8	60	8	24	6.4



Item Name short	Weight per Meter [kg/m]
EB1000-0x1.5	0.3
EB1000-0x2.0	0.3
EB1000-0x2.5	0.3
EB1000-0x3.0	0.3
EB1000-0x4.0	0.3
EB1000-0x5.0	0.3
EB1000-0x6.0	0.3
EB1000-0x7.0	0.3
EB1000-0x8.0	0.3
EB1000-0x20	0.3
EB2000-0x1.5	0.5
EB2000-0x2.0	0.5
EB2000-0x2.5	0.5
EB2000-0x3.0	0.5
EB2000-0x4.0	0.5
EB2000-0x5.0	0.5
EB2000-0x6.0	0.5
EB2000-0x7.0	0.5
EB2000-0x10	0.5
EB3000-0x1.5	0.8
EB3000-0x2.0	0.8
EB3000-0x2.5	0.8
EB3000-0x3.0	0.8
EB3000-0x4.0	0.8
EB3000-0x5.0	0.8
EB3000-0x6.0	0.8
EB3000-0x8.0	0.8



ORDER NUMBERS[Global Item Number/Local ERP Number SSAU]

WLL kg	1.5 m	2 m	2.5 m	3 m	4 m	5 m	6 m	7 m	8 m	10 m	20 m
1000 kg	2029001 EB1000-0x1.5	2029002 EB1000-0x2.0	2029003 EB1000-0x2.5	2029004 EB1000-0x3.0	2029005 EB1000-0x4.0	2029006 EB1000-0x5.0	2029007 EB1000-0x6.0	2029008 EB1000-0x7.0	2029009 EB1000-0x8.0	-	2029010 EB1000-0x20
2000 kg	2029011 EB2000-0x1.5	2029012 EB2000-0x2.0	2029013 EB2000-0x2.5	2029014 EB2000-0x3.0	2029015 EB2000-0x4.0	2029016 EB2000-0x5.0	2029017 EB2000-0x6.0	2029018 EB2000-0x7.0	-	2029019 EB2000-0x10	-
3000 kg	2029020 EB3000-0x1.5	2029021 EB3000-0x2.0	2029022 EB3000-0x2.5	2029023 EB3000-0x3.0	2029024 EB3000-0x4.0	2029025 EB3000-0x5.0	2029026 EB3000-0x6.0	-	2029027 EB3000-0x8.0	-	-

■ Standards	AS 4497:2018
■ Main Material	Polyester
■ Colour	Black
■ Temperature Range	-40°C to 100°C
■ Label Protection	No
■ Packaging Unit (PU) Content	1

