

SupraPlus

Lifts smooth objects without damage



Item Name short	WLL kg [kg]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
SupraPlus 1t 1.5m	1000	1.5	0.5	36	6	18	0.52
SupraPlus 1t 2m	1000	2	0.5	36	6	18	0.7
SupraPlus 1t 2.5m	1000	2.5	0.5	36	6	18	0.87
SupraPlus 1t 3m	1000	3	0.5	36	6	18	1.05
SupraPlus 1t 4m	1000	4	0.5	36	6	18	1.4
SupraPlus 1t 5m	1000	5	0.5	36	6	18	1.75
SupraPlus 1t 6m	1000	6	0.5	36	6	18	2.1
SupraPlus 1t 8m	1000	8	0.5	36	6	18	2.8
SupraPlus 1t 10m	1000	10	0.5	36	6	18	3.5
SupraPlus 2t 1.5m	2000	1.5	0.5	37	8	24	0.75
SupraPlus 2t 2m	2000	2	0.5	37	8	24	1
SupraPlus 2t 2.5m	2000	2.5	0.5	37	8	24	1.25
SupraPlus 2t 3m	2000	3	0.5	37	8	24	1.5
SupraPlus 2t 4m	2000	4	0.5	37	8	24	2
SupraPlus 2t 5m	2000	5	0.5	37	8	24	2.5
SupraPlus 2t 6m	2000	6	0.5	37	8	24	3
SupraPlus 2t 8m	2000	8	0.5	37	8	24	4
SupraPlus 2t 10m	2000	10	0.5	37	8	24	5
SupraPlus 3t 1.5m	3000	1.5	0.5	44	10	30	0.9



Item Name short	WLL kg [kg]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
SupraPlus 3t 2m	3000	2	0.5	44	10	30	1.2
SupraPlus 3t 2.5m	3000	2.5	0.5	44	10	30	1.5
SupraPlus 3t 3m	3000	3	0.5	44	10	30	1.8
SupraPlus 3t 4m	3000	4	0.5	44	10	30	2.4
SupraPlus 3t 5m	3000	5	0.5	44	10	30	3
SupraPlus 3t 6m	3000	6	0.5	44	10	30	3.6
SupraPlus 3t 7m	3000	7	0.5	44	10	30	4.2
SupraPlus 3t 8m	3000	8	0.5	44	10	30	4.8
SupraPlus 4t 1.5m	4000	1.5	1.0	52	12	36	1.35
SupraPlus 4t 2m	4000	2	1.0	52	12	36	1.8
SupraPlus 4t 2.5m	4000	2.5	1.0	52	12	36	2.25
SupraPlus 4t 3m	4000	3	1.0	52	12	36	2.7
SupraPlus 4t 4m	4000	4	1.0	52	12	36	3.6
SupraPlus 4t 5m	4000	5	1.0	52	12	36	4.5
SupraPlus 4t 6m	4000	6	1.0	52	12	36	5.4
SupraPlus 4t 7m	4000	7	1.0	52	12	36	6.3
SuperPlus 5t 1.5m	5000	1.5	1.0	59	13	39	1.5
SupraPlus 5t 2m	5000	2	1.0	59	13	39	2
SupraPlus 5t 2.5m	5000	2.5	1.0	59	13	39	2.5
SupraPlus 5t 3m	5000	3	1.0	59	13	39	3



Item Name short	WLL kg [kg]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
SupraPlus 5t 4m	5000	4	1.0	59	13	39	4
SupraPlus 5t 5m	5000	5	1.0	59	13	39	5
SupraPlus 5t 6m	5000	6	1.0	59	13	39	6
SupraPlus 5t 8m	5000	8	1.0	59	13	39	8
SupraPlus 6t 1.5m	6000	1.5	1.0	65	14	42	1.95
SupraPlus 6t 2m	6000	2	1.0	65	14	42	2.6
SupraPlus 6t 2.5m	6000	2.5	1.0	65	14	42	3.25
SupraPlus 6t 3m	6000	3	1.0	65	14	42	3.9
SupraPlus 6t 4m	6000	4	1.0	65	14	42	5.2
SupraPlus 6t 5m	6000	5	1.0	65	14	42	6.5
SupraPlus 6t 6m	6000	6	1.0	65	14	42	7.8
SupraPlus 6t 7m	6000	7	1.0	65	14	42	9.1
SupraPlus 6t 10m	6000	10	1.0	65	14	42	13
SupraPlus 8t 1.5m	8000	1.5	1.5	68	17	51	2.55
SupraPlus 8t 2m	8000	2	1.5	68	17	51	3.4
SupraPlus 8t 2.5m	8000	2.5	1.5	68	17	51	4.25
SupraPlus 8t 3m	8000	3	1.5	68	17	51	5.1
SupraPlus 8t 4m	8000	4	1.5	68	17	51	6.8
SupraPlus 8t 5m	8000	5	1.5	68	17	51	8.5
SupraPlus 8t 6m	8000	6	1.5	68	17	51	10.2



Item Name short	WLL kg [kg]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Minimum Load Edge Radius [mm]	Weight Net [kg]
SupraPlus 8t 7m	8000	7	1.5	68	17	51	11.9
SupraPlus 8t 8m	8000	8	1.5	68	17	51	13.6

Item Name short	Weight per Meter [kg/m]	Colour
SupraPlus 1t 1.5m	0.35	Purple
SupraPlus 1t 2m	0.35	Purple
SupraPlus 1t 2.5m	0.35	Purple
SupraPlus 1t 3m	0.35	Purple
SupraPlus 1t 4m	0.35	Purple
SupraPlus 1t 5m	0.35	Purple
SupraPlus 1t 6m	0.35	Purple
SupraPlus 1t 8m	0.35	Purple
SupraPlus 1t 10m	0.35	Purple
SupraPlus 2t 1.5m	0.50	Green
SupraPlus 2t 2m	0.50	Green
SupraPlus 2t 2.5m	0.50	Green
SupraPlus 2t 3m	0.50	Green
SupraPlus 2t 4m	0.50	Green
SupraPlus 2t 5m	0.50	Green
SupraPlus 2t 6m	0.50	Green
SupraPlus 2t 8m	0.50	Green
SupraPlus 2t 10m	0.50	Green
SupraPlus 3t 1.5m	0.60	Yellow
SupraPlus 3t 2m	0.60	Yellow



Item Name short	Weight per Meter [kg/m]	Colour
SupraPlus 3t 2.5m	0.60	Yellow
SupraPlus 3t 3m	0.60	Yellow
SupraPlus 3t 4m	0.60	Yellow
SupraPlus 3t 5m	0.60	Yellow
SupraPlus 3t 6m	0.60	Yellow
SupraPlus 3t 7m	0.60	Yellow
SupraPlus 3t 8m	0.60	Yellow
SupraPlus 4t 1.5m	0.90	Grey
SupraPlus 4t 2m	0.90	Grey
SupraPlus 4t 2.5m	0.90	Grey
SupraPlus 4t 3m	0.90	Grey
SupraPlus 4t 4m	0.90	Grey
SupraPlus 4t 5m	0.90	Grey
SupraPlus 4t 6m	0.90	Grey
SupraPlus 4t 7m	0.90	Grey
SupraPlus 5t 1.5m	1.00	Red
SupraPlus 5t 2m	1.00	Red
SupraPlus 5t 2.5m	1.00	Red
SupraPlus 5t 3m	1.00	Red
SupraPlus 5t 4m	1.00	Red
SupraPlus 5t 5m	1.00	Red
SupraPlus 5t 6m	1.00	Red
SupraPlus 5t 8m	1.00	Red
SupraPlus 6t 1.5m	1.30	Brown
SupraPlus 6t 2m	1.30	Brown
SupraPlus 6t 2.5m	1.30	Brown



Item Name short	Weight per Meter [kg/m]	Colour
SupraPlus 6t 3m	1.30	Brown
SupraPlus 6t 4m	1.30	Brown
SupraPlus 6t 5m	1.30	Brown
SupraPlus 6t 6m	1.30	Brown
SupraPlus 6t 7m	1.30	Brown
SupraPlus 6t 10m	1.30	Brown
SupraPlus 8t 1.5m	1.70	Blue
SupraPlus 8t 2m	1.70	Blue
SupraPlus 8t 2.5m	1.70	Blue
SupraPlus 8t 3m	1.70	Blue
SupraPlus 8t 4m	1.70	Blue
SupraPlus 8t 5m	1.70	Blue
SupraPlus 8t 6m	1.70	Blue
SupraPlus 8t 7m	1.70	Blue
SupraPlus 8t 8m	1.70	Blue

ORDER NUMBERS[Global Item Number/Local ERP Number SSAU]

WLL kg	1.5 m	2 m	2.5 m	3 m	4 m	5 m	6 m	7 m	8 m	10 m
1000 kg	2028413 SP1000-0x1.5	2028414 SP1000-0x2.0	2028415 SP1000-0x2.5	2028416 SP1000-0x3.0	2028417 SP1000-0x4.0	2028418 SP1000-0x5.0	2028419 SP1000-0x6.0	-	2028420 SP1000-0x8.0	2028421 SP1000-0x10
2000 kg	2028422 SP2000-0x1.5	2028423 SP2000-0x2.0	2028424 SP2000-0x2.5	2028425 SP2000-0x3.0	2028426 SP2000-0x4.0	2028427 SP2000-0x5.0	2028428 SP2000-0x6.0	-	2028429 SP2000-0x8.0	2028430 SP2000-0x10
3000 kg	2028431 SP3000-0x1.5	2028432 SP3000-0x2.0	2028433 SP3000-0x2.5	2028434 SP3000-0x3.0	2028435 SP3000-0x4.0	2028436 SP3000-0x5.0	2028437 SP3000-0x6.0	2028438 SP3000-0x7.0	2028439 SP3000-0x8.0	-
4000 kg	2028440 SP4000-0x1.5	2028441 SP4000-0x2.0	2028442 SP4000-0x2.5	2028443 SP4000-0x3.0	2028444 SP4000-0x4.0	2028445 SP4000-0x5.0	2028446 SP4000-0x6.0	2028447 SP4000-0x7.0	-	-
5000 kg	2028452 SP5000-0x1.5	2028453 SP5000-0x2.0	2028454 SP5000-0x2.5	2028455 SP5000-0x3.0	2028456 SP5000-0x4.0	2028457 SP5000-0x5.0	2028458 SP5000-0x6.0	-	2028459 SP5000-0x8.0	-
6000 kg	2028460 SP6000-0x1.5	2028461 SP6000-0x2.0	2028462 SP6000-0x2.5	2028463 SP6000-0x3.0	2028464 SP6000-0x4.0	2028465 SP6000-0x5.0	2028472 SP6000-0x6.0	2028473 SP6000-0x7.0	-	2028474 SP6000-0x10
8000 kg	2028475 SP8000-0x1.5	2028476 SP8000-0x2.0	2028477 SP8000-0x2.5	2028478 SP8000-0x3.0	2028479 SP8000-0x4.0	2028480 SP8000-0x5.0	2028481 SP8000-0x6.0	2028482 SP8000-0x7.0	2028483 SP8000-0x8.0	-



■ Standards	AS 4497:2018
■ Main Material	Polyester
■ Temperature Range	-40°C to 100°C
■ Label Protection	Yes
■ Packaging Unit (PU) Content	1

