

SupraPlus Round sling

SupraPlus roundsling by SpanSet, designed for heavy-duty lifting tasks, offering durability and high load capacity for industrial use.



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Weight Net [kg]
SupraPlus 0.5t 1m	500	0.5	1	0.5	36	5	0.8
SupraPlus 0.5t 2m	500	0.5	2	0.5	36	5	1.1
SupraPlus 0.5t 3m	500	0.5	3	0.5	36	5	1.4
SupraPlus 0.5t 4m	500	0.5	4	0.5	36	5	1.7
SupraPlus 0.5t 5m	500	0.5	5	0.5	36	5	2
SupraPlus 0.5t 6m	500	0.5	6	0.5	36	5	2.3
SupraPlus 0.5t 7m	500	0.5	7	0.5	36	5	2.6
SupraPlus 0.5t 8m	500	0.5	8	0.5	36	5	2.9
SupraPlus 0.5t 9m	500	0.5	9	0.5	36	5	3.2
SupraPlus 0.5t 10m	500	0.5	10	0.5	36	5	3.5
SupraPlus 1t 1m	1000	1	1	0.5	36	6	0.9
SupraPlus 1t 1.5m	1000	1	1.5	0.5	36	6	0.45
SupraPlus 1t 2m	1000	1	2	0.5	36	6	1.2
SupraPlus 1t 3m	1000	1	3	0.5	36	6	1.6
SupraPlus 1t 4m	1000	1	4	0.5	36	6	1.9
SupraPlus 1t 5m	1000	1	5	0.5	36	6	2.3
SupraPlus 1t 6m	1000	1	6	0.5	36	6	2.6
SupraPlus 1t 7m	1000	1	7	0.5	36	6	3
SupraPlus 1t 8m	1000	1	8	0.5	36	6	3.3



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Weight Net [kg]
SupraPlus 1t 9m	1000	1	9	0.5	36	6	3.7
SupraPlus 1t 10m	1000	1	10	0.5	36	6	4
SupraPlus 2t 1m	2000	2	1	0.5	37	8	1
SupraPlus 2t 1.5m	2000	2	1.5	0.5	37	8	0.75
SupraPlus 2t 2m	2000	2	2	0.5	37	8	1.5
SupraPlus 2t 2.5m	2000	2	2.5	0.5	37	8	1.25
SupraPlus 2t 3m	2000	2	3	0.5	37	8	2
SupraPlus 2t 5m	2000	2	5	0.5	37	8	3
SupraPlus 2t 6m	2000	2	6	0.5	37	8	3.5
SupraPlus 2t 7m	2000	2	7	0.5	37	8	4
SupraPlus 2t 8m	2000	2	8	0.5	37	8	4.5
SupraPlus 2t 9m	2000	2	9	0.5	37	8	5
SupraPlus 2t 10m	2000	2	10	0.5	37	8	5.5
SupraPlus 3t 1m	3000	3	1	0.75	44	10	1.1
SupraPlus 3t 1.5m	3000	3	1.5	0.75	44	10	0.9
SupraPlus 3t 2m	3000	3	2	0.75	44	10	1.7
SupraPlus 3t 3m	3000	3	3	0.75	44	10	2.3
SupraPlus 3t 4m	3000	3	4	0.75	44	10	2.9
SupraPlus 3t 5m	3000	3	5	0.75	44	10	3.5
SupraPlus 3t 6m	3000	3	6	0.75	44	10	4.1



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Weight Net [kg]
SupraPlus 3t 7m	3000	3	7	0.75	44	10	4.7
SupraPlus 3t 8m	3000	3	8	0.75	44	10	5.3
SupraPlus 3t 9m	3000	3	9	0.75	44	10	5.9
SupraPlus 3t 10m	3000	3	10	0.75	44	10	6.5
SupraPlus 4t 1m	4000	4	1	0.75	52	12	1.4
SupraPlus 4t 2m	4000	4	2	0.75	52	12	2.3
SupraPlus 4t 3m	4000	4	3	0.75	52	12	3.2
SupraPlus 4t 4m	4000	4	4	0.75	52	12	4.1
SupraPlus 4t 5m	4000	4	5	0.75	52	12	5
SupraPlus 4t 6m	4000	4	6	0.75	52	12	5.9
SupraPlus 4t 7m	4000	4	7	0.75	52	12	6.8
SupraPlus 4t 8m	4000	4	8	0.75	52	12	7.7
SupraPlus 4t 9m	4000	4	9	0.75	52	12	8.6
SupraPlus 4t 10m	4000	4	10	0.75	52	12	9.5
SupraPlus 5t 0.75m	5000	5	0.75	1	59	13	0.75
SupraPlus 5t 1m	5000	5	1	1	59	13	1.5
SupraPlus 5t 1.5m	5000	5	1.5	1	59	13	1.5
SupraPlus 5t 2m	5000	5	2	1	59	13	2.5
SupraPlus 5t 3m	5000	5	3	1	59	13	3.5
SupraPlus 5t 4m	5000	5	4	1	59	13	4.5



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Weight Net [kg]
SupraPlus 5t 5m	5000	5	5	1	59	13	5.5
SupraPlus 5t 6m	5000	5	6	1	59	13	6.5
SupraPlus 5t 7m	5000	5	7	1	59	13	7.5
SupraPlus 5t 8m	5000	5	8	1	59	13	8.5
SupraPlus 5t 9m	5000	5	9	1	59	13	9.5
SupraPlus 5t 10m	5000	5	10	1	59	13	10.5
SupraPlus 6t 1m	6000	6	1.0	1	65	14	1.8
SupraPlus 6t 1.5m	6000	6	1.5	1	65	14	1.95
SupraPlus 6t 2m	6000	6	2	1	65	14	3.1
SupraPlus 6t 3m	6000	6	3	1	65	14	4.4
SupraPlus 6t 4m	6000	6	4	1	65	14	5.7
SupraPlus 6t 5m	6000	6	5	1	65	14	7
SupraPlus 6t 6m	6000	6	6	1	65	14	8.3
SupraPlus 6t 7m	6000	6	7	1	65	14	9.6
SupraPlus 6t 8m	6000	6	8	1	65	14	10.9
SupraPlus 6t 9m	6000	6	9	1	65	14	12.2
SupraPlus 6t 10m	6000	6	10	1	65	14	13.5
SupraPlus 8t 1m	8000	8	1.0	1	68	17	2.2
SupraPlus 8t 1.5m	8000	8	1.5	1	68	17	2.7
SupraPlus 8t 1.75m	8000	8	1.75	1	68	17	3.15



Item Name short	WLL kg [kg]	WLL t [t]	L1 [m]	L1 min. [m]	Contact Width Under Load [mm]	Contact Thickness Under Load [mm]	Weight Net [kg]
SupraPlus 8t 2m	8000	8	2	1	68	17	3.9
SupraPlus 8t 3m	8000	8	3	1	68	17	5.6
SupraPlus 8t 4m	8000	8	4	1	68	17	7.3
SupraPlus 8t 5m	8000	8	5	1	68	17	9
SupraPlus 8t 6m	8000	8	6	1	68	17	10.7
SupraPlus 8t 7m	8000	8	7	1	68	17	12.4
SupraPlus 8t 8m	8000	8	8	1	68	17	14.1
SupraPlus 8t 9m	8000	8	9	1	68	17	15.8
SupraPlus 8t 10m	8000	8	10	1	68	17	17.5

Item Name short	Weight per Meter [kg/m]	Colour
SupraPlus 0.5t 1m	0.2	Olive
SupraPlus 0.5t 2m	0.2	Olive
SupraPlus 0.5t 3m	0.2	Olive
SupraPlus 0.5t 4m	0.2	Olive
SupraPlus 0.5t 5m	0.2	Olive
SupraPlus 0.5t 6m	0.2	Olive
SupraPlus 0.5t 7m	0.2	Olive
SupraPlus 0.5t 8m	0.2	Olive
SupraPlus 0.5t 9m	0.2	Olive
SupraPlus 0.5t 10m	0.2	Olive
SupraPlus 1t 1m	0.3	Purple
SupraPlus 1t 1.5m	0.3	Purple



Item Name short	Weight per Meter [kg/m]	Colour
SupraPlus 1t 2m	0.3	Purple
SupraPlus 1t 3m	0.3	Purple
SupraPlus 1t 4m	0.3	Purple
SupraPlus 1t 5m	0.3	Purple
SupraPlus 1t 6m	0.3	Purple
SupraPlus 1t 7m	0.3	Purple
SupraPlus 1t 8m	0.3	Purple
SupraPlus 1t 9m	0.3	Purple
SupraPlus 1t 10m	0.3	Purple
SupraPlus 2t 1m	0.5	Green
SupraPlus 2t 1.5m	0.5	Green
SupraPlus 2t 2m	0.5	Green
SupraPlus 2t 2.5m	0.5	Green
SupraPlus 2t 3m	0.5	Green
SupraPlus 2t 5m	0.5	Green
SupraPlus 2t 6m	0.5	Green
SupraPlus 2t 7m	0.5	Green
SupraPlus 2t 8m	0.5	Green
SupraPlus 2t 9m	0.5	Green
SupraPlus 2t 10m	0.5	Green
SupraPlus 3t 1m	0.6	Yellow
SupraPlus 3t 1.5m	0.6	Yellow
SupraPlus 3t 2m	0.6	Yellow
SupraPlus 3t 3m	0.6	Yellow
SupraPlus 3t 4m	0.6	Yellow
SupraPlus 3t 5m	0.6	Yellow



Item Name short	Weight per Meter [kg/m]	Colour
SupraPlus 3t 6m	0.6	Yellow
SupraPlus 3t 7m	0.6	Yellow
SupraPlus 3t 8m	0.6	Yellow
SupraPlus 3t 9m	0.6	Yellow
SupraPlus 3t 10m	0.6	Yellow
SupraPlus 4t 1m	0.8	Grey
SupraPlus 4t 2m	0.8	Grey
SupraPlus 4t 3m	0.8	Grey
SupraPlus 4t 4m	0.8	Grey
SupraPlus 4t 5m	0.8	Grey
SupraPlus 4t 6m	0.8	Grey
SupraPlus 4t 7m	0.8	Grey
SupraPlus 4t 8m	0.8	Grey
SupraPlus 4t 9m	0.8	Grey
SupraPlus 4t 10m	0.8	Grey
SupraPlus 5t 0.75m	1	Red
SupraPlus 5t 1m	1	Red
SupraPlus 5t 1.5m	1	Red
SupraPlus 5t 2m	1	Red
SupraPlus 5t 3m	1	Red
SupraPlus 5t 4m	1	Red
SupraPlus 5t 5m	1	Red
SupraPlus 5t 6m	1	Red
SupraPlus 5t 7m	1	Red
SupraPlus 5t 8m	1	Red
SupraPlus 5t 9m	1	Red



Item Name short	Weight per Meter [kg/m]	Colour
SupraPlus 5t 10m	1	Red
SupraPlus 6t 1m	1.3	Brown
SupraPlus 6t 1.5m	1.3	Brown
SupraPlus 6t 2m	1.3	Brown
SupraPlus 6t 3m	1.3	Brown
SupraPlus 6t 4m	1.3	Brown
SupraPlus 6t 5m	1.3	Brown
SupraPlus 6t 6m	1.3	Brown
SupraPlus 6t 7m	1.3	Brown
SupraPlus 6t 8m	1.3	Brown
SupraPlus 6t 9m	1.3	Brown
SupraPlus 6t 10m	1.3	Brown
SupraPlus 8t 1m	1.8	Blue
SupraPlus 8t 1.5m	1.8	Blue
SupraPlus 8t 1.75m	1.8	Blue
SupraPlus 8t 2m	1.8	Blue
SupraPlus 8t 3m	1.8	Blue
SupraPlus 8t 4m	1.8	Blue
SupraPlus 8t 5m	1.8	Blue
SupraPlus 8t 6m	1.8	Blue
SupraPlus 8t 7m	1.8	Blue
SupraPlus 8t 8m	1.8	Blue
SupraPlus 8t 9m	1.8	Blue
SupraPlus 8t 10m	1.8	Blue



ORDER NUMBERS[Global Item Number/Local ERP Number SSID]

Dimension L1	500 kg	1000 kg	2000 kg	3000 kg	4000 kg	5000 kg	6000 kg	8000 kg
0.75 m	-	-	-	-	-	2015166 RS-S5000-0,75M	-	-
1 m	2002715 RS-S500-1M	2002717 RS-S1000-1M	2002719 RS-S2000-1M	2002721 RS-S3000-1M	2002723 RS-S4000-1M	2002725 RS-S5000-1M	-	-
1.0 m	-	-	-	-	-	-	2002727 RS-S6000-1M	2002728 RS-S8000-1M
1.5 m	-	2003705 RS-S1000-1,5M	2003707 RS-S2000-1,5M	2003709 RS-S3000-1,5M	-	2003713 RS-S5000-1,5M	2004202 RS-S6000-1,5M	2015180 RS-S8000-1,5M
1.75 m	-	-	-	-	-	-	-	2015181 RS-S8000-1,75M
2 m	2002716 RS-S500-2M	2002718 RS-S1000-2M	2002720 RS-S2000-2M	2002722 RS-S3000-2M	2002724 RS-S4000-2M	2002726 RS-S5000-2M	2004650 RS-S6000-2M	2004199 RS-S8000-2M
2.5 m	-	-	2015134 RS-S2000-2,5M	-	-	-	-	-
3 m	2003205 RS-S500-3M	2003207 RS-S1000-3M	2003209 RS-S2000-3M	2003211 RS-S3000-3M	2003213 RS-S4000-3M	2003215 RS-S5000-3M	2003203 RS-S6000-3M	2003702 RS-S8000-3M
4 m	2015116 RS-S500-4M	2003208 RS-S1000-4M	-	2003212 RS-S3000-4M	2003214 RS-S4000-4M	2003216 RS-S5000-4M	2004201 RS-S6000-4M	2004198 RS-S8000-4M
5 m	2015117 RS-S500-5M	2003704 RS-S1000-5M	2003706 RS-S2000-5M	2003708 RS-S3000-5M	2003710 RS-S4000-5M	2003712 RS-S5000-5M	2004197 RS-S6000-5M	2003703 RS-S8000-5M
6 m	2015120 RS-S500-6M	2015127 RS-S1000-6M	2015137 RS-S2000-6M	2015148 RS-S3000-6M	2015159 RS-S4000-6M	2015170 RS-S5000-6M	2015175 RS-S6000-6M	2015184 RS-S8000-6M
7 m	2016847 RS-S500-7M	2016852 RS-S1000-7M	2015138 RS-S2000-7M	2016857 RS-S3000-7M	2016860 RS-S4000-7M	2016865 RS-S5000-7M	2016868 RS-S6000-7M	2015185 RS-S8000-7M
8 m	2016848 RS-S500-8M	2015128 RS-S1000-8M	2015139 RS-S2000-8M	2015149 RS-S3000-8M	2016861 RS-S4000-8M	2015171 RS-S5000-8M	2015177 RS-S6000-8M	2015186 RS-S8000-8M
9 m	2016849 RS-S500-9M	2016853 RS-S1000-9M	2016855 RS-S2000-9M	2016858 RS-S3000-9M	2016863 RS-S4000-9M	2016866 RS-S5000-9M	2016869 RS-S6000-9M	2016870 RS-S8000-9M
10 m	2016850 RS-S500-10M	2015129 RS-S1000-10M	2015140 RS-S2000-10M	2015150 RS-S3000-10M	2015160 RS-S4000-10M	2015172 RS-S5000-10M	2015179 RS-S6000-10M	2015187 RS-S8000-10M

- Norms EN 1492-2: 2000
- Main Material Polyester
- Temperature Range -40° C to + 100° C
- Label Protection Yes
- Packaging Unit (PU) Content 1

1. WLL - working load limit, nominal load capacity. Applies to direct attachment type.
2. L1 - working length.
3. Deviating from DIN EN 1492-2, the material in this round sling is suitable up to an operating temperature of +70°C.
4. In DIN EN 1492-2, HMPE is not listed as a material and material mixtures are not provided for.

SpanSet Indonesia
Marunda Center Blok
F No.20 Segara
Makmur, Tarumajaya.
Bekasi, Indonesia.
17211
+62 21 285 100 77
sales@spanset.co.id
www.spanset.co.id



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Indonesia - Indonesia

**SpanSet
Certified
Safety**