



Thiele 1-leg

Chain sling Grade 80 with oval ring and configurable hooks

Item Name short	WLL kg [kg]	Chain Diameter	WLL t [t]	Chain Component	Hook Component
TWN 0450/1-6mm	1120	6 mm	1.12	TWN-0805-6mm	TWN 1340/1 - 6mm
TWN 0455/1-6mm	1120	6 mm	1.12	TWN-0805-6mm	TWN-1858/1-6mm
TWN 0454-6mm	1120	6 mm	1.12	TWN-0805-6mm	TWN-0854 - 6mm
TWN 0477/1-6mm	1120	6 mm	1.12	TWN-0805-6mm	TWN 1340/1 - 6mm
TWN 0450/1-8mm	2000	8 mm	2.00	TWN-0805- 8mm	TWN 1340/1 - 8mm
TWN-0455/1-8mm	2000	8 mm	2	TWN-0805- 8mm	TWN-0858/1 - 8mm
TWN 0454-8mm	2000	8 mm	2	TWN-0805- 8mm	TWN-0854 - 8mm
TWN 0477/1-8mm	2000	8 mm	2	TWN-0805- 8mm	TWN 1340/1 - 8mm
TWN-0450/1-10mm	3150	10 mm	3.15	TWN- 0805- 10mm	TWN 1340/1 - 10mm
TWN-0455/1-10mm	3150	10 mm	3.15	TWN- 0805- 10mm	TWN-0858/1 - 10mm
TWN 0454-10mm	3150	10 mm	3.15	TWN- 0805- 10mm	TWN-0854 - 10mm
TWN 0477/1-10mm	3150	10 mm	3.15	TWN- 0805- 10mm	TWN 1340/1 - 10mm
TWN-0450/1-13mm	5300	13 mm	5.30	TWN- 0805- 13mm	TWN 1340/1 - 13mm
TWN 0455/1-13mm	5300	13 mm	5.30	TWN- 0805- 13mm	TWN-0858/1 - 13mm
TWN 0454-13mm	5300	13 mm	5.30	TWN- 0805- 13mm	TWN-0854 - 13mm
TWN 0477/1-13mm	5300	13 mm	5.30	TWN- 0805- 13mm	TWN 1340/1 - 13mm
TWN 0450/1-16mm	8000	16 mm	8	TWN- 0805- 16mm	TWN 1340/1 - 16mm
TWN-0455/1-16mm	8000	16 mm	8	TWN- 0805- 16mm	TWN-0858/1 - 16mm
TWN 0454-16mm	8000	16 mm	8	TWN- 0805- 16mm	TWN-0854 - 16mm
TWN 0477/1-16mm	8000	16 mm	8	TWN- 0805- 16mm	TWN 1340/1 - 16mm
TWN-0450/1-20mm	12500	20 mm	12.50	TWN-0805- 20mm	TWN 1340/1 - 20mm
TWN-0455/1-20mm	12500	20 mm	12.50	TWN-0805- 20mm	TWN-0858/1 - 20mm
TWN 0477/1-20mm	12500	20 mm	12.50	TWN-0805- 20mm	TWN 1340/1 - 20mm
TWN-0450/1-22mm	15000	22 mm	15	TWN-0805- 22mm	TWN 1340/1 - 22mm
TWN-0455/1-22mm	15000	22 mm	15	TWN-0805- 22mm	TWN-0858/1 - 22mm
TWN 0477/1-22mm	15000	22 mm	15	TWN-0805- 22mm	TWN 1340/1 - 22mm



ORDER NUMBERS[Global Item Number/Local ERP Number SSNL]

WLL kg											
	TWN-0854 - 6mm	TWN-0854 - 8mm	TWN-0854 - 10mm	TWN-0854 - 13mm	TWN-0854 - 16mm	TWN-0858/1 - 8mm	TWN-0858/1 - 10mm	TWN-0858/1 - 13mm	TWN-0858/1 - 16mm	TWN-0858/1 - 20mm	TWN-0858/1 - 22mm
1120 kg	2031063	-	-	-	-	-	-	-	-	-	-
2000 kg	-	2031064	-	-	-	2031057	-	-	-	-	-
3150 kg	-	-	2031076	-	-	-	2031058	-	-	-	-
5300 kg	-	-	-	2031077	-	-	-	2031059	-	-	-
8000 kg	-	-	-	-	2031078	-	-	-	2031060	-	-
12500 kg	-	-	-	-	-	-	-	-	-	2031061	-
15000 kg	-	-	-	-	-	-	-	-	-	-	2031062

WLL kg								
	TWN 1340/1 - 6mm	TWN 1340/1 - 8mm	TWN 1340/1 - 10mm	TWN 1340/1 - 13mm	TWN 1340/1 - 16mm	TWN 1340/1 - 20mm	TWN 1340/1 - 22mm	TWN-1858/1-6mm
1120 kg	2030954,2031103	-	-	-	-	-	-	2031054
2000 kg	-	2031048,2031104	-	-	-	-	-	-
3150 kg	-	-	2031049,2031105	-	-	-	-	-
5300 kg	-	-	-	2031050,2031106	-	-	-	-
8000 kg	-	-	-	-	2031051,2031107	-	-	-
12500 kg	-	-	-	-	-	2031052,2031108	-	-
15000 kg	-	-	-	-	-	-	2031053,2031109	-

- Grade 80
- Main Material Steel
- Colour Red

**SpanSet Nederland
B.V.**
Plaza 10A 4782 SK
Moerdijk Nederland
Tel.: +31 (0) 168 38
68 00
info@spanset.nl
www.spanset.nl



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed via electronic systems without the written permission of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Nederland B.V.

**SpanSet
Certified
Safety**

