

Twintex

High-tenacity polyester yarn encased in a smooth, double-wall tightly woven cover



Item Name short	Weight Net [lbs]	WLL Vertical [lbs]	Length [ft.]	WLL Choker [lbs]	WLL 90° Basket lbs [lbs]	Weight per Foot [lbs/ft]	Maximum Length [ft.]
E30X2	0.4	2600	2	2100	5200	0.2	50
E30X3	0.67	2600	3	2100	5200	0.2	50
E30X4	0.95	2600	4	2100	5200	0.2	50
E60X3	1	5300	3	4200	10600	0.3	50
E30X6	1.35	2600	6	2100	5200	0.2	50
E90X3	1.5	8400	3	6700	16800	0.5	50
E60X4	1.6	5300	4	4200	10600	0.3	50
E30X8	1.85	2600	8	2100	5200	0.2	50
E60x6	1.95	5300	6	4200	10600	0.3	50
E90X4	2	8400	4	6700	16800	0.5	50
E30X10	2.35	2600	10	2100	5200	0.2	50
E60X8	2.5	5300	8	4200	10600	0.3	50
E30X12	2.65	2600	12	2100	5200	0.2	50
E90X6	2.75	8400	6	6700	16800	0.5	50
E120X4	2.95	10600	4	8500	21200	0.6	50
E30X20	3	2600	20	2100	5200	0.2	50
E60X10	3.2	5300	10	4200	10600	0.3	50
E150X4	3.3	13200	4	10600	26400	0.7	50
E180X4	3.72	16800	4	13400	33600	0.9	50
E120X6	3.82	10600	6	8500	21200	0.6	50
E60X12	3.85	5300	12	4200	10600	0.3	50
E240X4	3.9	21200	4	17000	42400	0.9	50
E90x10	4.55	8400	10	6700	16800	0.5	50
E150X6	4.65	13200	6	10600	26400	0.7	50
E120X8	5.1	10600	8	8500	21200	0.6	50
E90X12	5.35	8400	12	6700	16800	0.5	50
E180X6	5.58	16800	6	13400	33600	0.9	50
E240X6	5.85	21200	6	17000	42400	0.9	50
E120X10	6.37	10600	10	8500	21200	0.6	50
E60X20	6.55	5300	20	4200	10600	0.3	50
E150X8	6.55	13200	8	10600	26400	0.7	50



Item Name short	Weight Net [lbs]	WLL Vertical [lbs]	Length [ft.]	WLL Choker [lbs]	WLL 90° Basket lbs [lbs]	Weight per Foot [lbs/ft]	Maximum Length [ft.]
E90X8	6.6	8400	8	6700	16800	0.5	50
E180X8	7.44	16800	8	13400	33600	0.9	50
E360X4	7.53	31000	4	24800	62000	1.5	98
E120X12	7.65	10600	12	8500	21200	0.6	50
E150X10	7.75	13200	10	10600	26400	0.7	50
E240X8	8.8	21200	8	17000	42400	0.9	50
E480X4	9.04	40000	4	32000	80000	2	98
E180X10	9.3	16800	10	13400	33600	0.9	50
E150X12	9.35	13200	12	10600	26400	0.7	50
E90X20	9.4	8400	20	6700	16800	0.5	50
E240X10	11	21200	10	17000	42400	0.9	50
E180X12	11.16	16800	12	13400	33600	0.9	50
E360X6	11.3	31000	6	24800	62000	1.5	98
E120X20	12.75	10600	20	8500	21200	0.6	50
E240X12	12.95	21200	12	17000	42400	0.9	50
E480X6	13.56	40000	6	32000	80000	2	98
E360X10	13.71	31000	10	24800	62000	1.5	98
E360X8	15.04	31000	8	24800	62000	1.5	98
E150X20	16	13200	20	10600	26400	0.7	50
E360X12	16.45	31000	12	24800	62000	1.5	98
E180X20	16.6	16800	20	13400	33600	0.9	50
E480X8	18.08	40000	8	32000	80000	2	98
E240X20	19.5	21200	20	17000	42400	0.9	50
E600X8	22	53000	8	42000	106000	2.75	198
E480X10	22.6	40000	10	32000	80000	2	98
E800X8	24.8	66000	8	72000	132000	3.1	198
E480X12	27.12	40000	12	32000	80000	2	98
E360X20	27.42	31000	20	24800	62000	1.5	98
E600X10	27.5	53000	10	42000	106000	2.75	198
E800X10	31	66000	10	72000	132000	3.1	198
E600X12	33	53000	12	42000	106000	2.75	198
E1000X8	35.2	90000	8	72000	180000	4.4	198



Item Name short	Weight Net [lbs]	WLL Vertical [lbs]	Length [ft.]	WLL Choker [lbs]	WLL 90° Basket lbs [lbs]	Weight per Foot [lbs/ft]	Maximum Length [ft.]
E800X12	37.2	66000	12	72000	132000	3.1	198
E1000X10	44	90000	10	72000	180000	4.4	198
E480X20	45.2	40000	20	32000	80000	2	98
E1000X12	52.8	90000	12	72000	180000	4.4	198
E600X20	55	53000	20	42000	106000	2.75	198
E800X20	62	66000	20	72000	132000	3.1	198
E1000X20	88	90000	20	72000	180000	4.4	198

Item Name short	Minimum Length [ft.]	Approx. Width At Load [in]	Approx. Body Diameter Relaxed [in]	Color
E30X2	1.5	1.38	0.5	Purple
E30X3	1.5	1.38	0.5	Purple
E30X4	1.5	1.38	0.5	Purple
E60X3	1.5	1.68	0.62	Green
E30X6	1.5	1.38	0.5	Purple
E90X3	2.0	1.75	0.87	Yellow
E60X4	1.5	1.68	0.62	Green
E30X8	1.5	1.38	0.5	Purple
E60x6	1.5	1.68	0.62	Green
E90X4	2.0	1.75	0.87	Yellow
E30X10	1.5	1.38	0.5	Purple
E60X8	1.5	1.68	0.62	Green
E30X12	1.5	1.38	0.5	Purple
E90X6	2.0	1.75	0.87	Yellow
E120X4	3	2	1.12	Tan
E30X20	1.5	1.38	0.5	Purple
E60X10	1.5	1.68	0.62	Green
E150X4	3	2.5	1.25	Red



Item Name short	Minimum Length [ft.]	Approx. Width At Load [in]	Approx. Body Diameter Relaxed [in]	Color
E180X4	3	2.75	1.5	White
E120X6	3	2	1.12	Tan
E60X12	1.5	1.68	0.62	Green
E240X4	3	3.25	1.75	Blue
E90x10	2.0	1.75	0.87	Yellow
E150X6	3	2.5	1.25	Red
E120X8	3	2	1.12	Tan
E90X12	2.0	1.75	0.87	Yellow
E180X6	3	2.75	1.5	White
E240X6	3	3.25	1.75	Blue
E120X10	3	2	1.12	Tan
E60X20	1.5	1.68	0.62	Green
E150X8	3	2.5	1.25	Red
E90X8	2.0	1.75	0.87	Yellow
E180X8	3	2.75	1.5	White
E360X4	3	4	2.32	Grey
E120X12	3	2	1.12	Tan
E150X10	3	2.5	1.25	Red
E240X8	3	3.25	1.75	Blue
E480X4	4	4.25	2.5	Maroon
E180X10	3	2.75	1.5	White
E150X12	3	2.5	1.25	Red
E90X20	2.0	1.75	0.87	Yellow
E240X10	3	3.25	1.75	Blue
E180X12	3	2.75	1.5	White
E360X6	3	4	2.32	Grey



Item Name short	Minimum Length [ft.]	Approx. Width At Load [in]	Approx. Body Diameter Relaxed [in]	Color
E120X20	3	2	1.12	Tan
E240X12	3	3.25	1.75	Blue
E480X6	4	4.25	2.5	Maroon
E360X10	3	4	2.32	Grey
E360X8	3	4	2.32	Grey
E150X20	3	2.5	1.25	Red
E360X12	3	4	2.32	Grey
E180X20	3	2.75	1.5	White
E480X8	4	4.25	2.5	Maroon
E240X20	3	3.25	1.75	Blue
E600X8	8	4.62	2.75	Brown
E480X10	4	4.25	2.5	Maroon
E800X8	8	5.25	3	Olive
E480X12	4	4.25	2.5	Maroon
E360X20	3	4	2.32	Grey
E600X10	8	4.62	2.75	Brown
E800X10	8	5.25	3	Olive
E600X12	8	4.62	2.75	Brown
E1000X8	8	6	3.62	Black
E800X12	8	5.25	3	Olive
E1000X10	8	6	3.62	Black
E480X20	4	4.25	2.5	Maroon
E1000X12	8	6	3.62	Black
E600X20	8	4.62	2.75	Brown
E800X20	8	5.25	3	Olive
E1000X20	8	6	3.62	Black



ORDER NUMBERS[Global Item Number/Local ERP Number SSUS]

WLL Vertical	WLL 90° Basket lbs	WLL Choker	2 ft.	3 ft.	4 ft.	6 ft.	8 ft.	10 ft.	12 ft.	20 ft.
2600 lbs	5200 lbs	2100 lbs	2012882 E30X2	2012883 E30X3	2012884 E30X4	2012577 E30X6	2022115 E30X8	2022122 E30X10	2022123 E30X12	2022124 E30X20
5300 lbs	10600 lbs	4200 lbs	-	2012578 E60X3	2013976 E60X4	2013977 E60X6	2013978 E60X8	2013979 E60X10	2013980 E60X12	2022125 E60X20
8400 lbs	16800 lbs	6700 lbs	-	2013981 E90X3	2012579 E90X4	2013982 E90X6	2013983 E90X8	2013985 E90X10	2013984 E90X12	2013986 E90X20
10600 lbs	21200 lbs	8500 lbs	-	-	2022126 E120X4	2022127 E120X6	2022128 E120X8	2022129 E120X10	2022130 E120X12	2022131 E120X20
13200 lbs	26400 lbs	10600 lbs	-	-	2024066 E150X4	2022132 E150X6	2022133 E150X8	2012581 E150X10	2022134 E150X12	2021234 E150X20
16800 lbs	33600 lbs	13400 lbs	-	-	2022145 E180X4	2022146 E180X6	2022147 E180X8	2022148 E180X10	2022149 E180X12	2022150 E180X20
21200 lbs	42400 lbs	17000 lbs	-	-	2022151 E240X4	2022152 E240X6	2022153 E240X8	2012582 E240X10	2022154 E240X12	2022155 E240X20
31000 lbs	62000 lbs	24800 lbs	-	-	2022156 E360X4	2022157 E360X6	2022158 E360X8	2022159 E360X10	2022160 E360X12	2022161 E360X20
40000 lbs	80000 lbs	32000 lbs	-	-	2022162 E480X4	2022163 E480X6	2022164 E480X8	2022165 E480X10	2022166 E480X12	2022167 E480X20
53000 lbs	106000 lbs	42000 lbs	-	-	-	-	2030190 E600X8	2030191 E600X10	2030192	2030193 E600X20
66000 lbs	132000 lbs	72000 lbs	-	-	-	-	2030194 E800x8	2030195 E800X10	2030196 E800X12	2030197 E800X20
90000 lbs	180000 lbs	72000 lbs	-	-	-	-	2030198 E1000X8	2030199 E1000X10	2030200 E1000X12	2030201 E1000X20

- Norms ASME B30.9
- Main Material High-Tenacity Polyester
- Temperature Range -40°C bis +100°C
- Label Protection No
- Packaging Unit (PU) Content 1

SpanSet, Inc.
3125 Industrial Drive
Sanford, NC 27331
United States of
America
800-334-7505
info@spanset.com
www.spanset.com



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet, Inc. - USA

**SpanSet
Certified
Safety**