



## Twintex®

NUR NOCH BEGRENZT VERFÜGBAR - Rundschlinge mit Doppelschlauch mit Sicherheitskammer erschwert das Eindringen von Fremdkörpern bei Schäden an der äußeren Hülle

| Artikel<br>Name kurz | WLL<br>[kg] | WLL<br>[t] | L1<br>[m] | L1<br>min.<br>[m] | ca. Auflagedicke unter<br>Last in mm<br>[mm] | Nettogewicht<br>kg<br>[kg] | Gewicht pro<br>Meter<br>[kg/m] |
|----------------------|-------------|------------|-----------|-------------------|----------------------------------------------|----------------------------|--------------------------------|
| Twintex 1t<br>1m     | 1000        | 1          | 1         | 0.38              | 4                                            | 0.3                        | 0.3                            |
| Twintex 1t<br>1,5m   | 1000        | 1          | 1.5       | 0.38              | 4                                            | 0.45                       | 0.3                            |
| Twintex 1t<br>2m     | 1000        | 1          | 2         | 0.38              | 4                                            | 0.6                        | 0.3                            |
| Twintex 1t<br>3m     | 1000        | 1          | 3         | 0.38              | 4                                            | 0.9                        | 0.3                            |
| Twintex 1t<br>4m     | 1000        | 1          | 4         | 0.38              | 4                                            | 1.2                        | 0.3                            |
| Twintex 1t<br>5m     | 1000        | 1          | 5         | 0.38              | 4                                            | 1.5                        | 0.3                            |
| Twintex 2t<br>1m     | 2000        | 2          | 1         | 0.38              | 6                                            | 0.5                        | 0.5                            |
| Twintex 2t<br>1,5m   | 2000        | 2          | 1.5       | 0.38              | 6                                            | 0.75                       | 0.5                            |
| Twintex 2t<br>2m     | 2000        | 2          | 2         | 0.38              | 6                                            | 1                          | 0.5                            |
| Twintex 2t<br>3m     | 2000        | 2          | 3         | 0.38              | 6                                            | 1.5                        | 0.5                            |
| Twintex 2t<br>4m     | 2000        | 2          | 4         | 0.38              | 6                                            | 2                          | 0.5                            |
| Twintex 2t<br>5m     | 2000        | 2          | 5         | 0.38              | 6                                            | 2.5                        | 0.5                            |
| Twintex 3t<br>1m     | 3000        | 3          | 1         | 0.38              | 7                                            | 0.6                        | 0.6                            |
| Twintex 3t<br>1,5    | 3000        | 3          | 1.5       | 0.38              | 7                                            | 0.9                        | 0.6                            |
| Twintex 3t<br>2m     | 3000        | 3          | 2         | 0.38              | 7                                            | 1.2                        | 0.6                            |
| Twintex 3t<br>3m     | 3000        | 3          | 3         | 0.38              | 7                                            | 1.8                        | 0.6                            |
| Twintex 3t<br>4m     | 3000        | 3          | 4         | 0.38              | 7                                            | 2.4                        | 0.6                            |
| Twintex 3t<br>5m     | 3000        | 3          | 5         | 0.38              | 7                                            | 3                          | 0.6                            |
| Twintex 4t<br>1m     | 4000        | 4          | 1         | 0.5               | 8                                            | 0.8                        | 0.8                            |



| Artikel<br>Name kurz | WLL<br>[kg] | WLL<br>[t] | L1<br>[m] | L1<br>min.<br>[m] | ca. Auflagedicke unter<br>Last in mm<br>[mm] | Nettogewicht<br>kg<br>[kg] | Gewicht pro<br>Meter<br>[kg/m] |
|----------------------|-------------|------------|-----------|-------------------|----------------------------------------------|----------------------------|--------------------------------|
| Twintex 4t<br>1.5m   | 4000        | 4          | 1.5       | 0.5               | 8                                            | 1.2                        | 0.8                            |
| Twintex 4t<br>2m     | 4000        | 4          | 2         | 0.5               | 8                                            | 1.6                        | 0.8                            |
| Twintex 4t<br>3m     | 4000        | 4          | 3         | 0.5               | 8                                            | 2.4                        | 0.8                            |
| Twintex 4t<br>4m     | 4000        | 4          | 4         | 0.5               | 8                                            | 3.2                        | 0.8                            |
| Twintex 4t<br>5m     | 4000        | 4          | 5         | 0.5               | 8                                            | 4                          | 0.8                            |
| Twintex 5t<br>1m     | 5000        | 5          | 1         | 0.5               | 9                                            | 1                          | 1                              |
| Twintex 5t<br>1.5m   | 5000        | 5          | 1.5       | 0.5               | 9                                            | 1.5                        | 1                              |
| Twintex 5t<br>2m     | 5000        | 5          | 2         | 0.5               | 9                                            | 2                          | 1                              |
| Twintex 5t<br>3m     | 5000        | 5          | 3         | 0.5               | 9                                            | 3                          | 1                              |
| Twintex 5t<br>4m     | 5000        | 5          | 4         | 0.5               | 9                                            | 4                          | 1                              |
| Twintex 5t<br>5m     | 5000        | 5          | 5         | 0.5               | 9                                            | 5                          | 1                              |
| Twintex 6t<br>1m     | 6000        | 6          | 1         | 0.75              | 12                                           | 1.3                        | 1.3                            |
| Twintex 6t<br>1.5m   | 6000        | 6          | 1.5       | 0.75              | 12                                           | 1.95                       | 1.3                            |
| Twintex 6t<br>2m     | 6000        | 6          | 2         | 0.75              | 12                                           | 2.6                        | 1.3                            |
| Twintex 6t<br>3m     | 6000        | 6          | 3         | 0.75              | 12                                           | 3.9                        | 1.3                            |
| Twintex 6t<br>4m     | 6000        | 6          | 4         | 0.75              | 12                                           | 5.2                        | 1.3                            |
| Twintex 6t<br>5m     | 6000        | 6          | 5         | 0.75              | 12                                           | 6.5                        | 1.3                            |
| Twintex 8t<br>1m     | 8000        | 8          | 1         | 0.75              | 13                                           | 1.8                        | 1.8                            |
| Twintex 8t<br>1.5m   | 8000        | 8          | 1.5       | 0.75              | 13                                           | 2.7                        | 1.8                            |
| Twintex 8t<br>2m     | 8000        | 8          | 2         | 0.75              | 13                                           | 3.6                        | 1.8                            |



| Artikel<br>Name kurz | WLL<br>[kg] | WLL<br>[t] | L1<br>[m] | L1<br>min.<br>[m] | ca. Auflagedicke unter<br>Last in mm<br>[mm] | Nettogewicht<br>kg<br>[kg] | Gewicht pro<br>Meter<br>[kg/m] |
|----------------------|-------------|------------|-----------|-------------------|----------------------------------------------|----------------------------|--------------------------------|
| Twintex 8t<br>3m     | 8000        | 8          | 3         | 0.75              | 13                                           | 5.4                        | 1.8                            |
| Twintex 8t<br>4m     | 8000        | 8          | 4         | 0.75              | 13                                           | 7.2                        | 1.8                            |
| Twintex 8t<br>5m     | 8000        | 8          | 5         | 0.75              | 13                                           | 9                          | 1.8                            |

| Artikel Name kurz | Farbe   |
|-------------------|---------|
| Twintex 1t 1m     | Violett |
| Twintex 1t 1,5m   | Violett |
| Twintex 1t 2m     | Violett |
| Twintex 1t 3m     | Violett |
| Twintex 1t 4m     | Violett |
| Twintex 1t 5m     | Violett |
| Twintex 2t 1m     | Grün    |
| Twintex 2t 1,5m   | Grün    |
| Twintex 2t 2m     | Grün    |
| Twintex 2t 3m     | Grün    |
| Twintex 2t 4m     | Grün    |
| Twintex 2t 5m     | Grün    |
| Twintex 3t 1m     | Gelb    |
| Twintex 3t 1,5    | Gelb    |
| Twintex 3t 2m     | Gelb    |
| Twintex 3t 3m     | Gelb    |
| Twintex 3t 4m     | Gelb    |
| Twintex 3t 5m     | Gelb    |
| Twintex 4t 1m     | Grau    |
| Twintex 4t 1.5m   | Grau    |



| Artikel Name kurz | Farbe |
|-------------------|-------|
| Twintex 4t 2m     | Grau  |
| Twintex 4t 3m     | Grau  |
| Twintex 4t 4m     | Grau  |
| Twintex 4t 5m     | Grau  |
| Twintex 5t 1m     | Rot   |
| Twintex 5t 1,5m   | Rot   |
| Twintex 5t 2m     | Rot   |
| Twintex 5t 3m     | Rot   |
| Twintex 5t 4m     | Rot   |
| Twintex 5t 5m     | Rot   |
| Twintex 6t 1m     | Braun |
| Twintex 6t 1.5m   | Braun |
| Twintex 6t 2m     | Braun |
| Twintex 6t 3m     | Braun |
| Twintex 6t 4m     | Braun |
| Twintex 6t 5m     | Braun |
| Twintex 8t 1m     | Blau  |
| Twintex 8t 1.5m   | Blau  |
| Twintex 8t 2m     | Blau  |
| Twintex 8t 3m     | Blau  |
| Twintex 8t 4m     | Blau  |
| Twintex 8t 5m     | Blau  |



## BESTELLNUMMERN[Global Item Number/Local ERP Number SSDE]

| Länge L1 | 1000 kg            | 2000 kg            | 3000 kg            | 4000 kg            | 5000 kg            | 6000 kg            | 8000 kg            |
|----------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| 1 m      | 2003714<br>D001631 | 2003716<br>D001640 | 2003718<br>D001651 | 2003720<br>D001662 | 2003722<br>D001673 | 2003724<br>D001686 | 2003726<br>D001696 |
| 1.5 m    | 2003715<br>D001632 | 2003717<br>D001642 | 2003719<br>D001653 | 2003721<br>D001664 | 2003723<br>D001674 | 2003725<br>D001687 | 2003727<br>D001698 |
| 2 m      | 2003218<br>D001634 | 2003220<br>D001644 | 2003222<br>D001655 | 2003224<br>D001666 | 2003226<br>D001676 | 2003228<br>D001689 | 2003230<br>D001700 |
| 3 m      | 2003217<br>D001635 | 2003219<br>D001646 | 2003221<br>D001656 | 2003223<br>D001668 | 2003225<br>D001680 | 2003227<br>D001690 | 2003229<br>D001701 |
| 4 m      | 2002730<br>D001637 | 2002732<br>D001648 | 2002734<br>D001658 | 2002736<br>D001669 | 2002738<br>D001682 | 2002740<br>D001692 | 2002742<br>D001703 |
| 5 m      | 2002729<br>D001638 | 2002731<br>D001649 | 2002733<br>D001659 | 2002735<br>D001671 | 2002737<br>D001684 | 2002739<br>D001694 | 2002741<br>D001705 |

|                                   |                 |
|-----------------------------------|-----------------|
| ■ Normen                          | EN 1492-2: 2000 |
| ■ Hauptmaterial                   | Polyester       |
| ■ Temperaturbereich               | - 40°C / 100°C  |
| ■ Etikettenschutz                 | Nein            |
| ■ Verpackungseinheit (VPE) Inhalt | 1               |

1. WLL - working load limit, nominal load capacity. Applies to direct attachment type.
2. L1 - working length.
3. Deviating from DIN EN 1492-2, the material in this round sling is suitable up to an operating temperature of +70°C.
4. In DIN EN 1492-2, HMPE is not listed as a material and material mixtures are not provided for.

