


VarioForce - 4 Ramais

Elevação segura e precisa de cargas assimétricas com regulação rápida do comprimento sem necessidade de ferramentas.



Nome curto do item	Ramais ajustáveis	CMU [kg]	Anel principal	Ganchos	L1 [m]	Variable Length [m]	Peso líquido [kg]
VF4-1400-2EH/C 1,5m T	2	1400	MLA-6-10	ESHC-6-10	1.5	0.5	7
VF4-1400-2EH/C 2,5m T	2	1400	MLA-6-10	ESHC-6-10	2.5	1	7.8
VF4-1400-2EH/C 4m T	2	1400	MLA-6-10	ESHC-6-10	4	1	8.9
VF4-2800-2EH/C 1,5m T	2	2800	MLA-6-10	ESHC-8-10	1.5	0.5	11
VF4-2800-2EH/C 2,5m T	2	2800	MLA-6-10	ESHC-8-10	2.5	1	12.6
VF4-2800-2EH/C 4m T	2	2800	MLA-6-10	ESHC-8-10	4	1	14.6
VF4-4200-2EH/C 2,5m T	2	4200	MLA-8-10	ESHC-10-10	2.5	1	21.2
VF4-4200-2EH/C 4m T	2	4200	MLA-8-10	ESHC-10-10	4	1	23.8
VF4-1400-3EH/C 1,5m T	3	1400	MLA-6-10	ESHC-6-10	1.5	0.5	6.8
VF4-1400-3EH/C 2,5m T	3	1400	MLA-6-10	ESHC-6-10	2.5	1	7.4
VF4-1400-3EH/C 4m T	3	1400	MLA-6-10	ESHC-6-10	4	1	8.2
VF4-2800-3EH/C 1,5m T	3	2800	MLA-6-10	ESHC-8-10	1.5	0.5	11.7
VF4-2800-3EH/C 2,5m T	3	2800	MLA-6-10	ESHC-8-10	2.5	1	12.9
VF4-2800-3EH/C 4m T	3	2800	MLA-6-10	ESHC-8-10	4	1	14.4
VF4-4200-3EH/C 2,5m T	3	4200	MLA-8-10	ESHC-10-10	2.5	1	22.3
VF4-4200-3EH/C 4m T	3	4200	MLA-8-10	ESHC-10-10	4	1	24.4
VF4-1400-4EH/C 1,5m T	4	1400	MLA-6-10	ESHC-6-10	1.5	0.5	6.6
VF4-1400-4EH/C 2,5m T	4	1400	MLA-6-10	ESHC-6-10	2.5	1	7
VF4-1400-4EH/C 4m T	4	1400	MLA-6-10	ESHC-6-10	4	1	7.4



Nome curto do item	Ramais ajustáveis	CMU [kg]	Anel principal	Ganchos	L1 [m]	Variable Length [m]	Peso líquido [kg]
VF4-2800-4EH/C 1,5m T	4	2800	MLA-6-10	ESHC-8-10	1.5	0.5	12.2
VF4-2800-4EH/C 2,5m T	4	2800	MLA-6-10	ESHC-8-10	2.5	1	13.2
VF4-2800-4EH/C 4m T	4	2800	MLA-6-10	ESHC-8-10	4	1	14.2
VF4-4200-4EH/C 2,5m T	4	4200	MLA-8-10	ESHC-10-10	2.5	1	23.4
VF4-4200-4EH/C 4m T	4	4200	MLA-8-10	ESHC-10-10	4	1	25

Nome curto do item	Cor
VF4-1400-2EH/C 1,5m T	Black / Purple
VF4-1400-2EH/C 2,5m T	Black / Purple
VF4-1400-2EH/C 4m T	Black / Purple
VF4-2800-2EH/C 1,5m T	Black / Green
VF4-2800-2EH/C 2,5m T	Black / Green
VF4-2800-2EH/C 4m T	Black / Green
VF4-4200-2EH/C 2,5m T	Black / Yellow
VF4-4200-2EH/C 4m T	Black / Yellow
VF4-1400-3EH/C 1,5m T	Black / Purple
VF4-1400-3EH/C 2,5m T	Black / Purple
VF4-1400-3EH/C 4m T	Black / Purple
VF4-2800-3EH/C 1,5m T	Black / Green
VF4-2800-3EH/C 2,5m T	Black / Green
VF4-2800-3EH/C 4m T	Black / Green
VF4-4200-3EH/C 2,5m T	Black / Yellow
VF4-4200-3EH/C 4m T	Black / Yellow
VF4-1400-4EH/C 1,5m T	Preto
VF4-1400-4EH/C 2,5m T	Preto



Nome curto do item	Cor
VF4-1400-4EH/C 4m T	Preto
VF4-2800-4EH/C 1,5m T	Preto
VF4-2800-4EH/C 2,5m T	Preto
VF4-2800-4EH/C 4m T	Preto
VF4-4200-4EH/C 2,5m T	Preto
VF4-4200-4EH/C 4m T	Preto

NÚMEROS DE ORDEM[Global Item Number/Local ERP Number SSES]

Ramais ajustáveis	Dimensão L1	1400 kg	2800 kg	4200 kg
2	1.5 m	2028550 RHVFD0202855001	2028559 RHVFD0202855901	-
2	2.5 m	2028551 RHVFD0202855101	2028560 RHVFD0202856001	2028568 RHVFD0202856801
2	4 m	2028552 RHVFD0202855201	2028561 RHVFD0202856101	2028569 RHVFD0202856901
4	1.5 m	2028556 RHVFD0202855601	2028565 RHVFD0202856501	-
4	2.5 m	2028557 RHVFD0202855701	2028566 RHVFD0202856601	2028572 RHVFD0202857201
4	4 m	2028558 RHVFD0202855801	2028567 RHVFD0202856701	2028573 RHVFD0202857301
3	1.5 m	2028553 RHVFD0202855301	2028562 RHVFD0202856201	-
3	2.5 m	2028554 RHVFD0202855401	2028563 RHVFD0202856301	2028570 RHVFD0202857001
3	4 m	2028555 RHVFD0202855501	2028564 RHVFD0202856401	2028571 RHVFD0202857101

- Normas based on EN 1492-2
- Gama de temperaturas -40°C bis +60°C
- Unidade de embalagem (PU) Contém 1

1. In multileg-assemblies, containing a combination of VarioForce and round slings, the cover colour of the round slings is in accordance with EN 1492-2. The VarioForce-ropes are always black.

