




VarioForce 4-Strang

Präzise und schnell asymmetrische Lasten heben!

Artikel Name kurz	Anzahl der VarioForce Stränge	WLL [kg]	Öse	Haken- Komponente	L1 [m]	Variable Length [m]	Nettogewicht kg [kg]
VF4-1400-2EH/C 1,5m T	2	1400	MLA-6-10	ESHC-6-10	1.5	0.5	7
VF4-1400-2EH/C 2,5m T	2	1400	MLA-6-10	ESHC-6-10	2.5	1	7.8
VF4-1400-2EH/C 4m T	2	1400	MLA-6-10	ESHC-6-10	4	1	8.9
VF4-2800-2EH/C 1,5m T	2	2800	MLA-6-10	ESHC-8-10	1.5	0.5	11
VF4-2800-2EH/C 2,5m T	2	2800	MLA-6-10	ESHC-8-10	2.5	1	12.6
VF4-2800-2EH/C 4m T	2	2800	MLA-6-10	ESHC-8-10	4	1	14.6
VF4-4200-2EH/C 2,5m T	2	4200	MLA-8-10	ESHC-10-10	2.5	1	21.2
VF4-4200-2EH/C 4m T	2	4200	MLA-8-10	ESHC-10-10	4	1	23.8
VF4-1400-3EH/C 1,5m T	3	1400	MLA-6-10	ESHC-6-10	1.5	0.5	6.8
VF4-1400-3EH/C 2,5m T	3	1400	MLA-6-10	ESHC-6-10	2.5	1	7.4
VF4-1400-3EH/C 4m T	3	1400	MLA-6-10	ESHC-6-10	4	1	8.2
VF4-2800-3EH/C 1,5m T	3	2800	MLA-6-10	ESHC-8-10	1.5	0.5	11.7
VF4-2800-3EH/C 2,5m T	3	2800	MLA-6-10	ESHC-8-10	2.5	1	12.9
VF4-2800-3EH/C 4m T	3	2800	MLA-6-10	ESHC-8-10	4	1	14.4
VF4-4200-3EH/C 2,5m T	3	4200	MLA-8-10	ESHC-10-10	2.5	1	22.3
VF4-4200-3EH/C 4m T	3	4200	MLA-8-10	ESHC-10-10	4	1	24.4
VF4-1400-4EH/C 1,5m T	4	1400	MLA-6-10	ESHC-6-10	1.5	0.5	6.6
VF4-1400-4EH/C 2,5m T	4	1400	MLA-6-10	ESHC-6-10	2.5	1	7
VF4-1400-4EH/C 4m T	4	1400	MLA-6-10	ESHC-6-10	4	1	7.4



Artikel Name kurz	Anzahl der VarioForce Stränge	WLL [kg]	Öse	Haken-Komponente	L1 [m]	Variable Length [m]	Nettogewicht kg [kg]
VF4-2800-4EH/C 1,5m T	4	2800	MLA-6-10	ESHC-8-10	1.5	0.5	12.2
VF4-2800-4EH/C 2,5m T	4	2800	MLA-6-10	ESHC-8-10	2.5	1	13.2
VF4-2800-4EH/C 4m T	4	2800	MLA-6-10	ESHC-8-10	4	1	14.2
VF4-4200-4EH/C 2,5m T	4	4200	MLA-8-10	ESHC-10-10	2.5	1	23.4
VF4-4200-4EH/C 4m T	4	4200	MLA-8-10	ESHC-10-10	4	1	25

Artikel Name kurz	Farbe
VF4-1400-2EH/C 1,5m T	Schwarz / Violett
VF4-1400-2EH/C 2,5m T	Schwarz / Violett
VF4-1400-2EH/C 4m T	Schwarz / Violett
VF4-2800-2EH/C 1,5m T	Schwarz / Grün
VF4-2800-2EH/C 2,5m T	Schwarz / Grün
VF4-2800-2EH/C 4m T	Schwarz / Grün
VF4-4200-2EH/C 2,5m T	Schwarz / Gelb
VF4-4200-2EH/C 4m T	Schwarz / Gelb
VF4-1400-3EH/C 1,5m T	Schwarz / Violett
VF4-1400-3EH/C 2,5m T	Schwarz / Violett
VF4-1400-3EH/C 4m T	Schwarz / Violett
VF4-2800-3EH/C 1,5m T	Schwarz / Grün
VF4-2800-3EH/C 2,5m T	Schwarz / Grün
VF4-2800-3EH/C 4m T	Schwarz / Grün
VF4-4200-3EH/C 2,5m T	Schwarz / Gelb
VF4-4200-3EH/C 4m T	Schwarz / Gelb
VF4-1400-4EH/C 1,5m T	Schwarz
VF4-1400-4EH/C 2,5m T	Schwarz



Artikel Name kurz

Farbe

VF4-1400-4EH/C 4m T

Schwarz

VF4-2800-4EH/C 1,5m T

Schwarz

VF4-2800-4EH/C 2,5m T

Schwarz

VF4-2800-4EH/C 4m T

Schwarz

VF4-4200-4EH/C 2,5m T

Schwarz

VF4-4200-4EH/C 4m T

Schwarz

BESTELLNUMMERN[Global Item Number/Local ERP Number SSDE]

Anzahl der VarioForce Stränge	Länge L1	1400 kg	2800 kg	4200 kg
2	1.5 m	2028550 D094597	2028559 D094657	-
2	2.5 m	2028551 D094599	2028560 D094659	2028568 D094690
2	4 m	2028552 D094049	2028561 D094662	2028569 D094050
4	1.5 m	2028556 D094611	2028565 D094667	-
4	2.5 m	2028557 D094612	2028566 D094668	2028572 D094679
4	4 m	2028558 D094047	2028567 D094669	2028573 D094048
3	1.5 m	2028553 D094603	2028562 D094663	-
3	2.5 m	2028554 D094605	2028563 D094664	2028570 D094689
3	4 m	2028555 D094610	2028564 D094666	2028571 D094692

- Normen based on EN 1492-2
- Temperaturbereich -40°C bis +60°C
- Verpackungseinheit (VPE) Inhalt 1

1. In multileg-assemblies, containing a combination of VarioForce and round slings, the cover colour of the round slings is in accordance with EN 1492-2. The VarioForce-ropes are always black.

