

X-Rescue and Confined Space Harness

Fall arrest harnesses for confined space entry and rescue




Item Name short	Attachment point	Hardware Material	Harness Webbing Material	Buckle Type	Positioning Belt	Sternal Anchorage	Clothing Size
X-Harness Rescue 2 MS	D-Ring 44mm 23kN	Carbon / Alloy Steel	Polyester	3-Bar Buckle	No	Yes	M/L

Item Name short	Dorsal Anchorage	Ventral Anchorage	Dorsal Extension	Padded Shoulders	Padded Leg straps	Tool Attachments	Inspection Guide
X-Harness Rescue 2 MS	Yes	No	Yes	No	No	No	Yes

Item Name short	Multilingual User Instruction Manual	Packaging Unit (PU) Content	Individually Serial Numbered	Individual Certificate	Lifespan [yr.]
X-Harness Rescue 2 MS	Yes	1	Yes	Yes	10





X-Harnesses
Size Guide

	M/L	XL
T	90-120cm	100-135cm

$$T = (1 + 2)$$



ORDER NUMBERS[Global Item Number/Local ERP Number SSNL]

Clothing Size



3-Bar Buckle

M/L

2002251

■ Norms	EN 361: 2002
■ Buckle Type	3-Bar Buckle
■ Hardware Material	Carbon / Alloy Steel
■ Harness Webbing Material	Polyester
■ Clothing Size	M/L
■ Positioning Belt	No
■ Sternal Anchorage	Yes
■ Dorsal Anchorage	Yes
■ Ventral Anchorage	No
■ Dorsal Extension	Yes
■ Padded Shoulders	No
■ Padded Leg straps	No
■ Tool Attachments	No
■ Label Protection	Yes
■ Packaging Unit (PU) Content	1

**SpanSet Nederland
B.V.**
Plaza 10A 4782 SK
Moerdijk Nederland
Tel.: +31 (0) 168 38
68 00
info@spanset.nl
www.spanset.nl



Subject to technical changes. All rights reserved. No part of this technical data sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed via electronic systems without the written permission of SpanSet. This technical data sheet has been compiled with due care; SpanSet accepts no liability for errors or omissions. © SpanSet Nederland B.V.

**SpanSet
Certified
Safety**